



Temporal Trends and Geographic Comparisons



Strait of Georgia - 1997




1997 Strait of Georgia Summary


- Three *possibly impacted* samples, two in Drayton Harbor and one in Bellingham Bay.
- Weighted mean Triad Index (wmTriad) decreased from 93.4 in 1997 to 87.2 in 2006.

Triad Index	
Category	Score
Unimpacted	>81-100
Likely unimpacted	>57-81
Possibly impacted	>35-57
Likely impacted	>5-35
Clearly Impacted	0-5
Inconclusive	


Chemistry Index




Toxicity Index





Benthic Index






Temporal Trends and Geographic Comparisons


Strait of Georgia



Puget Sound



Strait of Georgia - 2006




2006 Strait of Georgia Summary


- **Possibly impacted** samples all occurred in Bellingham Bay.
- Eight samples were **inconclusive**.
- **Weighted mean Triad Index (wmTriad)** decreased from 93.4 in 1997 to 87.2 in 2006.

Sediment Quality Triad Index Category	Sediment Quality Triad Index Score
Unimpacted	>81-100
Likely unimpacted	>57-81
Possibly impacted	>35-57
Likely impacted	>5-35
Clearly impacted	0-5
Inconclusive	

Chemistry Index



Toxicity Index



Benthic Index

