

ATTACHMENT 1

SAMPLING STATION
COORDINATES

Attachment 1

Survey Locations (December 12, 2005)
 Little Squalicum Park Remedial Investigation
 Larry Steele and Associates Land Surveyors (#12905)

| Point Number | NAD 83/91 Northing (Ft) | NAD 83/91 Easting (Ft) | NAVD 88 Elevation (Ft) | Description |
|--------------|----------------------------|---------------------------|---------------------------|-----------------|
| 6041 | 649325.59 | 1235251.68 | 35.44 | HA-07 |
| 6042 | 649359.48 | 1235277.73 | 36.60 | HA-08 |
| 6034 | 649100.51 | 1234997.60 | 26.39 | LSC-07 |
| 6031 | 648948.15 | 1234764.31 | 21.43 | LSC-08 |
| 6023 | 648729.58 | 1234502.01 | 15.41 | LSC-09 |
| 6058 | 648904.34 | 1234536.10 | 41.15 | MWLSCO1-TOP PVC |
| 6059 | 649006.13 | 1234694.59 | 46.38 | MWLSCO2-TOP PVC |
| 6060 | 649125.43 | 1234935.07 | 53.65 | MWLSCO3-TOP PVC |
| 6022 | 648436.11 | 1234326.67 | 12.22 | SHEEN AREA |
| 6013 | 648311.56 | 1234300.10 | 13.16 | STP-01 |
| 6015 | 648300.03 | 1234300.98 | 13.00 | STP-02 |
| 6002 | 648289.89 | 1234298.46 | 12.58 | STP-03 |
| 6006 | 648315.31 | 1234282.80 | 14.16 | STP-04 |
| 6001 | 648295.40 | 1234287.83 | 13.67 | STP-05 |
| 6008 | 648385.32 | 1234305.64 | 15.03 | STP-06 |
| 6011 | 648400.61 | 1234309.17 | 14.33 | STP-07 |
| 6005 | 648351.68 | 1234313.24 | 13.11 | STP-08 |
| 6003 | 648330.31 | 1234316.06 | 13.28 | STP-09 |
| 6009 | 648331.82 | 1234325.73 | 14.28 | STP-10 |
| 6004 | 648353.27 | 1234322.60 | 14.71 | STP-11 |
| 6016 | 648283.95 | 1234316.31 | 12.61 | STP-12 |
| 6010 | 648432.65 | 1234320.01 | 13.43 | STP-13 |
| 6021 | 648590.65 | 1234399.07 | 15.30 | STP-14 |
| 6000 | 648150.83 | 1234263.30 | 8.26 | SW-01 |
| 6028 | 648833.69 | 1234553.09 | 18.62 | SW-04 |
| 6040 | 649296.12 | 1235164.66 | 39.22 | SW-05 |
| 6039 | 649247.48 | 1235193.96 | 32.97 | SW-06 |
| 6049 | 649094.86 | 1235795.30 | 36.32 | SW-07 |
| 6020 | 648549.60 | 1234383.87 | 12.60 | SW-09 |
| 6048 | 649016.90 | 1235609.38 | 38.24 | TP-01 |
| 6046 | 648930.22 | 1235708.04 | 40.61 | TP-02 |
| 6070 | 649053.78 | 1235712.67 | 38.42 | TP-03 REVISED |
| 6044 | 649316.98 | 1235338.57 | 40.57 | TP-04 |
| 6036 | 649122.32 | 1235209.15 | 33.40 | TP-05 |
| 6035 | 649033.38 | 1235087.80 | 30.16 | TP-06 |
| 6032 | 648836.71 | 1235050.25 | 28.71 | TP-07 |
| 6030 | 648819.66 | 1234837.58 | 26.95 | TP-08 |
| 6024 | 648641.99 | 1234552.91 | 24.55 | TP-09 |
| 6072 | 648455.94 | 1234485.41 | 19.18 | TP-10 |
| 6073 | 648454.98 | 1234581.92 | 20.66 | TP-11 |
| 6017 | 648299.38 | 1234434.29 | 16.35 | TP-12 |
| 6069 | 649118.15 | 1235099.31 | 31.78 | TP-13 |
| 6068 | 649095.94 | 1235115.79 | 31.23 | TP-14 |
| 6067 | 649050.98 | 1235148.03 | 31.20 | TP-15 |
| 6064 | 648944.72 | 1235185.97 | 29.00 | TP-16 |
| 6065 | 648860.83 | 1235211.83 | 27.73 | TP-17 |
| 6066 | 648782.44 | 1235141.76 | 27.08 | TP-18 |

Attachment 1

**Survey Locations (February 9, 16, 17, 2006)
Little Squalicum Park Remedial Investigation
Larry Steele and Associates Land Surveyors (#12905)**

| Point Number | NAD 83/91 Northing (Ft) | NAD 83/91 Easting (Ft) | NAVD 88 Elevation (Ft) | Description |
|--------------|----------------------------|---------------------------|---------------------------|--------------------------|
| 6124 | 648056.67 | 1234166.06 | 4.08 | Centerline Creek |
| 6125 | 648125.09 | 1234239.43 | 6.58 | Centerline Creek |
| 6127 | 648218.25 | 1234311.42 | 9.19 | Centerline Creek |
| 6128 | 648329.44 | 1234307.07 | 10.33 | Centerline Creek |
| 6129 | 648424.37 | 1234328.30 | 11.11 | Centerline Creek |
| 6140 | 648530.07 | 1234374.09 | 12.49 | Centerline Creek |
| 6141 | 648571.30 | 1234402.85 | 12.90 | Centerline Creek |
| 6142 | 648642.73 | 1234454.91 | 14.39 | Centerline Creek |
| 6143 | 648717.08 | 1234494.65 | 15.07 | Centerline Creek |
| 6144 | 648804.97 | 1234541.78 | 15.89 | Centerline Creek |
| 6145 | 648877.45 | 1234612.51 | 17.06 | Centerline Creek |
| 6146 | 648917.67 | 1234702.41 | 18.26 | Centerline Creek |
| 6148 | 648953.66 | 1234773.35 | 21.26 | Centerline Creek |
| 6150 | 648981.42 | 1234847.54 | 24.37 | Centerline Creek |
| 6152 | 649048.05 | 1234945.47 | 25.68 | Centerline Creek |
| 6153 | 649088.40 | 1234988.73 | 26.06 | Centerline Creek |
| 6154 | 649134.03 | 1235053.64 | 27.16 | Centerline Creek |
| 6155 | 649179.40 | 1235097.52 | 28.10 | Centerline Creek |
| 6156 | 649233.59 | 1235177.39 | 33.00 | Centerline Creek |
| 6157 | 649248.50 | 1235195.08 | 32.34 | Culvert Invert 32" CMP |
| 6126 | 648151.35 | 1234264.11 | 8.35 | Culvert Invert 36" Conc. |
| 6130 | 648439.11 | 1234320.02 | 13.52 | Ground |
| 6131 | 648439.57 | 1234318.56 | 13.73 | WELL RIM SB-18 |
| 6132 | 648439.51 | 1234318.55 | 13.23 | PVC TOP SB-18 |
| 6136 | 648574.64 | 1234394.34 | 14.52 | Ground |
| 6138 | 648574.14 | 1234396.29 | 14.70 | WELL RIM SB-19 |
| 6139 | 648574.19 | 1234396.30 | 14.38 | PVC TOP SB-19 |
| 6133 | 648591.51 | 1234395.86 | 15.40 | Ground |
| 6134 | 648590.04 | 1234395.45 | 15.62 | WELL RIM SB-20 |
| 6135 | 648590.06 | 1234395.47 | 15.41 | PVC TOP SB-20 |
| 6165 | 649125.84 | 1235019.24 | 32.33 | Ground |
| 6166 | 649125.11 | 1235020.31 | 32.34 | WELL RIM SB-14 |
| 6164 | 649125.02 | 1235020.37 | 32.13 | PVC TOP SB-14 |
| 6170 | 649179.16 | 1235000.55 | 55.66 | Ground |
| 6172 | 649180.32 | 1234998.34 | 55.43 | WELL RIM SB-24 |
| 6171 | 649180.41 | 1234998.41 | 54.94 | PVC TOP SB-24 |
| 6158 | 649196.47 | 1235108.10 | 35.14 | Ground |
| 6160 | 649197.46 | 1235106.67 | 35.26 | WELL RIM SB-13 |
| 6159 | 649197.31 | 1235106.67 | 34.95 | PVC TOP SB-13 |
| 6173 | 649242.25 | 1235072.29 | 58.81 | Ground |
| 6175 | 649244.02 | 1235070.98 | 58.63 | WELL RIM SB-23 |
| 6174 | 649243.97 | 1235071.01 | 58.19 | PVC TOP SB-23 |
| 6161 | 649244.67 | 1235153.75 | 39.59 | Ground |
| 6163 | 649243.93 | 1235152.93 | 39.85 | WELL RIM SB-09 |
| 6162 | 649243.97 | 1235152.92 | 39.47 | PVC TOP SB-09 |
| 6176 | 649308.98 | 1235140.41 | 61.37 | Ground |
| 6178 | 649311.16 | 1235138.33 | 61.03 | WELL RIM SB-22 |
| 6177 | 649311.11 | 1235138.47 | 60.56 | PVC TOP SB-22 |
| 6179 | 649374.14 | 1235209.39 | 64.48 | Ground |
| 6181 | 649375.41 | 1235210.06 | 64.38 | WELL RIM SB-21 |
| 6180 | 649375.81 | 1235210.33 | 63.90 | PVC TOP SB-21 |

Attachment 1

**Survey Locations (February 9, 16, 17, 2006)
Little Squalicum Park Remedial Investigation
Larry Steele and Associates Land Surveyors (#12905)**

| Point Number | NAD 83/91 Northing (Ft) | NAD 83/91 Easting (Ft) | NAVD 88 Elevation (Ft) | Description |
|--------------|----------------------------|---------------------------|---------------------------|----------------|
| 6104 | 649016.26 | 1235580.92 | 38.44 | RTP-5 |
| 6114 | 648967.98 | 1235608.53 | 42.88 | RTP-1 |
| 6108 | 649027.75 | 1235605.20 | 38.69 | RTP-10 |
| 6100 | 649018.57 | 1235656.47 | 37.16 | RTP-11 |
| 6101 | 649018.38 | 1235634.01 | 38.09 | RTP-12 |
| 6110 | 649018.24 | 1235620.86 | 38.72 | RTP-13 |
| 6116 | 648986.23 | 1235646.42 | 38.70 | RTP-14 |
| 6119 | 648953.95 | 1235685.35 | 39.74 | RTP-15 |
| 6115 | 648968.03 | 1235636.44 | 38.92 | RTP-16 |
| 6118 | 648944.51 | 1235663.49 | 40.31 | RTP-17 |
| 6120 | 648931.20 | 1235679.02 | 41.15 | RTP-18 |
| 6122 | 648907.85 | 1235706.96 | 43.90 | RTP-19 |
| 6111 | 648992.67 | 1235606.84 | 38.76 | RTP-2 |
| 6099 | 649051.40 | 1235624.27 | 37.88 | RTP-20 |
| 6107 | 648994.44 | 1235564.92 | 39.84 | RTP-21 |
| 6117 | 648940.03 | 1235639.99 | 42.58 | RTP-22 |
| 6123 | 648951.12 | 1235726.56 | 41.60 | RTP-23 |
| 6103 | 649033.79 | 1235581.99 | 38.08 | RTP-24 |
| 6102 | 649055.36 | 1235560.54 | 36.99 | RTP-25 |
| 6113 | 648980.93 | 1235609.75 | 40.08 | RTP-3 |
| 6106 | 649016.45 | 1235558.92 | 39.20 | RTP-4 |
| 6105 | 649016.35 | 1235587.71 | 38.27 | RTP-6 |
| 6096 | 649067.89 | 1235604.74 | 38.27 | RTP-7 |
| 6097 | 649058.71 | 1235603.84 | 38.22 | RTP-8 |
| 6109 | 649038.07 | 1235603.77 | 38.04 | RTP-9 |
| 6081 | 648247.35 | 1234334.27 | 13.12 | SB-1 [1] |
| 6080 | 648246.41 | 1234336.59 | 13.47 | SB-1 [2] |
| 6078 | 648556.97 | 1234389.24 | 12.56 | SB-10 |
| 6092 | 649118.09 | 1235068.59 | 35.79 | SB-11 GND |
| 6093 | 649117.77 | 1235067.91 | 35.88 | SB-11 RIM |
| 6091 | 649117.85 | 1235067.96 | 35.49 | SB-11 TOP PIPE |
| 6090 | 649074.30 | 1234993.07 | 29.44 | SB-12 |
| 6149 | 648975.97 | 1234861.57 | 27.55 | SB-15 |
| 6151 | 649003.30 | 1234869.62 | 25.50 | SB-16 |
| 6147 | 648927.74 | 1234770.39 | 26.62 | SB-17 |
| 6082 | 648251.47 | 1234319.52 | 12.53 | SB-2 |
| 6086 | 648248.22 | 1234303.84 | 12.30 | SB-3 0-1 |
| 6084 | 648256.16 | 1234303.03 | 12.39 | SB-3[1] |
| 6085 | 648252.58 | 1234302.58 | 12.40 | SB-3[2] |
| 6088 | 648256.16 | 1234291.55 | 14.16 | SB-4 |
| 6087 | 648251.41 | 1234291.41 | 14.08 | SB-4 0-1 |
| 6083 | 648254.66 | 1234309.74 | 9.49 | SB-5 |
| 6077 | 648420.45 | 1234351.85 | 16.93 | SB-6 |
| 6076 | 648424.39 | 1234337.64 | 14.73 | SB-7 |
| 6079 | 648552.76 | 1234398.49 | 15.26 | SB-8 |
| 6094 | 649108.43 | 1235153.96 | 32.57 | TP 25 |
| 6095 | 649116.46 | 1235171.53 | 32.94 | TP 26 |
| 6112 | 648990.85 | 1235612.97 | 38.70 | TP-22 |
| 6121 | 648928.50 | 1235685.09 | 40.59 | TP-23 |
| 6098 | 649061.59 | 1235609.45 | 38.00 | TP-24 |

Attachment 1

Survey Locations (April 26, 2006) Little Squalicum Park Remedial Investigation Larry Steele and Associates Land Surveyors (#12905)

| Point Number | NAD 83/91 Northing (Ft) | NAD 83/91 Easting (Ft) | NAVD 88 Elevation (Ft) | Description |
|--------------|----------------------------|---------------------------|---------------------------|---------------|
| 6249 | 648110.84 | 1234474.56 | 15.38 | HA 1 |
| 6250 | 648169.29 | 1234375.86 | 12.27 | HA 2 |
| 6253 | 648253.39 | 1234242.75 | 15.53 | HA 3 |
| 6252 | 648231.38 | 1234234.49 | 13.80 | HA 4 |
| 6251 | 648159.70 | 1234349.45 | 11.69 | HA 5 |
| 6248 | 648093.36 | 1234457.60 | 13.33 | HA 6 |
| 6222 | 649198.79 | 1235107.51 | 35.08 | SB 13 GND |
| 6223 | 649197.45 | 1235106.67 | 35.27 | SB 13 RIM |
| 6224 | 649197.31 | 1235106.67 | 34.96 | SB 13 TOP PVC |
| 6219 | 649126.62 | 1235020.95 | 32.24 | SB 14 GND |
| 6220 | 649125.09 | 1235020.31 | 32.35 | SB 14 RIM |
| 6221 | 649125.08 | 1235020.36 | 32.13 | SB 14 TOP PVC |
| 6241 | 648439.38 | 1234320.19 | 13.50 | SB 18 GND |
| 6242 | 648439.55 | 1234318.59 | 13.73 | SB 18 RIM |
| 6243 | 648439.52 | 1234318.54 | 13.24 | SB 18 TOP PVC |
| 6237 | 648573.94 | 1234394.25 | 14.56 | SB 19 GND |
| 6246 | 648574.13 | 1234396.30 | 14.69 | SB 19 RIM |
| 6247 | 648574.21 | 1234396.30 | 14.38 | SB 19 TOP PVC |
| 6238 | 648589.46 | 1234396.87 | 15.21 | SB 20 GND |
| 6239 | 648590.07 | 1234395.44 | 15.60 | SB 20 RIM |
| 6240 | 648590.03 | 1234395.47 | 15.41 | SB 20 TOP PVC |
| 6192 | 649019.41 | 1234946.31 | 27.96 | SB 25 GND |
| 6194 | 649018.51 | 1234947.00 | 28.14 | SB 25 RIM |
| 6193 | 649018.56 | 1234946.99 | 27.83 | SB 25 TOP PVC |
| 6200 | 648927.13 | 1234984.91 | 28.21 | SB 26 GND |
| 6202 | 648928.26 | 1234984.21 | 28.48 | SB 26 RIM |
| 6201 | 648928.31 | 1234984.30 | 28.22 | SB 26 TOP PVC |
| 6209 | 648981.97 | 1235037.93 | 29.07 | SB 27 GND |
| 6210 | 648982.07 | 1235039.32 | 29.28 | SB 27 RIM |
| 6211 | 648982.25 | 1235038.62 | 28.91 | SB 27 TOP PVC |
| 6233 | 649280.80 | 1235209.55 | 40.08 | SB 28 GND |
| 6234 | 649279.27 | 1235211.16 | 40.27 | SB 28 RIM |
| 6235 | 649279.36 | 1235211.12 | 39.74 | SB 28 TOP PVC |
| 6225 | 649171.28 | 1235110.28 | 35.45 | SB 29 GND |
| 6226 | 649172.56 | 1235111.52 | 35.76 | SB 29 RIM |
| 6227 | 649172.54 | 1235111.51 | 35.48 | SB 29 TOP PVC |
| 6213 | 649012.03 | 1235105.54 | 30.42 | SB 30 GND |
| 6214 | 649011.26 | 1235106.98 | 30.81 | SB 30 RIM |
| 6215 | 649011.36 | 1235106.93 | 30.49 | SB 30 TOP PVC |
| 6198 | 648999.45 | 1234989.64 | 28.14 | SB 31 GND |
| 6195 | 648944.02 | 1234917.55 | 27.09 | SB 32 GND |
| 6197 | 648942.97 | 1234918.39 | 27.24 | SB 32 RIM |
| 6196 | 648943.02 | 1234918.35 | 26.95 | SB 32 TOP PVC |
| 6217 | 649079.08 | 1235090.65 | 30.94 | SB 33 |
| 6205 | 648756.84 | 1234985.76 | 26.01 | SB 34 GND |
| 6206 | 648759.18 | 1234894.85 | 25.91 | SB 35 GND |
| 6207 | 648795.21 | 1234806.58 | 23.44 | SB 36 GND |
| 6208 | 648831.87 | 1234716.98 | 22.32 | SB 37 GND |
| 6204 | 648712.79 | 1235076.07 | 25.40 | SB 38 GND |
| 6203 | 648782.21 | 1235145.84 | 27.08 | SB 39 GND |
| 6230 | 649242.42 | 1235153.36 | 39.44 | SB 9 GND |
| 6231 | 649243.92 | 1235152.90 | 39.84 | SB 9 RIM |
| 6232 | 649243.96 | 1235152.88 | 39.48 | SB 9 TOP PVC |
| 6212 | 648992.97 | 1235072.11 | 29.97 | TP 19 GND |
| 6216 | 648982.56 | 1235130.08 | 30.87 | TP 20 |
| 6218 | 649085.54 | 1235062.19 | 30.80 | TP 21 |

SB 9 GRD Station location re-surveyed after monument replacement.

Attachment 1

Survey Locations October 2006 and January 2008)
Little Squalicum Park Remedial Investigation
Integral Field Team and Wilson Engineering Surveyors

| NAD 83/91 Northing (Ft) | NAD 83/91 Easting (Ft) | NAVD 88 Elevation (Ft) | Description |
|----------------------------|---------------------------|---------------------------|-------------|
| 649449.12 | 1234694.70 | 72.09* | TP-26 |
| 649464.73 | 1234815.66 | 71.15* | TP-27 |
| 649443.76 | 1234939.84 | 70.93* | TP-28 |
| 649462.99 | 1235173.46 | 70.38* | TP-29 |
| 649455.07 | 1235257.71 | 69.10* | TP-30 |
| 649445.57 | 1235414.31 | 68.41* | TP-31 |
| 649453.02 | 1235072.69 | 70.25* | SB 40 |
| 649459.10 | 1235072.86 | 70.33* | SB 41 |
| 649435.25 | 1235089.91 | 69.62 | SB 42 |

72.09*

Elevation estimated by Wilson Engineering from topographic map using known horizontal coordinates.

