

WATER TRANSFER WORKING GROUP PROJECT DESCRIPTION

APPLICATION NO./COURT CLAIM NO.		
Water Budget Neutral Request No. G4-35808 with mitigation from Trust Water Right No. CS4-01467@11sb3a(A)		
APPLICANT NAME John & Barbara Brindle	CONTACT Suzanne Blakeney	CONTACT'S TELEPHONE NO 425-246-3297
WATER RIGHT HOLDER'S NAME (if different) Masterson Ranch		CONTACT'S EMAIL suzanne@washingtonwatertrust.org

DATE OF APPLICATION December 10, 2015
--

WATER SOURCE: Well	CROP: Lawn and/or noncommercial garden
INSTANTANEOUS QUANTITY: TBD	ANNUAL QUANTITY: 0.414 ac-ft/yr
PERIOD OF USE: Continuous for 1 domestic connection and season irrigation for lawn and/or garden	
PLACE OF USE: Parcel No. 896635, located within the NE¼,NW¼ of Section 7, T. 21 N., R. 13 E.W.M.	PURPOSE OF USE: Domestic and irrigation of 500 square feet of lawn and/or garden

<p>CONSUMPTIVE USE CALCULATION:</p> <p>Indoor use: 1 residential connection at 350 gallons per day (gpd) used continuously year round equates to 0.392 ac-ft/yr of water use, or: Consistent with WAC 173-539A-050(3), 30% of domestic in-house use on a septic system is consumptively used, therefore: Indoor consumptive use (CU) = 0.118 ac-ft/yr</p> <p>Outdoor use: The requestor proposes to irrigate 500 ft² of lawn and/or garden. Using a crop irrigation requirement of 18.10 in/yr (or 1.51 ft/yr) for pasture/turf near Cle Elum from the Washington Irrigation Guide and an application efficiency of 80%, the total outdoor irrigation water use is 0.022 ac-ft/yr. Consistent with WAC 173-539A-050(3), 90% of outdoor use is consumptively used, so: Outdoor consumptive use = 0.019 ac-ft/yr</p> <p>Total consumptive use = 0.137 ac-ft/yr</p> <p>Contract water = 0.072 ac-ft/yr for the period September 1 to March 31</p>

NARRATIVE DESCRIPTION OF PROJECT:

The project is located adjacent to Lodge Creek, on the western side of Cle Elum Lake.

The requestor proposes to offset the 0.137 ac-ft/yr of consumptive use for the project (1 residential connection and 500 ft² of lawn and garden) with 0.137 ac-ft/yr of mitigation water acquired from Trust Water Right NoCS4-01467@11sb3a(A). 0.072 ac-ft is assigned to the USBR-Ecology Exchange Contract (Contract No. 09XX101700).

Review of the local area hydrogeology suggests that water withdrawn from the proposed point of withdrawal will likely impact Lodge Creek or Cle Elum Lake.

WTWG Project form

Location of G4-35808

