

**WATER TRANSFER WORKING GROUP PROJECT DESCRIPTION**

APPLICATION NO./COURT CLAIM NO.  Water Budget Neutral Request No. G4-35748 with mitigation from Trust Water Right No. S4-05259CTCL@2sb7		
APPLICANT NAME <b>Sharon Hart</b>	CONTACT <b>Jessica Kuchan</b>	CONTACT'S TELEPHONE NO 206-838-7650
WATER RIGHT HOLDER'S NAME (if different) <b>New Suncadia</b>		CONTACT'S EMAIL kuchan@mentorlaw.com

DATE OF APPLICATION <b>March 06, 2015</b>
--

WATER SOURCE: <b>Well</b>	CROP: <b>Lawn and\or noncommercial garden</b>
INSTANTANEOUS QUANTITY: <b>TBD</b>	ANNUAL QUANTITY: <b>0.414 ac-ft/yr</b>
PERIOD OF USE: <b>Continuous for 1 domestic connection and season irrigation for lawn and\or garden</b>	
PLACE OF USE: <b>Parcel No. 665634, located within the NW<sup>1</sup>/<sub>4</sub> of Section 6, T. 19 N., R. 15 E.W.M.</b>	PURPOSE OF USE: <b>Domestic and irrigation of 500 square feet of lawn and\or garden</b>

<p>CONSUMPTIVE USE CALCULATION:</p> <p><b>Indoor use:</b> 1 residential connection at 350 gallons per day (gpd) used continuously year round equates to 0.392 ac-ft/yr of water use, or: Consistent with WAC 173-539A-050(3), 30% of domestic in-house use on a septic system is consumptively used, therefore: <b>Indoor consumptive use (CU) = 0.118 ac-ft/yr</b></p> <p><b>Outdoor use:</b> The requestor proposes to irrigate 500 ft<sup>2</sup> of lawn and/or garden. Using a crop irrigation requirement of 18.10 in/yr (or 1.51 ft/yr) for pasture/turf near Cle Elum from the Washington Irrigation Guide and an application efficiency of 80%, the total outdoor irrigation water use is 0.043 ac-ft/yr. Consistent with WAC 173-539A-050(3), 90% of outdoor use is consumptively used, so: <b>Outdoor consumptive use = 0.039 ac-ft/yr</b></p> <p><b>Total consumptive use = 0.137 ac-ft/yr</b></p> <p><b>Contract water = 0.072 ac-ft/yr for the period September 1 to March 31</b></p>
---

NARRATIVE DESCRIPTION OF PROJECT:

The project is located adjacent to the confluence of Spex Arth Creek and the Yakima River, approximately 3 miles southwest of Cle Elum in a “green” area as noted in the current Suncadia Trust Water Right.

The requestor proposes to offset the 0.137 ac-ft/yr of consumptive use for the project (1 residential connection and 500 ft<sup>2</sup> of lawn and garden) with 0.137 ac-ft/yr of mitigation water acquired from Trust Water Right No. S4-05259CTCL@2sb7. 0.072 ac-ft is assigned to the USBR-Ecology Exchange Contract (Contract No. 09XX101700). In addition to the consumptive use of the project, Ecology will assign 0.024 ac-ft of the Trust Water Right to be managed within the Trust Water Right Program for instream flow purposes to benefit the Yakima River.

Review of the local area hydrogeology suggests that withdraws will likely impact the Yakima River.

WTWG Project form

**Location of G4-35748**

