

Environmental Laboratories Accredited for Drinking Water Analyses Washington State Department of Ecology - Lab Accreditation Program

Some of these labs may be accredited for tests in addition to drinking water analyses. The complete list of the tests the labs are accredited for is available on the program's internet site. The address is: <http://ecy.wa.gov/apps/eap/acclabs/labquery.asp>

For questions, comments, or additional information, contact the Lab Accreditation Unit. Telephone (360) 895-6145 Email cosc461@ecy.wa.gov.

AAA Laboratory

404 1st Street
Cheney, WA 99004

DOH #: 108

Cheryl Blake (509) 235-9390

County: Spokane

aaalab@hotmail.com

CHEM I (GENERAL CHEM

Fluoride

SM 4500-F C

Nitrate

SM 4500-NO3 D

CHEM II (TRACE METALS

Arsenic

EPA 200.9

Copper

SM 18/19 3111 B

Lead

EPA 200.9

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert

SM 9223

Accurate Testing Labs L.L.C.

7950 Meadowlark Way
Coeur d'Alene, ID 83815

DOH #: 021

Walter Mueller (208) 762-8378

County: Kootenai

mueller@accuratetesting.com

CHEM I (GENERAL CHEM

Alkalinity, Total

SM 2320 B

Chloride

EPA 300.0

Color

SM 2120 B

Cyanide, Total

SM 4500-CN F

Fluoride

EPA 300.0

Hardness, Total (as CaCO3)

SM 2340 B

Nitrate

EPA 300.0

Nitrite

EPA 300.0

Orthophosphate

EPA 300.0

Solids, Total Dissolved

SM 2540 C

Specific Conductance

EPA 120.1

Sulfate

EPA 300.0

Turbidity

EPA 180.1

CHEM II (TRACE METALS

Aluminum

EPA 200.7

Antimony

EPA 200.9

Arsenic

EPA 200.9

Barium

EPA 200.7

Beryllium

EPA 200.7

Cadmium

EPA 200.7

Chromium

EPA 200.7

Copper

EPA 200.7

Iron

EPA 200.7

Lead

EPA 200.9

Manganese

EPA 200.7

Mercury

EPA 245.1

Nickel

EPA 200.7

Accurate Testing Labs L.L.C.

7950 Meadowlark Way
Coeur d'Alene, ID 83815

Walter Mueller (208) 762-8378

CHEM II (TRACE METALS)

Selenium

Silver

Sodium

Thallium

Zinc

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert

DOH #: 021

County: Kootenai

mueller@accuratetesting.com

EPA 200.9

EPA 200.7

EPA 200.7

EPA 200.9

EPA 200.7

SM 9223

Accutest Laboratories - Northern California

3334 Victor Court
Santa Clara, CA 95035

Laurie Glantz Murphy (408) 588-0200

CHEM I (GENERAL CHEM)

Perchlorate

DOH #: 185

County: Santa Clara

laurieg@accutest.com

EPA 314.0

ACZ Laboratories, Inc.

2773 Downhill Drive
Steamboat Springs, CO 80487

Matt Sowards (970) 879-6590

CHEM II (TRACE METALS)

Uranium

RADIOCHEMISTRY

Alpha, Gross

Beta, Gross

Radium 226

Radium 228

DOH #: 257

County: Routt

matts@acz.com

EPA 200.8

EPA 900.0

EPA 900.0

EPA 903.1

EPA 904.0

Addy Lab of Southwest Washington

2517 E Evergreen Blvd
Vancouver, WA 98661

Tom Newman (360) 750-0055

CHEM I (GENERAL CHEM)

Chloride

Color

Fluoride

Hardness, Total (as CaCO3)

Nitrate

Nitrite

Orthophosphate

Specific Conductance

Sulfate

Turbidity

MICROBIOLOGY

Heterotrophic Plate Count

Total Coli/Ecoli - count Colilert

Total Coli/Ecoli - detect Colilert

Total & Fecal Coli - count

DOH #: 144

County: Clark

addylab@wa-net.com

EPA 300.0

SM 2120 B

EPA 300.0

EPA 130.1

EPA 300.0

EPA 300.0

EPA 300.0

EPA 120.1

EPA 300.0

EPA 180.1

SM 9215 B

SM 9223

SM 9223

SM 9221 B,C,E1

Ag Health Laboratories, Inc.

445 Barnard Boulevard
Sunnyside, WA 98944

Frederick Muller (509) 836-2020

CHEM I (GENERAL CHEM)

DOH #: 154

County: Yakima

aghlabin@embarqmail.com

Ag Health Laboratories, Inc.

445 Barnard Boulevard
Sunnyside, WA 98944

Frederick Muller (509) 836-2020

CHEM I (GENERAL CHEM

Nitrate

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert

DOH #: 154

County: Yakima

aghlabin@embarqmail.com

SM 4500-NO3 D

SM 9223

Alcoa Intalco Works Laboratory

PO Box 937

Ferndale, WA 98248-0937

Larry Williamson (360) 384-7594

CHEM I (GENERAL CHEM

Chlorine Residual, Free

pH

Turbidity

DOH #: 176

County: Whatcom

larry.williamson@alcoa.com

SM 4500-CI G

SM 4500-H

EPA 180.1

AmTest Laboratories

13600 NE 126th Place, Suite C

Kirkland, WA 98034

Kathy Fugiel (425) 885-1664

CHEM I (GENERAL CHEM

Alkalinity, Total

Bromide

Chloride

Color

Cyanide, Total

Fluoride

Nitrate

Nitrite

Orthophosphate

Solids, Total Dissolved

Specific Conductance

Sulfate

Total Organic Carbon

Turbidity

CHEM II (TRACE METALS

Aluminum

Antimony

Arsenic

Barium

Beryllium

Cadmium

Calcium

Chromium

Copper

Hardness, Total (as CaCO3)

Iron

Lead

Magnesium

Manganese

Mercury

Nickel

Selenium

Silica

Silver

DOH #: 066

County: King

kathyf@amtestlab.com

SM 2320 B

EPA 300.0

EPA 300.0

SM 2120 B

EPA 335.4

SM 4500-F E

EPA 300.0

EPA 300.0

SM 4500-P E

SM 2540 C

SM 2510 B

EPA 300.0

SM 5310 B

EPA 180.1

EPA 200.7

EPA 200.9

EPA 200.9

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.9

EPA 200.7

EPA 200.7

SM 18/19 3112 B

EPA 200.7

EPA 200.9

EPA 200.7

EPA 200.7

AmTest Laboratories

13600 NE 126th Place, Suite C
Kirkland, WA 98034

Kathy Fugiel (425) 885-1664

CHEM II (TRACE METALS)

Sodium	EPA 200.7
Thallium	EPA 200.9
Zinc	EPA 200.7

MICROBIOLOGY

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - detect	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9222 B/9221 E1
Total & Fecal Coli - detect	SM 9222 B/9221 E1

ORGANICS I (GC HPLC)

Haloacetic Acids	EPA 552.2
------------------	-----------

ORGANICS II (GC-MS)

Trihalomethanes	EPA 524.2
-----------------	-----------

DOH #: 066

County: King

kathyf@amtestlab.com

Analytical Perspectives, LLC

2714 Exchange Dr
Wilmington, NC 28405

Yves Tondeur (910) 794-1613

ORGANICS II (GC-MS)

2,3,7,8-TCDD	EPA 1613
--------------	----------

DOH #: 175

County: New Hanover

yt@ultratrace.com

Analytical Resources, Incorporated

4611 South 134th Place, Suite 100
Tukwila, WA 98168-3240

Dave Mitchell (206) 695-6205

CHEM II (TRACE METALS)

Aluminum	EPA 200.8
Antimony	EPA 200.8
Antimony	EPA 200.9
Arsenic	EPA 200.8
Arsenic	EPA 200.9
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Cadmium	EPA 200.9
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.8
Lead	EPA 200.8
Lead	EPA 200.9
Magnesium	EPA 200.8
Manganese	EPA 200.8
Nickel	EPA 200.8
Selenium	EPA 200.8
Selenium	EPA 200.9
Silver	EPA 200.8
Silver	EPA 200.9
Thallium	EPA 200.8
Thallium	EPA 200.9
Uranium	EPA 200.8
Zinc	EPA 200.8

DOH #: 055

County: King

davem@arilabs.com

Analytical Resources, Incorporated

4611 South 134th Place, Suite 100
Tukwila, WA 98168-3240

Dave Mitchell (206) 695-6205

ORGANICS II (GC-MS)

Regulated VOCs
Trihalomethanes
Unregulated VOCs
Vinyl Chloride
Purgeable Organic Compounds

County: King

davem@arilabs.com

DOH #: 055

EPA 524.2
EPA 524.2
EPA 524.2
EPA 524.2
EPA 524.2

Anatek Labs, Inc. - Spokane

E. 504 Sprague Avenue, Suite D
Spokane, WA 99202

Kathleen Sattler (509) 838-3999

CHEM I (GENERAL CHEM)

Alkalinity, Total
Chloride
Cyanide, Total
Fluoride
Hardness, Total (as CaCO3)
Nitrate
Nitrate + Nitrite
Nitrite
Orthophosphate
Solids, Total Dissolved
Specific Conductance
Sulfate
Total Organic Carbon
Turbidity

MICROBIOLOGY

Heterotrophic Plate Count
Heterotrophic Plate Count
Total Coli/Ecoli - count
Total Coli/Ecoli - count Colilert
Total Coli/Ecoli - detect
Total Coli/Ecoli - detect Colilert
Total & Fecal Coli - count
Total & Fecal Coli - detect

ORGANICS II (GC-MS)

Purgeable Organic Compounds

County: Spokane

kathy@anateklabs.com

DOH #: 112

SM 2320 B
EPA 300.0
SM 4500-CN F
EPA 300.0
SM 2340 C
EPA 300.0
EPA 300.0
EPA 300.0
EPA 300.0
SM 2540 C
SM 2510 B
EPA 300.0
SM 5310 C
EPA 180.1

SM 9215 B
IDEXX SimPlate
SM 9221 B,C,F
SM 9223
SM 9221 B,F
SM 9223
SM 9221 B,C,E1
SM 9221 B,E1

EPA 524.2

Anatek Labs, Incorporated

1282 Alturas Drive
Moscow, ID 83843

Gene Solomon (208) 883-2839

CHEM I (GENERAL CHEM)

Alkalinity, Total
Chloride
Color
Cyanide, Total
Fluoride
Hardness, Total (as CaCO3)
Nitrate
Nitrate
Nitrate + Nitrite
Nitrate + Nitrite

County: Latah

genes@anateklabs.com

DOH #: 125

SM 2320 B
EPA 300.0
SM 2120 B
EPA 335.4
EPA 300.0
SM 2340 B
EPA 300.0
SM 4500-NO3 F
EPA 300.0
SM 4500-NO3 F

Anatek Labs, Incorporated

1282 Alturas Drive
Moscow, ID 83843

Gene Solomon (208) 883-2839

DOH #: 125

County: Latah

genes@anateklabs.com

CHEM I (GENERAL CHEM

Nitrite	EPA 300.0
Nitrite	SM 4500-NO3 F
Orthophosphate	EPA 300.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Turbidity	EPA 180.1
Perchlorate	EPA 331.0

CHEM II (TRACE METALS

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.7
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Iron	EPA 200.7
Iron	EPA 200.8
Lead	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 200.8
Mercury	EPA 245.7
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.7
Selenium	EPA 200.8
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Sodium	SM 18/19 3111 B
Thallium	EPA 200.7
Thallium	EPA 200.8
Uranium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert	SM 9223
------------------------------------	---------

ORGANICS I (GC HPLC)

EDB/DBCP/TCP	EPA 504.1
--------------	-----------

Anatek Labs, Incorporated

1282 Alturas Drive
Moscow, ID 83843

DOH #: 125

County: Latah

genes@anateklabs.com

Gene Solomon (208) 883-2839

ORGANICS I (GC HPLC)

Organohalide Pesticides/PCBs	EPA 505
Chlorinated Acid Herbicides	EPA 515.3
Oximes/Carbamates	EPA 531.1
Glyphosate	EPA 547
Diquat	EPA 549.2
Haloacetic Acids/Trichlorophenol	SM 6251 B

ORGANICS II (GC-MS)

Adipates/Phthalates	EPA 525.2
Endothall	EPA 548.1
Polycyclic Aromatic HC (PAHs)	EPA 525.2
Trihalomethanes	EPA 524.2
Purgeable Organic Compounds	EPA 524.2
Organic Compounds	EPA 525.2

Aqua Test, Incorporated

PO Box 1116
Black Diamond, WA 98010

DOH #: 162

County: King

korykrick@yahoo.com

Kory Krick (425) 432-9360

CHEM I (GENERAL CHEM)

Nitrate SM 4500-NO3 D

MICROBIOLOGY

Total & Fecal Coli - detect SM 9221 D,E1

Aquatic Research, Inc.

3927 Aurora Ave N
Seattle, WA 98103

DOH #: 016

County: King

slazoff@aquaticresearchinc.com

Steven Lazoff (206) 632-2715

CHEM I (GENERAL CHEM)

Color	SM 2120 B
Cyanide, Total	SM 4500-CN E
Fluoride	SM 4500-F C
Nitrate	SM 4500-NO3 F
Nitrate + Nitrite	EPA 353.2
Nitrite	SM 4500-NO3 F
Orthophosphate	EPA 365.1
Orthophosphate	SM 4500-P F
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	SM 4500-SO4 E
Total Organic Carbon	SM 5310 B
Turbidity	EPA 180.1
Sulfate	ASTM D516-02

CHEM II (TRACE METALS)

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Aluminum	SM 18/19 3113 B
Antimony	EPA 200.8
Arsenic	EPA 200.8
Arsenic	SM 18/19 3113 B
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7

Aquatic Research, Inc.

3927 Aurora Ave N
Seattle, WA 98103

Steven Lazoff (206) 632-2715

CHEM II (TRACE METALS)

Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Copper	SM 18/19 3113 B
Iron	EPA 200.7
Iron	EPA 200.8
Lead	EPA 200.8
Lead	SM 18/19 3113 B
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Selenium	SM 18/19 3113 B
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Uranium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8
ORGANICS I (GC HPLC)	
PCBs	EPA 508.1
Haloacetic Acids	EPA 552.3
ORGANICS II (GC-MS)	
Trihalomethanes	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2
Organic Compounds	EPA 525.2

Army Ctr for Health Promotion/Preventive Med

5158 Black Hawk Road
Aberdeen Proving Ground, MD 21010-5403

Gene Sinar (410) 436-3779

CHEM I (GENERAL CHEM)

Bromide	EPA 300.0
Chloride	EPA 300.0
Fluoride	EPA 300.0
Nitrate	EPA 300.0
Nitrite	EPA 300.0
Orthophosphate	EPA 300.0
Sulfate	EPA 300.0

CHEM II (TRACE METALS)

DOH #: 016

County: King

slazoff@aquaticresearchinc.com

DOH #: 099

County: Harford

gene.sinar@us.army.mil

Army Ctr for Health Promotion/Preventive Med

5158 Black Hawk Road
Aberdeen Proving Ground, MD 21010-5403

Gene Sinar (410) 436-3779

CHEM II (TRACE METALS)

Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8

ORGANICS I (GC HPLC)

n-Methylcarbamates	EPA 531.1
EDB/DBCP/TCP	EPA 504.1
Organohalide Pesticides	EPA 505
Chlorinated Acid Herbicides	EPA 515.3
Glyphosate	EPA 547
Diquat	EPA 549.2

ORGANICS II (GC-MS)

Endothall	EPA 548.1
Purgeable Organic Compounds	EPA 524.2

RADIOCHEMISTRY

Alpha, Gross	EPA 900.0
Beta, Gross	EPA 900.0
Cesium-134	EPA 901.1
Cesium-137	EPA 901.1
Gamma Emitting Isotopes	EPA 901.1
Radium 226	EPA 600/4-75-008 p.16
Radium 228	EPA Ra-05
Tritium	SM 306

AV Labs, Inc.

64 North Broadway Ave.
Othello, WA 99344

Alma Barajas (509) 488-2468

CHEM I (GENERAL CHEM)

Nitrate	SM 4500-NO3 D
---------	---------------

MICROBIOLOGY

Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223

DOH #: 099

County: Harford

gene.sinar@us.army.mil

DOH #: 146

County: Adams

avlabs@avlabsinc.com

Avocet Environmental Testing

1500 North State Street, Suite 200
Bellingham, WA 98225

Madell Briggs (360) 734-9033

CHEM I (GENERAL CHEM

Alkalinity, Total	SM 2320 B
Chloride	EPA 300.0
Color	SM 2120 B
Cyanide, Total	SM 4500-CN F
Fluoride	EPA 300.0
Hardness, Total (as CaCO3)	SM 2340 B
Hardness, Total (as CaCO3)	SM 2340 C
Nitrate	EPA 300.0
Nitrate	EPA 353.2
Nitrate + Nitrite	EPA 300.0
Nitrate + Nitrite	EPA 353.2
Nitrite	EPA 300.0
Nitrite	EPA 353.2
Orthophosphate	EPA 300.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Turbidity	EPA 180.1

CHEM II (TRACE METALS

Antimony	SM 18/19 3113 B
Arsenic	SM 18/19 3113 B
Barium	SM 18/19 3113 B
Beryllium	SM 18/19 3113 B
Cadmium	SM 18/19 3113 B
Calcium	SM 18/19 3111 D
Chromium	SM 18/19 3113 B
Copper	SM 18/19 3111 B
Copper	SM 18/19 3113 B
Iron	SM 18/19 3111 B
Iron	SM 18/19 3113 B
Lead	SM 18/19 3113 B
Magnesium	SM 18/19 3111 B
Manganese	SM 18/19 3113 B
Mercury	EPA 245.1
Nickel	SM 18/19 3113 B
Selenium	SM 18/19 3113 B
Silver	SM 18/18 3113 B
Sodium	SM 18/19 3111 B
Thallium	EPA 200.9
Zinc	SM 18/19 3111 B

MICROBIOLOGY

Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - count	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1

Bellingham Water Filtration Plant Lab

2221 Pacific Street
Bellingham, WA 98229

Peg Wendling (360) 778-7872

DOH #: 057

County: Whatcom

avocetlab@cs.com

DOH #: 060

County: Whatcom

pwendling@cob.org

Bellingham Water Filtration Plant Lab

2221 Pacific Street
Bellingham, WA 98229

Peg Wendling (360) 778-7872

MICROBIOLOGY

Heterotrophic Plate Count
Total Coli/Ecoli - detect Colilert
Total & Fecal Coli - count

County: Whatcom
pwendling@cob.org

DOH #: 060

SM 9215 B
SM 9223
SM 9222 B/9221 E1

Benchmark Analytics, Inc.

4777 Saucon Creek Road
Center Valley, PA 18034

Theresa Fenstermaker (610) 974-8100

CHEM II (TRACE METALS)

Uranium

ORGANICS I (GC HPLC)

Chlorinated Acids (Herbicides)
EDB/DBCP/TCP
Organohalide Pesticides
Haloacetic Acids
Organonitrogen Pesticides

ORGANICS II (GC-MS)

Purgeable Organic Compounds
Organic Compounds

RADIOCHEMISTRY

Alpha, Gross
Beta, Gross
Radium 226
Radium 228
Tritium
Uranium, Total

County: Lehigh
t.fenstermaker@benchmarkanalytics.com

DOH #: 166

EPA 200.8
EPA 515.3
EPA 504.1
EPA 505
EPA 552.2
EPA 505
EPA 524.2
EPA 525.2
EPA 900.0
EPA 900.0
EPA 903.0
EPA 904.0
EPA 906.0
EPA 908.0

Benton-Franklin Health District Lab

7102 W Okanogan Place
Kennewick, WA 99336

David Miller (509) 460-4206

CHEM I (GENERAL CHEM)

Chlorine Residual, Total
Fluoride
Nitrate
Nitrite
pH

MICROBIOLOGY

Heterotrophic Plate Count
Total Coli/Ecoli - count Colilert
Total Coli/Ecoli - detect Colilert
Total Coli/Ecoli - detect Colisure
Total & Fecal Coli - count

County: Benton
davem@bfhd.wa.gov

DOH #: 062

SM 4500-CI G
SM 4500-F C
SM 4500-NO3 D
SM 4500-NO2 B
SM 4500-H
SM 9215 B
SM 9223
SM 9223
SM 9223
SM 9221 B,C,E1

Cascade Analytical Inc. - Yakima

3019 G.S. Center Road
Wenatchee, WA 98801

Laura Mrachek (509) 452-7707

CHEM I (GENERAL CHEM)

Alkalinity, Total
Bromide
Chloride
Color

County: Yakima
andys@cascadeanalytical.com

DOH #: 151

SM 2320 B
EPA 300.0
EPA 300.0
SM 2120 B

Cascade Analytical Inc. - Yakima

3019 G.S. Center Road
Wenatchee, WA 98801

Laura Mrachek (509) 452-7707

CHEM I (GENERAL CHEM

Fluoride	EPA 300.0
Hardness, Total (as CaCO3)	SM 2340 C
Nitrate	EPA 300.0
Nitrate + Nitrite	EPA 300.0
Nitrite	EPA 300.0
Orthophosphate	EPA 300.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 D
Turbidity	SM 2130 B

MICROBIOLOGY

Fecal Coliform - count	SM 9222 D
Total Coli/Ecoli - detect Colilert	SM 9223

DOH #: 151

County: Yakima

andys@cascadeanalytical.com

Cascade Analytical, Inc. - Wenatchee

3019 GS Center Road
Wenatchee, WA 98801

Laura Mrachek (509) 662-1888

CHEM I (GENERAL CHEM

Alkalinity, Total	SM 2320 B
Chloride	SM 4500-Cl- B
Color	SM 2120 B
Cyanide, Total	SM 4500-CN E
Fluoride	SM 4500-F C
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	SM 4500-NO3 F
Nitrite	SM 4500-NO3 F
Orthophosphate	SM 4500-P E
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	SM 4500-SO4 E
Turbidity	SM 2130 B

CHEM II (TRACE METALS

Aluminum	EPA 200.7
Antimony	EPA 200.9
Arsenic	EPA 200.9
Barium	EPA 200.7
Beryllium	EPA 200.7
Cadmium	EPA 200.9
Calcium	EPA 200.7
Chromium	EPA 200.7
Copper	EPA 200.7
Iron	EPA 200.7
Lead	EPA 200.9
Magnesium	EPA 200.7
Manganese	EPA 200.7
Mercury	SM 18/19 3112 B
Nickel	EPA 200.7
Selenium	EPA 200.9
Silica	EPA 200.7

DOH #: 105

County: Chelan

laura@cascadeanalytical.com

Cascade Analytical, Inc. - Wenatchee

3019 GS Center Road
Wenatchee, WA 98801

Laura Mrachek (509) 662-1888

CHEM II (TRACE METALS)

Silver	EPA 200.7
Sodium	EPA 200.7
Thallium	EPA 200.9
Vanadium	EPA 200.7
Zinc	EPA 200.7

MICROBIOLOGY

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - count	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1
Total & Fecal Coli - count	SM 9222 B/9221 E1

County: Chelan

laura@cascadeanalytical.com

DOH #: 105

Center for Laboratory Sciences

2710 North 20th Avenue
Pasco, WA 99301

Greg Holte (509) 544-6027

CHEM I (GENERAL CHEM)

Alkalinity, Total	SM 2320 B
Color	SM 2120 B
Fluoride	EPA 300.0
Nitrate	EPA 300.0
Nitrite	EPA 300.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0

CHEM II (TRACE METALS)

Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Chromium	EPA 200.8
Copper	EPA 200.8
Lead	EPA 200.8
Magnesium	EPA 200.8
Manganese	EPA 200.8
Mercury	EPA 200.8
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Zinc	EPA 200.8

ORGANICS II (GC-MS)

Regulated VOCs	EPA 524.2
----------------	-----------

County: Franklin

gholte@rjlg.com

DOH #: 259

CH2M Hill Applied Sciences Laboratory - Corvallis

2300 NW Walnut Blvd
Corvallis, OR 97330

Ginger Collins (541) 768-3111

CHEM I (GENERAL CHEM)

Bromate	EPA 300.0
---------	-----------

County: Benton

gcollins@ch2m.com

DOH #: 117

CH2M Hill Applied Sciences Laboratory - Corvallis

2300 NW Walnut Blvd
Corvallis, OR 97330

Ginger Collins (541) 768-3111

CHEM I (GENERAL CHEM

Bromide	EPA 300.0
Chlorate	EPA 300.0
Chloride	EPA 300.0
Chlorite	EPA 300.0
Nitrate	EPA 353.2
Nitrite	EPA 353.2
Orthophosphate	EPA 300.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Total Organic Carbon	SM 5310 B
Turbidity	SM 2130 B

CHEM II (TRACE METALS

Calcium	EPA 200.7
Copper	EPA 200.7
Manganese	EPA 200.7
Silica	EPA 200.7
Zinc	EPA 200.7

ORGANICS I (GC HPLC)

Haloacetic Acids	EPA 552.2
Haloacetic Acids	SM 6251 B

ORGANICS II (GC-MS)

Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2

DOH #: 117

County: Benton

gcollins@ch2m.com

Chelan-Douglas Health District

200 Valley Mall Parkway
East Wenatchee, WA 98802

Sally Caraher (509) 886-6400

CHEM I (GENERAL CHEM

Nitrate	SM 4500-NO3 D
---------	---------------

MICROBIOLOGY

Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1

DOH #: 065

County: Douglas

sally.caraher@cdhd.wa.gov

Clallam County Environmental Laboratory

223 East Fourth Street, Suite 14
Port Angeles, WA 98362-3015

Belinda Pero (360) 417-2334

CHEM I (GENERAL CHEM

Nitrate	SM 4500-NO3 D
---------	---------------

MICROBIOLOGY

Fecal Coliform - count	SM 9222 D
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223

DOH #: 092

County: Clallam

bpero@co.clallam.wa.us

Columbia Analytical Services - Kelso

1317 S 13th Ave
Kelso, WA 98626

Julie Gish (360) 577-7222

DOH #: 017

County: Cowlitz

jgish@caslab.com

Columbia Analytical Services - Kelso

1317 S 13th Ave
Kelso, WA 98626

Julie Gish (360) 577-7222

CHEM I (GENERAL CHEM

Alkalinity, Total	SM 2320 B
Bromate	EPA 300.1
Bromide	EPA 300.1
Chlorate	EPA 300.1
Chloride	EPA 300.0
Chlorite	EPA 300.1
Color	SM 2120 B
Cyanide, Total	EPA 335.4
Fluoride	EPA 300.0
Fluoride	SM 4500-F C
Nitrate	EPA 300.0
Nitrate	EPA 353.2
Nitrite	EPA 300.0
Nitrite	EPA 353.2
Orthophosphate	SM 4500-P E
Orthophosphate	SM 4500-P F
Perchlorate	EPA 314.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 C
Turbidity	EPA 180.1

CHEM II (TRACE METALS

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Arsenic	EPA 200.9
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Boron	EPA 200.7
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Copper	EPA 200.9
Hardness, Total (as CaCO3)	EPA 200.7
Iron	EPA 200.7
Lead	EPA 200.8
Lead	EPA 200.9
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8

DOH #: 017

County: Cowlitz

jgish@caslab.com

Columbia Analytical Services - Kelso

1317 S 13th Ave
Kelso, WA 98626

Julie Gish (360) 577-7222

CHEM II (TRACE METALS)

Selenium	EPA 200.8
Selenium	EPA 200.9
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Thallium	EPA 200.9
Zinc	EPA 200.7
Zinc	EPA 200.8

MICROBIOLOGY

Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1

ORGANICS I (GC HPLC)

Carbamates/Oximes	EPA 531.1
Chlorinated Acids (Herbicides)	EPA 515.4
n-Methylcarbamates	EPA 531.1
EDB/DBCP/TCP	EPA 504.1
PCBs	EPA 508.1
Pesticides/Herbicides/PCBs	EPA 508.1
Glyphosate	EPA 547
Diquat/Paraquat	EPA 549.2
Haloacetic Acids	EPA 552.2

ORGANICS II (GC-MS)

Adipates/Phthalates	EPA 525.2
Benzo(a)pyrene	EPA 525.2
Endothall	EPA 548.1
Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2
Chlorinated Pesticides	EPA 525.2
Organic Compounds	EPA 525.2

County: Cowlitz

jgish@caslab.com

DOH #: 017

Columbia Analytical Services, Inc. - Houston

19408 Park Row, Suite 320
Houston, TX 77084

Andrew Biddle (281) 994-2974

ORGANICS II (GC-MS)

2,3,7,8-TCDD	EPA 1613
--------------	----------

County: Harris

abiddle@caslab.com

DOH #: 260

Crystal Mountain Wastewater Treatment Plant Lab

33914 Crystal Mountain Blvd.
Crystal Mountain, WA 98022

Jim Reynolds (360) 663-3083

CHEM I (GENERAL CHEM)

Chlorine Residual, Total	SM 4500-CI G
pH	SM 4500-H
Turbidity	SM 2130 B

County: Pierce

bill@skicrystal.com

DOH #: 160

DOH Public Health Lab

1610 NE 150th Street
Shoreline, WA 98155-9701

Blaine Rhodes (206) 418-5520

CHEM I (GENERAL CHEM

Chloride	EPA 300.0
Color	SM 2120 B
Cyanide, Total	SM 4500-CN F
Fluoride	EPA 300.0
Nitrate	EPA 300.0
Nitrite	EPA 300.0
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Turbidity	SM 2130 B

CHEM II (TRACE METALS

Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Chromium	EPA 200.8
Copper	EPA 200.8
Lead	EPA 200.8
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Thallium	EPA 200.8
Uranium	EPA 200.8
Zinc	EPA 200.8

MICROBIOLOGY

Heterotrophic Plate Count	SM 9215 B
Heterotrophic Plate Count	IDEXX SimPlate
Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - count	SM 9222 B/9221 F
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect	SM 9221 B,F
Total Coli/Ecoli - detect	SM 9221 D,F
Total Coli/Ecoli - detect	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223
Total Coli/Ecoli - detect ReadyCult	EM Sci ReadyCult
Total Coli/Ecoli - detect Colitag	CPI Colitag
Total & Fecal Coli - count	SM 9221 B,C,E1
Total & Fecal Coli - count	SM 9222 B/9221 E1
Total & Fecal Coli - detect	SM 9221 B,E1
Total & Fecal Coli - detect	SM 9221 D,E1
Total & Fecal Coli - detect	SM 9222 B/9221 E1

RADIOCHEMISTRY

Alpha, Gross	EPA 900.0
Beta, Gross	EPA 900.0
Gamma Emitting Isotopes	EPA 901.1
Iodine 131	EPA 901.1
Radium 226	EPA 903.0

DOH #: 023

County: King

blaine.rhodes@doh.wa.gov

DOH Public Health Lab

1610 NE 150th Street
Shoreline, WA 98155-9701

Blaine Rhodes (206) 418-5520

RADIOCHEMISTRY

Strontium 89

Strontium 90

Tritium

Uranium

DOH #: 023

County: King

blaine.rhodes@doh.wa.gov

EPA 905.0

EPA 905.0

EPA 906.0

SM 7500-U C

Eberline Analytical Corp. - Richmond Lab

2030 Wright Ave
Richmond, CA 94804-3849

Katsumi Yamamoto (510) 235-2633

RADIOCHEMISTRY

Alpha, Gross

Beta, Gross

Cesium-134

Cesium-137

Gamma Emitting Isotopes

Iodine 131

Radium 223/224/226

Radium 226

Radium 228

Strontium 89

Strontium 90

Tritium

Uranium, Total

Total Uranium

DOH #: 157

County: Contra Costa

kyamamoto@eberlineservices.com

EPA 900.0

EPA 900.0

EPA 901.0

EPA 901.0

EPA 901.1

EPA 902.0

EPA 903.0

EPA 903.1

EPA 904.0

EPA 905.0

EPA 905.0

EPA 906.0

EPA 908.0

ASTM D5174-97

Edge Analytical Inc. - Bellingham

805 W. Orchard St. Suite 4
Bellingham, WA 98227

Shannon Kizer (800) 755-9295

MICROBIOLOGY

Fecal Coliform - count

Fecal Coliform - count

Fecal Coliform - count

Heterotrophic Plate Count

Total Coli/Ecoli - count

Total Coli/Ecoli - count Colilert

Total Coli/Ecoli - detect

Total Coli/Ecoli - detect

Total Coli/Ecoli - detect Colilert

Total Coli/Ecoli - detect Colisure

Total & Fecal Coli - count

Total & Fecal Coli - count

Total & Fecal Coli - detect

Total & Fecal Coli - detect

DOH #: 164

County: Whatcom

skizer@edgeanalytical.com

SM 9221 E2

SM 9221 B,C,E1

SM 9222 D

SM 9215 B

SM 9221 B,C,F

SM 9223

SM 9221 B,F

SM 9222 B,G1c1

SM 9223

SM 9223

SM 9221 B,C,E1

SM 9222 B/9221 E1

SM 9221 B,E1

SM 9222 B/9221 E1

Edge Analytical, Incorporated

1620 S Walnut
Burlington, WA 98233

Larry Henderson (800) 755-9295

CHEM I (GENERAL CHEM

Alkalinity, Total

Bromate

DOH #: 046

County: Skagit

ljh@edgeanalytical.com

SM 2320 B

EPA 300.1

Edge Analytical, Incorporated

1620 S Walnut
Burlington, WA 98233

Larry Henderson (800) 755-9295

CHEM I (GENERAL CHEM

Bromide	EPA 300.1
Chlorate	EPA 300.1
Chloride	EPA 300.0
Chlorine Dioxide	SM 4500-CIO2 D
Chlorine Residual, Free	SM 4500-CI G
Chlorite	EPA 300.1
Color	SM 2120 B
Cyanide, Total	SM 4500-CN F
Fluoride	EPA 300.0
Nitrate	EPA 300.0
Nitrate	SM 4500-NO3 F
Nitrate + Nitrite	EPA 300.0
Nitrate + Nitrite	SM 4500-NO3 F
Nitrite	EPA 300.0
Nitrite	SM 4500-NO3 F
Orthophosphate	EPA 300.0
Orthophosphate	SM 4500-P F
Perchlorate	EPA 314.0
pH	EPA 150.1
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 B
Turbidity	EPA 180.1
Turbidity	SM 2130 B

CHEM II (TRACE METALS

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Calcium	SM 18/19 3111 B
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Copper	SM 18/19 3111 B
Hardness, Total (as CaCO3)	EPA 200.7
Iron	EPA 200.7
Iron	SM 18/19 3111 B
Lead	EPA 200.8
Magnesium	EPA 200.7
Magnesium	SM 18/19 3111 B
Manganese	EPA 200.7
Manganese	EPA 200.8

DOH #: 046

County: Skagit

ljh@edgeanalytical.com

Edge Analytical, Incorporated

1620 S Walnut
Burlington, WA 98233

Larry Henderson (800) 755-9295

CHEM II (TRACE METALS)

Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Nickel	SM 18/19 3111 B
Selenium	EPA 200.8
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Sodium	SM 18/19 3111 B
Thallium	EPA 200.8
Uranium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert	SM 9223
------------------------------------	---------

ORGANICS I (GC HPLC)

Carbamates/Oximes	EPA 531.2
Chlorinated Acids (Herbicides)	EPA 515.4
EDB/DBCP/TCP	EPA 504.1
PCBs	EPA 508.1
Glyphosate	EPA 547
Diquat/Paraquat	EPA 549.2
Chlorinated Pesticides	EPA 508.1
Toxaphene	EPA 508.1
Chlordane (Total)	EPA 508.1
Haloacetic Acids	EPA 552.3

ORGANICS II (GC-MS)

Adipates/Phthalates	EPA 525.2
Benzo(a)pyrene	EPA 525.2
Endothall	EPA 548.1
Polycyclic Aromatic HC (PAHs)	EPA 525.2
Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Pesticides/Herbicides	EPA 525.2

EMSL Analytical, Inc. - San Leandro

2235 Polvorosa Ave., Suite 230
San Leandro, CA 94577

Baojia Ke (510) 895-3675

CHEM I (GENERAL CHEM)

Asbestos	EPA 100.1
Asbestos	EPA 100.2

EMSL Analytical, Inc. - Westmont

107 Haddon Ave
Westmont, NJ 08108

Steve Siegel (800) 220-3675

CHEM I (GENERAL CHEM)

Asbestos	EPA 100.1
----------	-----------

DOH #: 046

County: Skagit

ljh@edgeanalytical.com

DOH #: 169

County: Alameda

bke@emsl.com

DOH #: 186

County: Camden

ssiegel@emsl.com

EMSL Analytical, Inc. - Westmont

107 Haddon Ave
Westmont, NJ 08108

Steve Siegel (800) 220-3675
CHEM I (GENERAL CHEM
Asbestos

County: Camden
ssiegel@emsl.com

DOH #: 186

EPA 100.2

Energy Laboratories, Inc.

PO Box 3258
Casper, WY 82602

James Judge (888) 235-0515
CHEM II (TRACE METALS
Uranium

County: Natrona
jjudge@energylab.com

DOH #: 142

EPA 200.8

RADIOCHEMISTRY

Alpha, Gross

EPA 900.0

Beta, Gross

EPA 900.0

Radium 223/224/226

EPA 903.0

Radium 228

EPA Ra-05

Energy Northwest Environmental Laboratory

PO Box 968, MD 1025
Richland, WA 99352-0968

Terry Northstrom (509) 377-8462
CHEM I (GENERAL CHEM

County: Benton

DOH #: 027

tenorthstrom@energy-northwest.com

Chlorine Residual, Total

SM 4500-CI D

Chlorine Residual, Total

SM 4500-CI G

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert

SM 9223

Energy Northwest Environmental Services Lab

350 Hills Street Suite 107
Richland, WA 99354

Joseph Villa (509) 377-8058
CHEM II (TRACE METALS

County: Benton

DOH #: 168

javilla@energy-northwest.com

Copper

EPA 200.8

Lead

EPA 200.8

Environmental Science Corporation

12065 Lebanon Road
Mt. Juliet, TN 37122

Judith Morgan (615) 758-5858
CHEM I (GENERAL CHEM

County: Wilson

DOH #: 152

jmorgan@envsci.com

Alkalinity, Total

SM 2320 B

Anionic Surfactants

SM 5540 C

Bromide

EPA 300.0

Bromide

SM 4110 B

Chloride

EPA 300.0

Color

SM 2120 B

Cyanide, Total

EPA 335.4

Cyanide, Total

SM 4500-CN E

Fluoride

EPA 300.0

Fluoride

SM 4110 B

Hardness, Total (as CaCO3)

SM 2340 B

Nitrate

EPA 300.0

Nitrate

SM 4110 B

Nitrite

EPA 300.0

Nitrite

SM 4110 B

Solids, Total Dissolved

SM 2540 C

Environmental Science Corporation

12065 Lebanon Road
Mt. Juliet, TN 37122

Judith Morgan (615) 758-5858

CHEM I (GENERAL CHEM

Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Sulfate	SM 4110 B
Total Organic Carbon	SM 5310 B
Turbidity	EPA 180.1
Turbidity	SM 2130 B

CHEM II (TRACE METALS

Aluminum	EPA 200.7
Antimony	EPA 200.7
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Beryllium	EPA 200.7
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Mercury	EPA 245.1
Nickel	EPA 200.7
Selenium	EPA 200.7
Selenium	EPA 200.8
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.7

ORGANICS I (GC HPLC)

EDB/DBCP/TCP	EPA 504.1
N/P Pesticides	EPA 507
Chlorinated Pesticides	EPA 508
Chlordane	EPA 508
Toxaphene	EPA 508
Chlorinated Acid Herbicides	EPA 515.1
Haloacetic Acids	EPA 552.2

ORGANICS II (GC-MS)

Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2

County: Wilson

jmorgan@envsci.com

DOH #: 152

Everett Environmental Laboratory

3200 Cedar Street
Everett, WA 98201-4599

Christiane Khairzada (425) 257-8230

CHEM I (GENERAL CHEM

Alkalinity, Total	SM 2320 B
Chloride	SM 4500-Cl- E
Color	SM 2120 B
Fluoride	SM 4500-F C
Nitrate	EPA 353.2
Nitrate	SM 4500-NO3 F
Nitrate + Nitrite	EPA 353.2
Nitrite	EPA 353.2
Nitrite	SM 4500-NO3 F
Orthophosphate	SM 4500-P F
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Total Organic Carbon	SM 5310 B
Turbidity	EPA 180.1
Total Organic Carbon	EPA 415.3

CHEM II (TRACE METALS

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Hardness, Total (as CaCO3)	EPA 200.7
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.2
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silicon	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

MICROBIOLOGY

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - detect Colilert	SM 9223

DOH #: 110

County: Snohomish

ckhairzada@ci.everett.wa.us

Everett Environmental Laboratory

3200 Cedar Street
Everett, WA 98201-4599

Christiane Khairzada (425) 257-8230
MICROBIOLOGY
Total & Fecal Coli - detect

DOH #: 110
County: Snohomish
ckhairzada@ci.everett.wa.us
SM 9222 B/9221 E1

Evergreen Sanitation Testing Laboratory

PO Box 259
Lake Stevens, WA 98258-0259

Kevin Butler (800) 433-1678
MICROBIOLOGY
Total Coli/Ecoli - detect Colilert

DOH #: 030
County: Snohomish
klovibusbutler@aol.com
SM 9223

Exact Scientific Services, Inc.

3929 Spur Ridge Lane, Suite 1
Bellingham, WA 98226

Kent Oostra (360) 733-1205
CHEM I (GENERAL CHEM
Nitrite
MICROBIOLOGY
Fecal Coliform - count
Fecal Coliform - count
Fecal Coliform - count
Heterotrophic Plate Count
Total Coli/Ecoli - count Colilert
Total Coli/Ecoli - detect Colilert
Total & Fecal Coli - count
ORGANICS I (GC HPLC)
EDB/DBCP/TCP
Haloacetic Acids
ORGANICS II (GC-MS)
Regulated VOCs
Trihalomethanes
Unregulated VOCs
Vinyl Chloride
Purgeable Organic Compounds

DOH #: 174
County: Whatcom
k.oostra@exactscientific.com
SM 4500-NO2 B
SM 9221 E2
SM 9221 B,C,E1
SM 9222 D
SM 9215 B
SM 9223
SM 9223
SM 9221 B,C,E1
EPA 504.1
EPA 552.3
EPA 524.2
EPA 524.2
EPA 524.2
EPA 524.2
EPA 524.2

Food Quality Labs, Inc.

6400 SW Canyon Court, Suite 80
Portland, OR 97221

Ken Ayers (503) 297-3636
MICROBIOLOGY
Total Coli/Ecoli - detect Colilert

DOH #: 032
County: Multnomah
fquality@aol.com
SM 9223

Fremont Analytical, Inc.

2930 Westlake Ave N Ste 100
Seattle, WA 98109

Michael Dee (206) 352-3790
CHEM I (GENERAL CHEM
Alkalinity, Total
Bromide
Chloride
Hardness, Total (as CaCO3)
Nitrate
Nitrite
Solids, Total Dissolved
Specific Conductance

DOH #: 187
County: King
mikede@fremontanalytical.com
SM 2320 B
EPA 300.0
EPA 300.0
SM 2340 B
EPA 300.0
EPA 300.0
SM 2540 C
SM 2510 B

Fremont Analytical, Inc.

2930 Westlake Ave N Ste 100
Seattle, WA 98109

Michael Dee (206) 352-3790

CHEM I (GENERAL CHEM

Sulfate

EPA 300.0

Total Organic Carbon

SM 5310 B

CHEM II (TRACE METALS

Aluminum

EPA 200.8

Antimony

EPA 200.8

Arsenic

EPA 200.8

Barium

EPA 200.8

Beryllium

EPA 200.8

Cadmium

EPA 200.8

Calcium

EPA 200.8

Chromium

EPA 200.8

Copper

EPA 200.8

Iron

EPA 200.8

Lead

EPA 200.8

Magnesium

EPA 200.8

Manganese

EPA 200.8

Mercury

EPA 200.8

Mercury

EPA 245.1

Nickel

EPA 200.8

Selenium

EPA 200.8

Silver

EPA 200.8

Thallium

EPA 200.8

Zinc

EPA 200.8

DOH #: 187

County: King

mikedee@fremontanalytical.com

Frontier Analytical Laboratory

5172 Hillsdale Circle
El Dorado Hills, CA 95762

Dan Vickers (916) 934-0900

ORGANICS II (GC-MS)

2,3,7,8-TCDD

EPA 1613

DOH #: 262

County: El Dorado

danv@frontieranalytical.com

GEL Laboratories, LLC

PO Box 30712
Charleston, SC 29417

Nancy Mattern (843) 556-8171

CHEM II (TRACE METALS

Uranium

EPA 200.8

RADIOCHEMISTRY

Alpha, Gross

EPA 900.0

Beta, Gross

EPA 900.0

Gamma Emitting Isotopes

EPA 901.1

Iodine 131

EPA 902.0

Radium 226

EPA 903.1

Radium 228

EPA 904.0

Strontium 89

EPA 905.0

Strontium 90

EPA 905.0

Tritium

EPA 906.0

Uranium, Total

ASTM D5174-91

Alpha, Gross

EPA 00-02

Uranium

DOE U-02

Cesium

DOE 4.5.2.3

Gamma Emitters

DOE 4.5.2.3

DOH #: 165

County: Charleston

nancy.mattern@gel.com

Grays Harbor County Water Testing Lab

100 W. Broadway, Suite 31
Montesano, WA 98563-2614

Erik Iverson (360) 249-4413

CHEM I (GENERAL CHEM

Nitrate

MICROBIOLOGY

Fecal Coliform - count

Heterotrophic Plate Count

Total Coli/Ecoli - count Colilert

Total Coli/Ecoli - detect Colilert

DOH #: 070

County: Grays Harbor

eiverson@co.grays-harbor.wa.us

SM 4500-NO3 D

SM 9222 D

SM 9215 B

SM 9223

SM 9223

King County Environmental Laboratory

322 W Ewing Street
Seattle, WA 98119-1507

Colin Elliott (206) 684-2343

MICROBIOLOGY

Heterotrophic Plate Count

Total Coli/Ecoli - detect

Total & Fecal Coli - detect

DOH #: 067

County: King

colin.elliott@kingcounty.gov

SM 9215 B

SM 9222 B/9221 F

SM 9222 B/9221 E1

Klickitat Co HD - Goldendale

228 W Main MSCH-14
Goldendale, WA 98620

Jeff Martin (509) 493-6211

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert

DOH #: 172

County: Klickitat

jeffm@co.klickitat.wa.us

SM 9223

Klickitat Co HD - White Salmon

PO Box 159
White Salmon, WA 98672

Jeff Martin (509) 493-6211

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert

DOH #: 173

County: Klickitat

jeffm@co.klickitat.wa.us

SM 9223

Kuo Testing Labs, Inc.

337 South 1st Avenue
Othello, WA 99344

Elizabeth Goebel (800) 328-0112

CHEM I (GENERAL CHEM

Alkalinity, Total

Chloride

Fluoride

Hardness, Total (as CaCO3)

Nitrate

Nitrate + Nitrite

Nitrite

Orthophosphate

Solids, Total Dissolved

Specific Conductance

Sulfate

Turbidity

CHEM II (TRACE METALS

Aluminum

Barium

Beryllium

Cadmium

Calcium

DOH #: 109

County: Adams

kuotest@atnet.net

SM 2320 B

SM 4500-Cl- B

SM 4500-F C

SM 2340 B

SM 4500-NO3 F

SM 4500-NO3 F

SM 4500-NO3 F

SM 4500-P E

SM 2540 C

SM 2510 B

SM 4500-SO4 E

SM 2130 B

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

Kuo Testing Labs, Inc.

337 South 1st Avenue
Othello, WA 99344

Elizabeth Goebel (800) 328-0112

CHEM II (TRACE METALS)

Chromium	EPA 200.7
Copper	EPA 200.7
Iron	EPA 200.7
Magnesium	EPA 200.7
Manganese	EPA 200.7
Nickel	EPA 200.7
Silver	EPA 200.7
Sodium	EPA 200.7
Zinc	EPA 200.7

MICROBIOLOGY

Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223

County: Adams

kuotest@atnet.net

DOH #: 109

Lab/Cor, Inc.

7619 - 6th Ave. NW
Seattle, WA 98117

Derk Wipprecht (206) 781-0155

CHEM I (GENERAL CHEM)

Asbestos	EPA 100.1
Asbestos	EPA 100.2
Turbidity, Indexed	EPA 180.1

MICROBIOLOGY

Fecal Coliform - count	SM 9221 E2
Fecal Coliform/E. coli - count	SM 9222 D,G1c1
Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223

County: King

dwipprecht@labcor.net

DOH #: 119

Lewis County Environmental Health Laboratory

360 NW North St.
Chehalis, WA 98532

Meredith Jones (360) 740-1231

CHEM I (GENERAL CHEM)

Nitrate	SM 4500-NO3 D
---------	---------------

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1

County: Lewis

mljones@co.lewis.wa.us

DOH #: 091

Lincoln County Environmental Health Lab

90 Nicholls
Davenport, WA 99122

Ed Dzedzy (509) 725-2501

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert	SM 9223
------------------------------------	---------

County: Lincoln

edzedzy@co.lincoln.wa.us

DOH #: 072

Maxxam Analytics Inc. - Burnaby

8577 Commerce Court
Burnaby, BC V5A 4N5 CANADA

Said Zeinab (604) 444-4808

CHEM I (GENERAL CHEM)

Alkalinity, Total	SM 2320 B
Chloride	SM 4110 B

County:

said.zeinab@maxxamanalytics.com

DOH #: 124

Maxxam Analytics Inc. - Burnaby

8577 Commerce Court
Burnaby, BC V5A 4N5 CANADA
Said Zeinab (604) 444-4808

DOH #: 124

County:
said.zeinab@maxxamanalytics.com

CHEM I (GENERAL CHEM

Color	SM 2120 B
Cyanide, Total	SM 4500-CN E
Fluoride	SM 4500-F C
Nitrate	EPA 353.2
Nitrate + Nitrite	EPA 353.2
Nitrite	EPA 353.2
Orthophosphate	SM 4500-P F
Silica, Dissolved	SM 4500-Si F
Specific Conductance	SM 2510 B
Sulfate	SM 4110 B
Total Organic Carbon	SM 5310 C
Turbidity	SM 2130 B

CHEM II (TRACE METALS

Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.8
Lead	EPA 200.8
Manganese	EPA 200.8
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Thallium	EPA 200.8
Zinc	EPA 200.8

Mill Creek Water Treatment Plant Laboratory

581 Mill Creek Road
Walla Walla, WA 99362
Tom Krebs (509) 522-3775

DOH #: 143

County: Walla Walla
tkrebs@ci.walla-walla.wa.us

MICROBIOLOGY

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - detect Colilert	SM 9223

Monroe Water Quality Laboratory

806 West Main
Monroe, WA 98272-2198
Linda Gleason (360) 794-6558

DOH #: 135

County: Snohomish
lgleason@ci.monroe.wa.us

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert	SM 9223
------------------------------------	---------

Mukang Labs, Inc.

2526 E Saint Helens St.
Pasco, WA 99301
Chen Liu (509) 544-2159
CHEM I (GENERAL CHEM

DOH #: 179

County: Franklin
services@mukanglabs.com

Mukang Labs, Inc.

2526 E Saint Helens St.
Pasco, WA 99301

DOH #: 179

County: Franklin
services@mukanglabs.com

Chen Liu (509) 544-2159

CHEM I (GENERAL CHEM

Alkalinity, Total	SM 2320 B
Chloride	SM 4500-Cl- B
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	SM 4500-NO3 D
Orthophosphate	SM 4500-P E
pH	SM 4500-H
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	SM 4500-SO4 E

CHEM II (TRACE METALS

Calcium	SM 18/19 3111 B
Magnesium	SM 18/19 3111 B
Sodium	SM 18/19 3111 B

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert SM 9223

Mukilteo Water and Wastewater District

PO Box 260
Mukilteo, WA 98275

DOH #: 183

County: Snohomish
briannas@mukilteowater.org

Brianna Sheppard (425) 355-6637

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert SM 9223

MWH Laboratories - Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, CA 91016

DOH #: 094

County: Los Angeles
Nilda.Cox@mwhglobal.com

Nilda Cox (626) 386-1170

CHEM I (GENERAL CHEM

Alkalinity, Total	SM 2320 B
Anionic Surfactants	SM 5540 C
Asbestos	EPA 100.2
Bromate	EPA 300.1
Bromide	EPA 300.0
Bromide	EPA 300.1
Chlorate	EPA 300.0
Chlorate	EPA 300.1
Chloride	EPA 300.0
Chlorine Dioxide	SM 4500-ClO2 D
Chlorine Residual, Free	SM 4500-Cl G
Chlorine Residual, Total	SM 4500-Cl G
Chlorite	EPA 300.0
Chlorite	EPA 300.1
Cyanide, Total	EPA 335.4
Cyanide, Total	SM 4500-CN F
Cyanides, Amenable to Chlorination	SM 4500-CN G
Fluoride	SM 4500-F C
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	EPA 300.0
Nitrate	EPA 353.2
Nitrite	EPA 300.0
Nitrite	EPA 353.2
Orthophosphate	EPA 365.1

MWH Laboratories - Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, CA 91016

DOH #: 094

County: Los Angeles

Nilda Cox (626) 386-1170

Nilda.Cox@mwhglobal.com

CHEM I (GENERAL CHEM

Orthophosphate	SM 4500-P E
Perchlorate	EPA 314.0
pH	EPA 150.1
pH	SM 4500-H
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 C
Turbidity	EPA 180.1
UV Absorbing Organics	SM 5910 B
Bromate	EPA 317.0
Silica, Dissolved	SM 20 4500-Si C
Perchlorate	EPA 331.0
Chlorite	EPA 317.0

CHEM II (TRACE METALS

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Hardness, Total (as CaCO3)	EPA 200.7
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Uranium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

ORGANICS I (GC HPLC)

Chlorinated Acids (Herbicides)	EPA 515.4
EDB/DBCP/TCP	EPA 504.1

MWH Laboratories - Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, CA 91016

DOH #: 094

County: Los Angeles

Nilda Cox (626) 386-1170

Nilda.Cox@mwhglobal.com

ORGANICS I (GC HPLC)

Organohalide Pesticides/PCBs	EPA 505
PCBs	EPA 505
Oximes/Carbamates	EPA 531.2
Glyphosate	EPA 547
Haloacetonitriles	EPA 551.1
Diquat	EPA 549.2
Haloacetic Acids	SM 6251 B
Trihalomethanes	EPA 551.1

ORGANICS II (GC-MS)

Adipates/Phthalates	EPA 525.2
Benzo(a)pyrene	EPA 525.2
Endothall	EPA 548.1
Polycyclic Aromatic HC (PAHs)	EPA 525.2
Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2
Chlorinated Pesticides	EPA 525.2
Organic Compounds	EPA 525.2

RADIOCHEMISTRY

Alpha, Gross	EPA 900.0
Beta, Gross	EPA 900.0
Radium 228	EPA 904.0

National Food Corporation Laboratory

16900 51st Ave NE
Arlington, WA 98223

DOH #: 141

County: Snohomish

Floyd Weathersbee (360) 659-6251

wwathersbee@natlfood.com

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert	SM 9223
------------------------------------	---------

Northwest Agricultural Consultants, Inc.

2545 West Falls Ave.
Kennewick, WA 99336

DOH #: 115

County: Benton

Bob Sickles (509) 783-7450

bob@nwag.com

CHEM I (GENERAL CHEM)

Nitrate	SM 4500-NO3 F
Solids, Total Dissolved	SM 2540 C

CHEM II (TRACE METALS)

Copper	SM 18/19 3111 B
Lead	SM 18/19 3113 B

NVL Laboratories, Inc.

4708 Aurora Ave. N.
Seattle, WA 98103

DOH #: 155

County: King

Nick Ly (206) 547-0100

nick.l@nvlabs.com

CHEM II (TRACE METALS)

Lead	EPA 200.9
------	-----------

Okanogan County Public Health Laboratory

PO Box 231
Okanogan, WA 98840-0231
Jacqueline Bellinger (509) 422-7140
CHEM I (GENERAL CHEM
Nitrate
MICROBIOLOGY
Total Coli/Ecoli - detect Colilert

DOH #: 093
County: Okanogan
jbellinger@co.okanogan.wa.us
SM 4500-NO3 D
SM 9223

Olympic National Park Water Lab

113 Barnes Point Road
Port Angeles, WA 98363
Michael Kalahar (360) 928-3213
MICROBIOLOGY
Fecal Coliform - count
Total Coli/Ecoli - detect Colilert

DOH #: 059
County: Clallam
mike_kalahar@nps.gov
SM 9222 D
SM 9223

OnSite Environmental, Inc.

14648 NE 95th Street
Redmond, WA 98052
Karl Hornyik (425) 883-3881

DOH #: 178
County: King
dbaumeister@onsite-env.com

CHEM II (TRACE METALS	
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Iron	EPA 200.7
Iron	EPA 200.8
Lead	EPA 200.8
Magnesium	EPA 200.8
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 200.8
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.7
Silver	EPA 200.8
Thallium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

Pace Analytical Services, Inc.

1700 Elm Street SE, Suite 200
Minneapolis, MN 55414
Melanie Ollila (612) 607-6352
ORGANICS II (GC-MS)
2,3,7,8-TCDD

DOH #: 272
County: Hennepin
melanie.ollila@pacelabs.com
EPA 1613

Pace Analytical Services, Inc. - Pittsburgh

1638 Roseytown Rd, STE 2, 3, 4
Greenburg, PA 15601

Randal Hill (724) 850-5600

RADIOCHEMISTRY

Alpha, Gross	EPA 900.0
Alpha, Gross	SM 7110 C
Beta, Gross	EPA 900.0
Gamma Emitting Isotopes	EPA 901.1
Radium 226	EPA 903.1
Radium 228	EPA 904.0
Radon	SM 20 7500-Rn B
Strontium 89	EPA 905.0
Strontium 90	EPA 905.0
Tritium	EPA 906.0
Uranium, Laser Phosphorimetric	ASTM D5174-97
Uranium, Total	EPA 908.0

DOH #: 156

County: Westmoreland

randal.hill@pacelabs.com

Pace Analytical Services, Inc. - Seattle

940 South Harney St.
Seattle, WA 98108

Monica Carr 206-957-2430

CHEM I (GENERAL CHEM

Alkalinity, Total	SM 2320 B
Chloride	EPA 300.0
Color	SM 2120 B
Cyanide, Total	EPA 335.4
Fluoride	EPA 300.0
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	EPA 300.0
Nitrate	EPA 353.2
Nitrite	EPA 300.0
Nitrite	EPA 353.2
Orthophosphate	EPA 300.0
Perchlorate	EPA 314.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Turbidity	EPA 180.1

CHEM II (TRACE METALS

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Iron	EPA 200.7

DOH #: 081

County: King

Monica.Carr@pacelabs.com

Pace Analytical Services, Inc. - Seattle

940 South Harney St.
Seattle, WA 98108

Monica Carr 206-957-2430

CHEM II (TRACE METALS)

Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

MICROBIOLOGY

Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - count	SM 9222 B/9221 F
Total Coli/Ecoli - detect	SM 9221 B,F
Total Coli/Ecoli - detect	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colisure	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1
Total & Fecal Coli - count	SM 9222 B/9221 E1
Total & Fecal Coli - detect	SM 9221 B,E1
Total & Fecal Coli - detect	SM 9222 B/9221 E1

ORGANICS I (GC HPLC)

EDB/DBCP/TCP	EPA 504.1
--------------	-----------

ORGANICS II (GC-MS)

Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2

Pacific County DCD WQ Laboratory

PO Box 68
South Bend, WA 98586

Megan McNelly (360) 875-9356

MICROBIOLOGY

Fecal Coliform - count	SM 9222 D
Total Coli/Ecoli - detect Colilert	SM 9223

Pathologists' Regional Laboratory

PO Box 956
Lewiston, ID 83501

Zayda Gustafson (208) 746-0516

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert	SM 9223
------------------------------------	---------

DOH #: 081

County: King

Monica.Carr@pacelabs.com

DOH #: 137

County: Pacific

mmcnelly@co.pacific.wa.us

DOH #: 145

County: Nez Pierce

zgustafson@pathregional.com

Pyxis Laboratories LLC

12423 NE Whitaker Way
Portland, OR 97230

DOH #: 184

County: Multnomah

lindabangs@pyxislab.com

Linda Bangs (503) 254-1794

CHEM I (GENERAL CHEM

Alkalinity, Total	SM 2320 B
Chloride	EPA 300.0
Color	SM 2120 B
Cyanide, Total	SM 4500-CN E
Fluoride	EPA 300.0
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	EPA 300.0
Nitrite	EPA 300.0
Orthophosphate	EPA 300.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Turbidity	SM 2130 B

CHEM II (TRACE METALS

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

MICROBIOLOGY

Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - detect	SM 9222 B/9221 E1

ORGANICS II (GC-MS)

Regulated VOCs	EPA 524.2
Unregulated VOCs	EPA 524.2

Seattle Public Utilities Water Quality Lab

800 South Stacy Street
Seattle, WA 98134

Wylie Harper (206) 684-7880

CHEM I (GENERAL CHEM

Alkalinity, Total	ASTM D1067-92B
Calcium	SM 20 3500-Ca B
Chlorine Residual, Free	SM 4500-CI G
Chlorine Residual, Total	SM 4500-CI G
Color	SM 2120 B
Fluoride	ASTM D1179-93B
Hardness, Total (as CaCO3)	SM 2340 B
Hardness, Total (as CaCO3)	SM 2340 C
Solids, Total Dissolved	SM 2540 C
Total Organic Carbon	SM 5310 C
Turbidity	SM 2130 B
pH	ASTM D1293-95 B
Specific Conductance	ASTM D1125-92 A

CHEM II (TRACE METALS

Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Calcium	EPA 200.8
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.8
Lead	EPA 200.8
Magnesium	EPA 200.8
Magnesium	SM 18/19 3111 B
Manganese	EPA 200.8
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Sodium	EPA 200.8
Sodium	SM 18/19 3111 B
Thallium	EPA 200.8
Zinc	EPA 200.8

MICROBIOLOGY

Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - detect	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223

ORGANICS I (GC HPLC)

Haloacetic Acids	EPA 552.2
------------------	-----------

ORGANICS II (GC-MS)

Trihalomethanes	EPA 524.2
-----------------	-----------

Seattle-King Cty Dept of Public Health Lab

325 Ninth Ave., Room BWC 03 Box 35997
Seattle, WA 98104

Jean Pass (206) 744-8950

MICROBIOLOGY

Total Coli/Ecoli - detect Colisure	SM 9223
------------------------------------	---------

DOH #: 074

County: King

wylie.harper@seattle.gov

DOH #: 075

County: King

jean.pass@kingcounty.gov

Selkirk Regional Environmental Lab

10372 Hwy 31
Ione, WA 99139

John Kinney (509) 446-3505

MICROBIOLOGY

Fecal Coliform - count
Total Coli/Ecoli - count ColiBlue
Total Coli/Ecoli - detect Colilert

County: Pend Orielle

jkinney@selkirk.k12.wa.us

DOH #: 035

SM 9222 D
Hach m-ColiBlue
SM 9223

SGS North America Inc.

5500 Business Dr
Wilmington, NC 28405

Jeannie Milholland (910) 350-1903

**ORGANICS II (GC-MS)
2,3,7,8-TCDD**

County: New Hanover

jeannie.milholland@sgs.com

DOH #: 177

EPA 1613

Skagit County Public Health Dept. Water Laboratory

700 South Second Street #300
Mount Vernon, WA 98273-1071

Joanne Lynn (360) 336-9380

MICROBIOLOGY

Fecal Coliform - count
Heterotrophic Plate Count
Total Coli/Ecoli - count Colilert
Total Coli/Ecoli - detect Colilert
Total & Fecal Coli - detect

County: Skagit

joannel@co.skagit.wa.us

DOH #: 090

SM 9221 E2
SM 9215 B
SM 9223
SM 9223
SM 9221 D,E1

Soiltest Farm Consultants, Inc. Laboratory

2925 Driggs Drive
Moses Lake, WA 98837

Brent Thyssen (509) 765-1622

CHEM I (GENERAL CHEM

Alkalinity, Total
Chloride
Fluoride
Nitrate
Nitrite
Orthophosphate
Solids, Total Dissolved
Specific Conductance
Sulfate
Turbidity

County: Grant

brent@soiltestlab.com

DOH #: 116

SM 2320 B
SM 4500-Cl- E
SM 4500-F C
SM 4500-NO3 F
SM 4500-NO3 F
SM 4500-P E
SM 2540 C
SM 2510 B
SM 4500-SO4 C
SM 2130 B

CHEM II (TRACE METALS

Aluminum
Barium
Cadmium
Calcium
Chromium
Copper
Iron
Lead
Magnesium
Manganese
Nickel
Silver
Sodium
Zinc

EPA 200.7
EPA 200.7
EPA 200.7
EPA 200.7
EPA 200.7
EPA 200.7
EPA 200.7
EPA 200.7
EPA 200.7
EPA 200.7
EPA 200.7
EPA 200.7
EPA 200.7
EPA 200.7

Spectra Laboratories

2221 Ross Way
Tacoma, WA 98421

Jesse Bynum (253) 272-4850

CHEM I (GENERAL CHEM

Alkalinity, Total	SM 2320 B
Cyanide, Total	SM 4500-CN E
Fluoride	SM 4500-F C
Nitrate	SM 4500-NO3 D
Nitrite	SM 4500-NO2 B
Solids, Total Dissolved	SM 2540 C
Specific Conductance	EPA 120.1
Sulfate	EPA 375.4
Turbidity	EPA 180.1

CHEM II (TRACE METALS

Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Calcium	EPA 200.8
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.8
Lead	EPA 200.8
Magnesium	EPA 200.8
Manganese	EPA 200.8
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Sodium	EPA 200.8
Thallium	EPA 200.8
Zinc	EPA 200.8

MICROBIOLOGY

Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9222 B/9221 E1

County: Pierce
info@spectra-lab.com

DOH #: 118

Spokane Regional Health District Laboratory

1101 W. College Avenue - Room 210
Spokane, WA 99201-2095

Diane James (509) 324-1440

CHEM I (GENERAL CHEM

Nitrate	SM 4500-NO3 D
---------	---------------

MICROBIOLOGY

Fecal Coliform - count	SM 9221 B,C,E1
Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1
Total & Fecal Coli - detect	SM 9221 B,E1

County: Spokane
djames@spokanecounty.org

DOH #: 078

Spokane Water Laboratory

914 East North Foothills Drive
Spokane, WA 99207

Kristine Graf (509) 742-8161

CHEM I (GENERAL CHEM

Alkalinity, Total	SM 2320 B
Chlorine Residual, Free	SM 4500-Cl G
Chlorine Residual, Total	SM 4500-Cl G
Hardness, Total (as CaCO3)	SM 2340 C
pH	SM 4500-H
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Turbidity	EPA 180.1

MICROBIOLOGY

Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223

County: Spokane

kgraf@spokanecity.org

DOH #: 265

SVL Analytical, Incorporated

PO Box 929
Kellogg, ID 83837

Michael Desmarais (208) 784-1258

CHEM I (GENERAL CHEM

Alkalinity, Total	SM 2320 B
Bromide	EPA 300.0
Chloride	EPA 300.0
Color	SM 2120 B
Cyanide, Total	EPA 335.4
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	EPA 300.0
Nitrate	EPA 353.2
Nitrite	EPA 300.0
Nitrite	EPA 353.2
Orthophosphate	SM 4500-P E
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 B
Turbidity	EPA 180.1

CHEM II (TRACE METALS

Aluminum	EPA 200.7
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7

County: Shoshone

michael@svl.net

DOH #: 050

SVL Analytical, Incorporated

PO Box 929
Kellogg, ID 83837

Michael Desmarais (208) 784-1258

CHEM II (TRACE METALS)

Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

County: Shoshone

michael@svl.net

DOH #: 050

TestAmerica Denver

4955 Yarrow St.
Arvada, CO 80002

John Morris (303) 736-0117

CHEM I (GENERAL CHEM)

Perchlorate	EPA 314.0
-------------	-----------

County: Adams

john.morris@testamericainc.com

DOH #: 181

TestAmerica Nashville

2960 Foster Creighton Drive
Nashville, TN 37204

Mary Louise Linn (615) 301-5759

CHEM I (GENERAL CHEM)

Chloride	EPA 300.0
Cyanide, Total	EPA 335.4
Fluoride	EPA 300.0
Fluoride	SM 4110 B
Nitrate	EPA 300.0
Nitrate	EPA 353.2
Nitrate	SM 4110 B
Nitrite	EPA 300.0
Nitrite	EPA 353.2
Nitrite	SM 4110 B
Solids, Total Dissolved	SM 2540 C
Sulfate	EPA 300.0
Sulfate	SM 4110 B

County: Davidson

maryl.linn@testamericainc.com

DOH #: 268

CHEM II (TRACE METALS)

Aluminum	EPA 200.7
Barium	EPA 200.7
Beryllium	EPA 200.7
Cadmium	EPA 200.7
Calcium	EPA 200.7
Chromium	EPA 200.7
Copper	EPA 200.7
Iron	EPA 200.7
Magnesium	EPA 200.7
Manganese	EPA 200.7
Mercury	EPA 245.1
Nickel	EPA 200.7

TestAmerica Nashville

2960 Foster Creighton Drive
Nashville, TN 37204

DOH #: 268

County: Davidson

maryl.linn@testamericainc.com

Mary Louise Linn (615) 301-5759

CHEM II (TRACE METALS)

Silver	EPA 200.7
Sodium	EPA 200.7
Zinc	EPA 200.7

ORGANICS I (GC HPLC)

EDB/DBCP/TCP	EPA 504.1
--------------	-----------

ORGANICS II (GC-MS)

Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2

TestAmerica Ontario

1014 E Cooley Dr., Suite A
Colton, CA 92324

DOH #: 180

County: San Bernadino

David.dawes@testamericainc.com

David Dawes (909) 370-4667

ORGANICS I (GC HPLC)

Carbamates/Oximes	EPA 531.1
Chlorinated Acids (Herbicides)	EPA 515.4
n-Methylcarbamates	EPA 531.1
EDB/DBCP/TCP	EPA 504.1
Organohalide Pesticides/PCBs	EPA 505
Glyphosate	EPA 547
Diquat	EPA 549.2
Haloacetic Acids	EPA 552.2

ORGANICS II (GC-MS)

Adipates/Phthalates	EPA 525.2
Benzo(a)pyrene	EPA 525.2
Endothall	EPA 548.1
Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2
Chlorinated Pesticides	EPA 525.2
Organic Compounds	EPA 525.2

TestAmerica Portland

9405 SW Nimbus Avenue
Beaverton, OR 97005

DOH #: 274

County: Washington

suzanne.lemay@testamericainc.com

Suzanne LeMay (503) 906-9223

CHEM I (GENERAL CHEM)

Alkalinity, Total	SM 2320 B
Chloride	EPA 300.0
Chlorine Residual, Free	SM 4500-Cl G
Chlorine Residual, Total	SM 4500-Cl G
Cyanide, Total	EPA 335.4
Cyanide, Total	SM 4500-CN E
Fluoride	SM 4500-F C
Hardness, Total (as CaCO ₃)	SM 2340 B
Nitrate	EPA 300.0
Nitrite	EPA 300.0

TestAmerica Portland

9405 SW Nimbus Avenue
Beaverton, OR 97005

Suzanne LeMay (503) 906-9223

DOH #: 274

County: Washington

suzanne.lemay@testamericainc.com

CHEM I (GENERAL CHEM

Orthophosphate	SM 4500-P E
Silica, Dissolved	SM 4500-Si F
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Turbidity	EPA 180.1
Turbidity	SM 2130 B

CHEM II (TRACE METALS

Aluminum	EPA 200.7
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silica	EPA 200.7
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

MICROBIOLOGY

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	SM 9215 B
Total Coli - count MF	SM 9222 B
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223

ORGANICS I (GC HPLC)

Chlorinated Acids (Herbicides)	EPA 515.3
EDB/DBCP/TCP	EPA 504.1
Organohalide Pesticides/PCBs	EPA 505
Haloacetic Acids	EPA 552.2
Dalapon	EPA 552.2

ORGANICS II (GC-MS)

Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2

TestAmerica Portland

9405 SW Nimbus Avenue
Beaverton, OR 97005

Suzanne LeMay (503) 906-9223
ORGANICS II (GC-MS)
Purgeable Organic Compounds

DOH #: 274

County: Washington

suzanne.lemay@testamericainc.com

EPA 524.2

TestAmerica Richland

2800 George Washington Way
Richland, WA 99354-1613

Tim Armstrong (509) 375-3131

RADIOCHEMISTRY

Alpha, Gross

Beta, Gross

Gamma Emitting Isotopes

Radium 226

Radium 228

Strontium 89/90

Tritium

Uranium, Laser Phosphorimetric

Radium, Total Alpha

Alpha, Gross

DOH #: 028

County: Benton

jtlim.armstrong@testamericainc.com

EPA 900.0

EPA 900.0

EPA 901.1

EPA 903.1

EPA 904.0

EPA 905.0

EPA 906.0

ASTM D5174-91

EPA 903.0

EPA 00-02

TestAmerica Savannah

5102 La Roche Ave.
Savannah, GA 31404

Ammie Martin (912) 354-7858

CHEM I (GENERAL CHEM

Alkalinity, Total

Anionic Surfactants

Bromate

Bromide

Chlorate

Chloride

Chlorite

Color

Cyanide, Total

Cyanide, Total

Cyanides, Amenable to Chlorination

Dissolved Organic Carbon

Fluoride

Fluoride

Hardness, Total (as CaCO3)

Hardness, Total (as CaCO3)

Nitrate

Nitrate

Nitrite

Nitrite

Orthophosphate

Orthophosphate

Perchlorate

Solids, Total Dissolved

Specific Conductance

Sulfate

Total Organic Carbon

Turbidity

Turbidity

DOH #: 161

County: Chatham

Ammie.Martin@testamericainc.com

SM 2320 B

SM 5540 C

EPA 300.1

EPA 300.1

EPA 300.1

EPA 300.0

EPA 300.1

SM 2120 B

EPA 335.4

SM 4500-CN E

SM 4500-CN G

SM 5310 B

EPA 300.0

SM 4500-F C

SM 2340 B

SM 2340 C

EPA 300.0

EPA 353.2

EPA 300.0

EPA 353.2

EPA 365.1

SM 4500-P F

EPA 314.0

SM 2540 C

SM 2510 B

EPA 300.0

SM 5310 B

EPA 180.1

SM 2130 B

TestAmerica Savannah

5102 La Roche Ave.
Savannah, GA 31404

DOH #: 161

County: Chatham

Ammie.Martin@testamericainc.com

Ammie Martin (912) 354-7858

CHEM I (GENERAL CHEM

UV Absorbing Organics

SM 5910 B

CHEM II (TRACE METALS

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

ORGANICS I (GC HPLC)

EDB/DBCP/TCP	EPA 504.1
Chlordane	EPA 508
Toxaphene	EPA 508
Chlorinated Pesticides/PCBs	EPA 508
Chlorinated Acid Herbicides	EPA 515.1
Oximes/Carbamates	EPA 531.1
Glyphosate	EPA 547
Diquat	EPA 549.2
Haloacetic Acids	EPA 552.2

ORGANICS II (GC-MS)

Adipates/Phthalates	EPA 525.2
Benzo(a)pyrene	EPA 525.2
Endothall	EPA 548.1
Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2

TestAmerica Savannah

5102 La Roche Ave.
Savannah, GA 31404

Ammie Martin (912) 354-7858

ORGANICS II (GC-MS)

Vinyl Chloride
Purgeable Organic Compounds
Chlorinated Pesticides
Organic Compounds

County: Chatham

Ammie.Martin@testamericainc.com

DOH #: 161

EPA 524.2
EPA 524.2
EPA 525.2
EPA 525.2

TestAmerica Seattle

11720 North Creek Parkway N., Suite 400
Bothell, WA 98011

Kate Haney (425) 420-9200

CHEM I (GENERAL CHEM)

Alkalinity, Total
Chloride
Cyanide, Total
Cyanide, Total
Fluoride
Hardness, Total (as CaCO3)
Nitrate
Nitrite
Orthophosphate
Solids, Total Dissolved
Specific Conductance
Sulfate
Turbidity
Turbidity

County: King

kate.haney@testamericainc.com

DOH #: 104

SM 2320 B
EPA 300.0
EPA 335.4
SM 4500-CN E
EPA 300.0
SM 2340 B
EPA 300.0
EPA 300.0
SM 4500-P E
SM 2540 C
SM 2510 B
EPA 300.0
EPA 180.1
SM 2130 B

CHEM II (TRACE METALS)

Aluminum
Antimony
Arsenic
Barium
Barium
Beryllium
Beryllium
Cadmium
Cadmium
Calcium
Chromium
Chromium
Copper
Copper
Iron
Lead
Magnesium
Manganese
Manganese
Mercury
Nickel
Nickel
Selenium
Silver
Silver
Sodium

EPA 200.7
EPA 200.8
EPA 200.8
EPA 200.7
EPA 200.8
EPA 200.7
EPA 200.8
EPA 200.7
EPA 200.8
EPA 200.7
EPA 200.7
EPA 200.8
EPA 200.7
EPA 200.7
EPA 200.7
EPA 200.8
EPA 200.7
EPA 200.7
EPA 200.8
EPA 245.1
EPA 200.7
EPA 200.8
EPA 200.8
EPA 200.7
EPA 200.8
EPA 200.7

TestAmerica Seattle

11720 North Creek Parkway N., Suite 400
Bothell, WA 98011

Kate Haney (425) 420-9200

CHEM II (TRACE METALS)

Thallium

Zinc

Zinc

EPA 200.8

EPA 200.7

EPA 200.8

DOH #: 104

County: King

kate.haney@testamericainc.com

TestAmerica Spokane

11922 E 1st

Spokane Valley, WA 99206-5302

Dave Wunderlich (509) 924-9200

CHEM I (GENERAL CHEM)

Alkalinity, Total

Chloride

Color

Fluoride

Hardness, Total (as CaCO3)

Nitrate

Nitrite

Orthophosphate

Solids, Total Dissolved

Specific Conductance

Sulfate

Turbidity

SM 2320 B

EPA 300.0

SM 2120 C

EPA 300.0

SM 2340 C

EPA 300.0

EPA 300.0

SM 4500-P E

SM 2540 C

SM 2510 B

EPA 300.0

EPA 180.1

CHEM II (TRACE METALS)

Aluminum

Antimony

Barium

Beryllium

Cadmium

Calcium

Chromium

Copper

Iron

Lead

Magnesium

Manganese

Mercury

Nickel

Silver

Sodium

Zinc

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 245.1

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

DOH #: 111

County: Spokane

dave.wunderlich@testamericainc.com

TestAmerica St. Louis

13715 Rider Trail North
Earth City, MO 63045

Marti Ward (314) 298-8566

RADIOCHEMISTRY

Alpha, Gross

Beta, Gross

Gamma Emitting Isotopes

Radium 226

Radium 228

Tritium

Uranium, Total

EPA 900.0

EPA 900.0

EPA 901.1

EPA 903.0

EPA 904.0

EPA 906.0

ASTM D5174-91

DOH #: 163

County: St. Louis

marti.ward@testamericainc.com

TestAmerica St. Louis

13715 Rider Trail North
Earth City, MO 63045

Marti Ward (314) 298-8566
RADIOCHEMISTRY
Strontium 90

DOH #: 163

County: St. Louis

marti.ward@testamericainc.com

DOE Sr-02

TestAmerica Tacoma

5755 Eighth Street East
Tacoma, WA 98424

Christina Mott (253) 922-2310

CHEM I (GENERAL CHEM

Alkalinity, Total
Chloride
Color
Fluoride
Hardness, Total (as CaCO3)
Nitrate
Nitrite
Orthophosphate
Solids, Total Dissolved
Specific Conductance
Sulfate
Turbidity

SM 2320 B
EPA 300.0
SM 2120 B
EPA 300.0
SM 2340 B
EPA 300.0
EPA 300.0
EPA 300.0
SM 2540 C
SM 2510 B
EPA 300.0
EPA 180.1

CHEM II (TRACE METALS

Aluminum
Antimony
Arsenic
Barium
Barium
Beryllium
Cadmium
Chromium
Chromium
Copper
Copper
Iron
Lead
Manganese
Mercury
Nickel
Nickel
Selenium
Silica
Silver
Silver
Sodium
Thallium
Zinc

EPA 200.7
EPA 200.8
EPA 200.8
EPA 200.7
EPA 200.8
EPA 200.8
EPA 200.8
EPA 200.7
EPA 200.8
EPA 200.7
EPA 200.8
EPA 200.7
EPA 200.8
EPA 200.7
EPA 245.1
EPA 200.7
EPA 200.8
EPA 200.8
EPA 200.7
EPA 200.7
EPA 200.8
EPA 200.7
EPA 200.8
EPA 200.7
EPA 200.8

DOH #: 107

County: Pierce

christina.mott@testamericainc.com

TestAmerica West Sacramento

880 Riverside Parkway
West Sacramento, CA 95605

Douglas Weir (916) 374-4389

CHEM I (GENERAL CHEM

Perchlorate
Perchlorate

EPA 314.0
EPA 331.0

DOH #: 106

County: Yolo

Douglas.Weir@TestAmericainc.com

TestAmerica West Sacramento

880 Riverside Parkway
West Sacramento, CA 95605
Douglas Weir (916) 374-4389
ORGANICS II (GC-MS)
2,3,7,8-TCDD

DOH #: 106
County: Yolo
Douglas.Weir@TestAmericainc.com
EPA 1613

Thurston County Health Department Laboratory

2000 Lakeridge Drive SW
Olympia, WA 98502
Mike Clark (360) 786-5465
CHEM I (GENERAL CHEM
Nitrate
MICROBIOLOGY
Fecal Coliform - count
Heterotrophic Plate Count
Total Coli/Ecoli - count Colilert
Total Coli/Ecoli - detect Colilert
Total Coli/Ecoli - detect Colisure
Total & Fecal Coli - detect

DOH #: 080
County: Thurston
clarkm@co.thurston.wa.us
SM 4500-NO3 D
SM 9222 D
SM 9215 B
SM 9223
SM 9223
SM 9223
SM 9222 B/9221 E1

TransAlta Centralia Generation Lab

913 Big Hanaford Rd
Centralia, WA 98531-9111
Larry Webster (360) 330-2320
CHEM I (GENERAL CHEM
Chlorine Residual, Free
pH

DOH #: 182
County: Lewis
larry_webster@transalta.com
SM 4500-CI G
SM 4500-H

Twiss Analytical Laboratories, Inc.

PO Box 2339
Poulsbo, WA 98370
Nancy Parrott (360) 779-5141
CHEM I (GENERAL CHEM
Alkalinity, Total
Chloride
Chloride
Chlorine Residual, Total
Color
Cyanide, Total
Fluoride
Hardness, Total (as CaCO3)
Nitrate
Nitrate
Nitrate + Nitrite
Nitrate + Nitrite
Nitrite
Nitrite
Orthophosphate
Orthophosphate
pH
Solids, Total Dissolved
Specific Conductance
Sulfate
Turbidity
CHEM II (TRACE METALS
Aluminum

DOH #: 010
County: Kitsap
nparrott@twisslabs.com
SM 2320 B
EPA 300.0
SM 4500-CI- E
SM 4500-CI G
SM 2120 B
SM 4500-CN F
EPA 300.0
SM 2340 B
EPA 300.0
SM 4500-NO3 F
EPA 300.0
SM 4500-NO3 F
EPA 300.0
SM 4500-NO2 B
EPA 300.0
SM 4500-P E
SM 4500-H
SM 2540 C
SM 2510 B
EPA 300.0
SM 2130 B
EPA 200.7

Twiss Analytical Laboratories, Inc.

PO Box 2339
Poulsbo, WA 98370

Nancy Parrott (360) 779-5141

CHEM II (TRACE METALS)

Antimony	EPA 200.9
Arsenic	EPA 200.9
Barium	EPA 200.7
Beryllium	EPA 200.7
Cadmium	EPA 200.7
Calcium	EPA 200.7
Chromium	EPA 200.7
Copper	EPA 200.7
Copper	EPA 200.9
Iron	EPA 200.7
Lead	EPA 200.9
Magnesium	EPA 200.7
Manganese	EPA 200.7
Mercury	SM 18/19 3112 B
Nickel	EPA 200.7
Selenium	EPA 200.9
Silica	EPA 200.7
Silver	EPA 200.7
Sodium	EPA 200.7
Thallium	EPA 200.9
Zinc	EPA 200.7

MICROBIOLOGY

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223

ORGANICS I (GC HPLC)

Haloacetic Acids	EPA 552.1
------------------	-----------

ORGANICS II (GC-MS)

Purgeable Organic Compounds	EPA 524.2
-----------------------------	-----------

DOH #: 010

County: Kitsap

nparrott@twisslabs.com

Underwriters Laboratories Inc.

110 South Hill Street
South Bend, IN 46617

Dale Piechocki (574) 233-4777

CHEM I (GENERAL CHEM)

Alkalinity, Total	SM 2320 B
Bromate	EPA 300.1
Bromide	EPA 300.0
Chlorate	EPA 300.0
Chloride	EPA 300.0
Chlorite	EPA 300.0
Color	SM 2120 B
Cyanide, Total	EPA 335.4
Fluoride	EPA 300.0
Fluoride	SM 4500-F C
Fluoride	Tech 380-75WE
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	EPA 300.0
Nitrate	EPA 353.2

DOH #: 130

County: St. Joseph

dale.r.piechocki@us.ul.com

Underwriters Laboratories Inc.

110 South Hill Street
South Bend, IN 46617

Dale Piechocki (574) 233-4777

DOH #: 130

County: St. Joseph

dale.r.piechocki@us.ul.com

CHEM I (GENERAL CHEM

Nitrite	EPA 353.2
Orthophosphate	SM 4500-P E
Perchlorate	EPA 314.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 C
Turbidity	EPA 180.1
UV Absorbing Organics	SM 5910 B
Bromate	EPA 317.0
Perchlorate	EPA 331.0

CHEM II (TRACE METALS

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.8
Selenium	EPA 200.8
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Uranium	EPA 200.8
Zinc	EPA 200.8

MICROBIOLOGY

Heterotrophic Plate Count	SM 9215 B
Heterotrophic Plate Count	IDEXX SimPlate
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223

ORGANICS I (GC HPLC)

Carbamates/Oximes	EPA 531.1
EDB/DBCP/TCP	EPA 504.1
Organohalide Pesticides	EPA 505
PCBs	EPA 505
Chlorinated Acid Herbicides	EPA 515.3
Chlor Disinfection Byproducts	EPA 551.1
Glyphosate	EPA 547
Diquat/Paraquat	EPA 549.2

Underwriters Laboratories Inc.

110 South Hill Street
South Bend, IN 46617

Dale Piechocki (574) 233-4777

ORGANICS I (GC HPLC)

Haloacetic Acids

EPA 552.2

ORGANICS II (GC-MS)

Adipates/Phthalates

EPA 525.2

Benzo(a)pyrene

EPA 525.2

Endothall

EPA 548.1

2,3,7,8-TCDD

EPA 1613

Trihalomethanes

EPA 524.2

Vinyl Chloride

EPA 524.2

Purgeable Organic Compounds

EPA 524.2

Chlorinated Pesticides

EPA 525.2

Organic Compounds

EPA 525.2

RADIOCHEMISTRY

Alpha, Gross

SM 7110 B

Alpha, Gross

SM 7110 C

Beta, Gross

SM 7110 B

Radium 226

SM 7500-Ra B

Radium 226/228

SM 7500-Ra D

Strontium 89/90

SM 7500-Sr B

Tritium

EPA 906.0

DOH #: 130

County: St. Joseph

dale.r.piechocki@us.ul.com

Valley Environmental Laboratory

201 East D Street
Yakima, WA 98901

Bennett Osborne (509) 575-3999

CHEM I (GENERAL CHEM)

Alkalinity, Total

SM 2320 B

Chloride

SM 4500-Cl- B

Color

SM 2120 B

Cyanide, Total

SM 4500-CN E

Fluoride

SM 4500-F C

Hardness, Total (as CaCO3)

SM 2340 C

Nitrate

SM 4500-NO3 D

Nitrite

SM 4500-NO2 B

Orthophosphate

SM 4500-P E

Specific Conductance

SM 2510 B

Sulfate

EPA 375.4

Turbidity

EPA 180.1

CHEM II (TRACE METALS)

Antimony

EPA 200.9

Arsenic

EPA 200.9

Cadmium

EPA 200.9

Chromium

EPA 200.9

Copper

EPA 200.9

Iron

EPA 200.9

Lead

EPA 200.9

Manganese

EPA 200.9

Silver

EPA 200.9

Thallium

EPA 200.9

MICROBIOLOGY

Heterotrophic Plate Count

IDEXX SimPlate

Total Coli/Ecoli - count Colilert

SM 9223

Total Coli/Ecoli - detect Colilert

SM 9223

DOH #: 153

County: Yakima

bennett@valleylab.net

Vista Analytical Laboratory, Inc

1104 Windfield Way
El Dorado Hills, CA 95762
Rose Harrelson (916) 673-1520
ORGANICS II (GC-MS)
2,3,7,8-TCDD

DOH #: 258
County: El Dorado
rharrelson@vista-analytical.com
EPA 1613

Wahkiakum County Health Dept Laboratory

PO Box 696
Cathlamet, WA 98612
Dave Riggs (360) 795-6207
MICROBIOLOGY
Total Coli/Ecoli - detect Colilert

DOH #: 131
County: Wahkiakum
riggsd@co.wahkiakum.wa.us
SM 9223

Walla Walla County Health Department

PO Box 1753
Walla Walla, WA 99362-1753
Barry Jenkins (509) 524-2653
CHEM I (GENERAL CHEM
Nitrate
MICROBIOLOGY
Total Coli/Ecoli - detect Colilert

DOH #: 082
County: Walla Walla
bjenkins@co.walla-walla.wa.us
SM 4500-NO3 D
SM 9223

Water Management Laboratories, Inc.

1515 80th St E
Tacoma, WA 98404-3315
H. Chris Mueller (253) 531-3121

DOH #: 089
County: Pierce
watermanagementl@qwest.net

CHEM I (GENERAL CHEM
Alkalinity, Total
Bromate
Bromide
Calcium
Chlorate
Chloride
Chlorite
Color
Cyanide, Total
Fluoride
Hardness, Total (as CaCO3)
Nitrate
Nitrite
Orthophosphate
Perchlorate
pH
Solids, Total Dissolved
Specific Conductance
Sulfate
Total Organic Carbon
Turbidity
UV Absorbing Organics
Silica, Dissolved
CHEM II (TRACE METALS
Aluminum
Aluminum
Antimony
Antimony
Arsenic

SM 2320 B
EPA 300.1
EPA 300.1
SM 20 3500-Ca B
EPA 300.1
EPA 300.0
EPA 300.1
SM 2120 B
SM 4500-CN F
EPA 300.0
SM 2340 C
EPA 300.0
EPA 300.0
EPA 300.0
EPA 314.0
SM 4500-H
SM 2540 C
SM 2510 B
EPA 300.0
SM 5310 C
SM 2130 B
SM 5910 B
SM 4500-SiO2 C
EPA 200.8
SM 18/19 3113 B
EPA 200.8
SM 18/19 3113 B
EPA 200.8

Water Management Laboratories, Inc.

1515 80th St E
Tacoma, WA 98404-3315

H. Chris Mueller (253) 531-3121

CHEM II (TRACE METALS)

Arsenic	SM 18/19 3113 B
Barium	EPA 200.8
Barium	SM 18/19 3113 B
Beryllium	EPA 200.8
Beryllium	SM 18/19 3113 B
Cadmium	EPA 200.8
Cadmium	SM 18/19 3113 B
Calcium	SM 18/19 3111 B
Chromium	EPA 200.8
Chromium	SM 18/19 3113 B
Copper	EPA 200.8
Copper	SM 18/19 3111 B
Iron	SM 18/19 3111 B
Lead	EPA 200.8
Lead	SM 18/19 3113 B
Magnesium	EPA 200.8
Magnesium	SM 18/19 3111 B
Manganese	EPA 200.8
Manganese	SM 18/19 3111 B
Mercury	EPA 200.8
Mercury	SM 18/19 3112 B
Nickel	EPA 200.8
Nickel	SM 18/19 3111 B
Selenium	EPA 200.8
Selenium	SM 18/19 3113 B
Silver	EPA 200.8
Silver	SM 3111 B
Sodium	EPA 200.8
Sodium	SM 18/19 3111 B
Thallium	EPA 200.8
Thallium	EPA 200.9
Uranium	EPA 200.8
Vanadium	EPA 200.8
Zinc	EPA 200.8
Zinc	SM 18/19 3111 B
Vanadium	SM 18/19 3113 B

MICROBIOLOGY

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	SM 9215 B
Heterotrophic Plate Count	IDEXX SimPlate
Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - count	SM 9222 B/9221 F
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect	SM 9221 B,F
Total Coli/Ecoli - detect	SM 9221 D,F
Total Coli/Ecoli - detect	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1
Total & Fecal Coli - count	SM 9222 B/9221 E1
Total & Fecal Coli - detect	SM 9221 B,E1

DOH #: 089

County: Pierce

watermanagementl@qwest.net

Water Management Laboratories, Inc.

1515 80th St E
Tacoma, WA 98404-3315

H. Chris Mueller (253) 531-3121

MICROBIOLOGY

Total & Fecal Coli - detect

Total & Fecal Coli - detect

ORGANICS I (GC HPLC)

Carbamates/Oximes

EDB/DBCP/TCP

PCBs

Chlorinated Acid Herbicides

Haloacetic Acids

Toxaphene

Chlordane (Total)

ORGANICS II (GC-MS)

Adipates/Phthalates

Benzo(a)pyrene

Regulated VOCs

Trihalomethanes

Unregulated VOCs

Vinyl Chloride

Chlorinated Pesticides

DOH #: 089

County: Pierce

watermanagementl@qwest.net

SM 9221 D,E1

SM 9222 B/9221 E1

EPA 531.2

EPA 504.1

EPA 508.1

EPA 515.1

EPA 552.2

EPA 508.1

EPA 508.1

EPA 525.2

EPA 525.2

EPA 524.2

EPA 524.2

EPA 524.2

EPA 524.2

EPA 525.2

Wenatchee Drinking Water Lab

PO Box 519
Wenatchee, WA 98801

Jessica Shaw (509) 888-3225

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert

DOH #: 133

County: Chelan

jshaw@wenatcheewa.gov

SM 9223

Wy'East Environmental Sciences, Inc.

2415 SE 11th Avenue
Portland, OR 97214

Mark Murphy (503) 231-9320

CHEM II (TRACE METALS)

Copper

Lead

DOH #: 159

County: Multnomah

lab@wyeastlab.net

SM 18/19 3111 B

EPA 200.9