

## Environmental Laboratories Accredited for Drinking Water Analyses Washington State Department of Ecology - Lab Accreditation Program

Some of these labs may be accredited for tests in addition to drinking water analyses. The complete list of the tests the labs are accredited for is available on the program's internet site. The address is: <http://ecy.wa.gov/programs/eap/labs/search.html>

*For questions, comments, or additional information, contact the Lab Accreditation Unit. Telephone (360) 895-6145 Email [cosc461@ecy.wa.gov](mailto:cosc461@ecy.wa.gov).*

### AAA Laboratory

404 1st Street  
Cheney, WA 99004

DOH #: 108

Cheryl Blake (509) 235-9390

County: Spokane

[aaalab@hotmail.com](mailto:aaalab@hotmail.com)

#### CHEM I (GENERAL CHEM

Fluoride

SM 4500-F C

Nitrate

SM 4500-NO3 D

#### CHEM II (TRACE METALS

Arsenic

EPA 200.9

Copper

SM 18/19 3111 B

Lead

EPA 200.9

#### MICROBIOLOGY

Total Coli/Ecoli - detect Colilert

SM 9223

### Accurate Testing Labs L.L.C.

7950 Meadowlark Way  
Coeur d'Alene, ID 83815

DOH #: 021

Walter Mueller (208) 762-8378

County: Kootenai

[mueller@accuratetesting.com](mailto:mueller@accuratetesting.com)

#### CHEM I (GENERAL CHEM

Alkalinity, Total

SM 2320 B

Chloride

EPA 300.0

Color

SM 2120 B

Cyanide, Total

SM 4500-CN F

Fluoride

EPA 300.0

Hardness, Total (as CaCO<sub>3</sub>)

SM 2340 B

Nitrate

EPA 300.0

Nitrite

EPA 300.0

Orthophosphate

EPA 300.0

Solids, Total Dissolved

SM 2540 C

Specific Conductance

EPA 120.1

Sulfate

EPA 300.0

Turbidity

EPA 180.1

#### CHEM II (TRACE METALS

Aluminum

EPA 200.7

Antimony

EPA 200.9

Arsenic

EPA 200.9

Barium

EPA 200.7

Beryllium

EPA 200.7

Cadmium

EPA 200.7

Chromium

EPA 200.7

Copper

EPA 200.7

Iron

EPA 200.7

Lead

EPA 200.9

Manganese

EPA 200.7

Mercury

EPA 245.1

Nickel

EPA 200.7

**Accurate Testing Labs L.L.C.**

7950 Meadowlark Way  
Coeur d'Alene, ID 83815

Walter Mueller (208) 762-8378

**CHEM II (TRACE METALS)**

Selenium

EPA 200.9

Silver

EPA 200.7

Sodium

EPA 200.7

Thallium

EPA 200.9

Zinc

EPA 200.7

**MICROBIOLOGY**

Total Coli/Ecoli - detect Colilert

SM 9223

DOH #: 021

County: Kootenai

mueller@accuratetesting.com

**Accutest Laboratories - Northern California**

3334 Victor Court  
Santa Clara, CA 95035

Laurie Glantz Murphy (408) 588-0200

**CHEM I (GENERAL CHEM)**

Perchlorate

EPA 314.0

DOH #: 185

County: Santa Clara

laurieg@accutest.com

**ACZ Laboratories, Inc.**

2773 Downhill Drive  
Steamboat Springs, CO 80487

Matt Sowards (970) 879-6590

**CHEM II (TRACE METALS)**

Uranium

EPA 200.8

**RADIOCHEMISTRY**

Alpha, Gross

EPA 900.0

Beta, Gross

EPA 900.0

Radium 226

EPA 903.1

Radium 228

EPA 904.0

DOH #: 257

County: Routt

matts@acz.com

**Addy Lab, LLC**

2517 E Evergreen Blvd  
Vancouver, WA 98661

Tom Newman (360) 750-0055

**CHEM I (GENERAL CHEM)**

Chloride

EPA 300.0

Color

SM 2120 B

Fluoride

EPA 300.0

Hardness, Total (as CaCO3)

EPA 130.1

Nitrate

EPA 300.0

Nitrite

EPA 300.0

Orthophosphate

EPA 300.0

Specific Conductance

EPA 120.1

Sulfate

EPA 300.0

Turbidity

EPA 180.1

**MICROBIOLOGY**

Heterotrophic Plate Count

SM 9215 B

Total Coli/Ecoli - count Colilert

SM 9223

Total Coli/Ecoli - detect Colilert

SM 9223

Total & Fecal Coli - count

SM 9221 B,C,E1

DOH #: 144

County: Clark

tom@addylab.com

**Ag Health Laboratories, Inc.**

445 Barnard Boulevard  
Sunnyside, WA 98944

Frederick Muller (509) 836-2020

**CHEM I (GENERAL CHEM)**

DOH #: 154

County: Yakima

aghlabinc@embarqmail.com

**Ag Health Laboratories, Inc.**

445 Barnard Boulevard  
Sunnyside, WA 98944

Frederick Muller (509) 836-2020  
CHEM I (GENERAL CHEM  
Nitrate  
MICROBIOLOGY  
Total Coli/Ecoli - detect Colilert

DOH #: 154

County: Yakima  
aghlabin@embarqmail.com

SM 4500-NO3 D

SM 9223

**Alcoa Intalco Works Laboratory**

PO Box 937  
Ferndale, WA 98248-0937

Larry Williamson (360) 384-7594  
CHEM I (GENERAL CHEM  
Chlorine Residual, Free  
pH  
Turbidity

DOH #: 176

County: Whatcom  
larry.williamson@alcoa.com

SM 4500-CI G

SM 4500-H

EPA 180.1

**AmTest Laboratories**

13600 NE 126th Place, Suite C  
Kirkland, WA 98034

Kathy Fugiel (425) 885-1664

CHEM I (GENERAL CHEM

Alkalinity, Total

Bromide

Chloride

Color

Cyanide, Total

Fluoride

Fluoride

Nitrate

Nitrate

Nitrite

Orthophosphate

Orthophosphate

Solids, Total Dissolved

Specific Conductance

Sulfate

Total Organic Carbon

CHEM II (TRACE METALS

Aluminum

Antimony

Arsenic

Barium

Beryllium

Cadmium

Calcium

Chromium

Copper

Hardness, Total (as CaCO3)

Iron

Lead

Magnesium

Manganese

Mercury

Nickel

Selenium

DOH #: 066

County: King  
kathyf@amtestlab.com

SM 2320 B

EPA 300.0

EPA 300.0

SM 2120 B

EPA 335.4

EPA 300.0

SM 4500-F E

EPA 300.0

EPA 353.2

EPA 300.0

EPA 365.1

SM 4500-P E

SM 2540 C

SM 2510 B

EPA 300.0

SM 5310 B

EPA 200.7

EPA 200.9

EPA 200.9

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.7

EPA 200.9

EPA 200.7

EPA 200.7

SM 18/19 3112 B

EPA 200.7

EPA 200.9

**AmTest Laboratories**

13600 NE 126th Place, Suite C  
Kirkland, WA 98034

Kathy Fugiel (425) 885-1664

**CHEM II (TRACE METALS)**

Silica	EPA 200.7
Silver	EPA 200.7
Sodium	EPA 200.7
Thallium	EPA 200.9
Zinc	EPA 200.7

**MICROBIOLOGY**

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - detect	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9222 B/9221 E1
Total & Fecal Coli - detect	SM 9222 B/9221 E1

**ORGANICS I (GC HPLC)**

Haloacetic Acids	EPA 552.2
------------------	-----------

**ORGANICS II (GC-MS)**

Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2

**Analytical Perspectives, LLC**

2714 Exchange Dr  
Wilmington, NC 28405

Yves Tondeur (910) 794-1613

**ORGANICS II (GC-MS)**

2,3,7,8-TCDD	EPA 1613
--------------	----------

**Analytical Resources, Incorporated**

4611 South 134th Place, Suite 100  
Tukwila, WA 98168-3240

Dave Mitchell (206) 695-6205

**CHEM II (TRACE METALS)**

Aluminum	EPA 200.8
Antimony	EPA 200.8
Antimony	EPA 200.9
Arsenic	EPA 200.8
Arsenic	EPA 200.9
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Cadmium	EPA 200.9
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.8
Lead	EPA 200.8
Lead	EPA 200.9
Magnesium	EPA 200.8
Manganese	EPA 200.8
Nickel	EPA 200.8
Selenium	EPA 200.8
Selenium	EPA 200.9
Silver	EPA 200.8

DOH #: 066

County: King

kathyf@amtestlab.com

DOH #: 175

County: New Hanover

yt@ultratrace.com

DOH #: 055

County: King

davem@arilabs.com

**Analytical Resources, Incorporated**

4611 South 134th Place, Suite 100  
Tukwila, WA 98168-3240

Dave Mitchell (206) 695-6205

**CHEM II (TRACE METALS)**

Silver	EPA 200.9
Thallium	EPA 200.8
Thallium	EPA 200.9
Zinc	EPA 200.8

**ORGANICS II (GC-MS)**

Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2

DOH #: 055

County: King

davem@arilabs.com

**Anatek Labs, Inc. - Moscow**

1282 Alturas Drive  
Moscow, ID 83843

Gene Solomon (208) 883-2839

**CHEM I (GENERAL CHEM)**

Alkalinity, Total	SM 2320 B
Chloride	EPA 300.0
Color	SM 2120 B
Cyanide, Total	EPA 335.4
Fluoride	EPA 300.0
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	EPA 300.0
Nitrate	SM 4500-NO3 F
Nitrate + Nitrite	EPA 300.0
Nitrate + Nitrite	SM 4500-NO3 F
Nitrite	EPA 300.0
Nitrite	SM 4500-NO3 F
Orthophosphate	EPA 300.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Turbidity	EPA 180.1
Perchlorate	EPA 331.0

**CHEM II (TRACE METALS)**

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.7
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8

DOH #: 125

County: Latah

genes@anateklabs.com

**Anatek Labs, Inc. - Moscow**

1282 Alturas Drive  
Moscow, ID 83843

Gene Solomon (208) 883-2839

**CHEM II (TRACE METALS)**

Iron	EPA 200.7
Iron	EPA 200.8
Lead	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 200.8
Mercury	EPA 245.7
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.7
Selenium	EPA 200.8
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Sodium	SM 18/19 3111 B
Thallium	EPA 200.7
Thallium	EPA 200.8
Uranium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

**MICROBIOLOGY**

Total Coli/Ecoli - detect Colilert	SM 9223
------------------------------------	---------

**ORGANICS I (GC HPLC)**

EDB/DBCP/TCP	EPA 504.1
Organohalide Pesticides/PCBs	EPA 505
Chlorinated Acid Herbicides	EPA 515.3
Oximes/Carbamates	EPA 531.1
Glyphosate	EPA 547
Diquat	EPA 549.2
Haloacetic Acids/Trichlorophenol	SM 6251 B

**ORGANICS II (GC-MS)**

Adipates/Phthalates	EPA 525.2
Endothall	EPA 548.1
Polycyclic Aromatic HC (PAHs)	EPA 525.2
Trihalomethanes	EPA 524.2
Purgeable Organic Compounds	EPA 524.2
Organic Compounds	EPA 525.2

**Anatek Labs, Inc. - Spokane**

E. 504 Sprague Avenue, Suite D  
Spokane, WA 99202

Kathleen Sattler (509) 838-3999

**CHEM I (GENERAL CHEM)**

Alkalinity, Total	SM 2320 B
Chloride	EPA 300.0
Color	SM 2120 B
Cyanide, Total	SM 4500-CN F
Fluoride	EPA 300.0
Hardness, Total (as CaCO3)	SM 2340 C

DOH #: 125

County: Latah

genes@anateklabs.com

DOH #: 112

County: Spokane

kathy@anateklabs.com

**Anatek Labs, Inc. - Spokane**

E. 504 Sprague Avenue, Suite D  
Spokane, WA 99202

Kathleen Sattler (509) 838-3999

**CHEM I (GENERAL CHEM**

Nitrate	EPA 300.0
Nitrate + Nitrite	EPA 300.0
Nitrite	EPA 300.0
Orthophosphate	EPA 300.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 C
Turbidity	EPA 180.1

**MICROBIOLOGY**

Heterotrophic Plate Count	SM 9215 B
Heterotrophic Plate Count	IDEXX SimPlate
Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect	SM 9221 B,F
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1
Total & Fecal Coli - detect	SM 9221 B,E1

**ORGANICS II (GC-MS)**

Purgeable Organic Compounds	EPA 524.2
-----------------------------	-----------

DOH #: 112

County: Spokane

kathy@anateklabs.com

**Aqua Test, Incorporated**

PO Box 1116  
Black Diamond, WA 98010

Kory Krick (425) 432-9360

**CHEM I (GENERAL CHEM**

Nitrate	SM 4500-NO3 D
---------	---------------

**MICROBIOLOGY**

Total & Fecal Coli - detect	SM 9221 D,E1
-----------------------------	--------------

DOH #: 162

County: King

korykrick@yahoo.com

**Aquatic Research, Inc.**

3927 Aurora Ave N  
Seattle, WA 98103

Steven Lazoff (206) 632-2715

**CHEM I (GENERAL CHEM**

Color	SM 2120 B
Cyanide, Total	SM 4500-CN E
Fluoride	SM 4500-F C
Nitrate	SM 4500-NO3 F
Nitrate + Nitrite	EPA 353.2
Nitrite	SM 4500-NO3 F
Orthophosphate	EPA 365.1
Orthophosphate	SM 4500-P F
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	SM 4500-SO4 E
Total Organic Carbon	SM 5310 B
Turbidity	EPA 180.1
Sulfate	ASTM D516-02

**CHEM II (TRACE METALS**

Aluminum	EPA 200.7
Aluminum	EPA 200.8

DOH #: 016

County: King

slazoff@aquaticresearchinc.com

**Aquatic Research, Inc.**

3927 Aurora Ave N  
Seattle, WA 98103

Steven Lazoff (206) 632-2715

**CHEM II (TRACE METALS)**

Aluminum	SM 18/19 3113 B
Antimony	EPA 200.8
Arsenic	EPA 200.8
Arsenic	SM 18/19 3113 B
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Copper	SM 18/19 3113 B
Iron	EPA 200.7
Iron	EPA 200.8
Lead	EPA 200.8
Lead	SM 18/19 3113 B
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Selenium	SM 18/19 3113 B
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Uranium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

**ORGANICS I (GC HPLC)**

PCBs	EPA 508.1
Haloacetic Acids	EPA 552.3

**ORGANICS II (GC-MS)**

Trihalomethanes	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2
Organic Compounds	EPA 525.2

**Army Ctr for Health Promotion/Preventive Med**

5158 Black Hawk Road  
Aberdeen Proving Ground, MD 21010-5403

Gene Sinar (410) 436-3779

**CHEM I (GENERAL CHEM**

Bromide	EPA 300.0
---------	-----------

DOH #: 016

County: King

slazoff@aquaticresearchinc.com

DOH #: 099

County: Harford

gene.sinar@us.army.mil

**Army Ctr for Health Promotion/Preventive Med**

5158 Black Hawk Road  
Aberdeen Proving Ground, MD 21010-5403

Gene Sinar (410) 436-3779

**CHEM I (GENERAL CHEM**

Chloride	EPA 300.0
Fluoride	EPA 300.0
Nitrate	EPA 300.0
Nitrite	EPA 300.0
Orthophosphate	EPA 300.0
Sulfate	EPA 300.0

**CHEM II (TRACE METALS**

Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8

**ORGANICS I (GC HPLC)**

n-Methylcarbamates	EPA 531.1
EDB/DBCP/TCP	EPA 504.1
Organohalide Pesticides	EPA 505
Chlorinated Acid Herbicides	EPA 515.3
Glyphosate	EPA 547
Diquat	EPA 549.2

**ORGANICS II (GC-MS)**

Endothall	EPA 548.1
Purgeable Organic Compounds	EPA 524.2

**RADIOCHEMISTRY**

Alpha, Gross	EPA 900.0
Beta, Gross	EPA 900.0
Cesium-134	EPA 901.1
Cesium-137	EPA 901.1
Gamma Emitting Isotopes	EPA 901.1
Radium 226	EPA 600/4-75-008 p.16
Radium 228	EPA Ra-05
Tritium	SM 306

**AV Labs, Inc.**

64 North Broadway Ave.  
Othello, WA 99344

Alma Barajas (509) 488-2468

**CHEM I (GENERAL CHEM**

Nitrate	SM 4500-NO3 D
---------	---------------

DOH #: 099

County: Harford

gene.sinar@us.army.mil

DOH #: 146

County: Adams

avlabs@avlabsinc.com

**AV Labs, Inc.**

64 North Broadway Ave.  
Othello, WA 99344

Alma Barajas (509) 488-2468

**MICROBIOLOGY**

Total Coli/Ecoli - count Colilert  
Total Coli/Ecoli - detect Colilert  
Total Coli/Ecoli - detect Colisure

County: Adams

avlabs@avlabsinc.com

DOH #: 146

SM 9223  
SM 9223  
SM 9223

**Avocet Environmental Testing**

1500 North State Street, Suite 200  
Bellingham, WA 98225

Madell Briggs (360) 734-9033

**CHEM I (GENERAL CHEM**

Alkalinity, Total  
Chloride  
Color  
Fluoride  
Hardness, Total (as CaCO3)  
Hardness, Total (as CaCO3)  
Nitrate  
Nitrate  
Nitrate + Nitrite  
Nitrate + Nitrite  
Nitrite  
Nitrite  
Orthophosphate  
Solids, Total Dissolved  
Specific Conductance  
Sulfate  
Turbidity  
Cyanide, Free

County: Whatcom

avocetlab@cs.com

DOH #: 057

SM 2320 B  
EPA 300.0  
SM 2120 B  
EPA 300.0  
SM 2340 B  
SM 2340 C  
EPA 300.0  
EPA 353.2  
EPA 300.0  
EPA 353.2  
EPA 300.0  
EPA 353.2  
EPA 300.0  
EPA 300.0  
SM 2540 C  
SM 2510 B  
EPA 300.0  
EPA 180.1  
SM 4500-CN F

**CHEM II (TRACE METALS**

Antimony  
Arsenic  
Barium  
Beryllium  
Cadmium  
Calcium  
Chromium  
Copper  
Copper  
Iron  
Iron  
Lead  
Magnesium  
Manganese  
Mercury  
Nickel  
Selenium  
Silver  
Sodium  
Thallium  
Zinc

SM 18/19 3113 B  
SM 18/19 3113 B  
SM 18/19 3113 B  
SM 18/19 3113 B  
SM 18/19 3113 B  
SM 18/19 3111 D  
SM 18/19 3113 B  
SM 18/19 3111 B  
SM 18/19 3113 B  
SM 18/19 3111 B  
SM 18/19 3113 B  
SM 18/19 3113 B  
SM 18/19 3111 B  
SM 18/19 3111 B  
SM 18/19 3111 B  
SM 18/19 3113 B  
SM 18/19 3113 B  
SM 18/18 3113 B  
SM 18/19 3111 B  
EPA 200.9  
SM 18/19 3111 B

**MICROBIOLOGY**

Heterotrophic Plate Count

SM 9215 B

**Avocet Environmental Testing**

1500 North State Street, Suite 200  
Bellingham, WA 98225

Madell Briggs (360) 734-9033

**MICROBIOLOGY**

Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - count	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1

DOH #: 057

County: Whatcom

avocetlab@cs.com

**Bellingham Water Filtration Plant Lab**

2221 Pacific Street  
Bellingham, WA 98229

Peg Wendling (360) 778-7872

**MICROBIOLOGY**

Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9222 B/9221 E1

DOH #: 060

County: Whatcom

pwendling@cob.org

**Benchmark Analytics, Inc.**

4777 Saucon Creek Road  
Center Valley, PA 18034

Theresa Fenstermaker (610) 974-8100

**CHEM II (TRACE METALS)**

Uranium EPA 200.8

**ORGANICS I (GC HPLC)**

Chlorinated Acids (Herbicides) EPA 515.3

EDB/DBCP/TCP EPA 504.1

Organohalide Pesticides EPA 505

Haloacetic Acids EPA 552.2

Organonitrogen Pesticides EPA 505

**ORGANICS II (GC-MS)**

Purgeable Organic Compounds EPA 524.2

Organic Compounds EPA 525.2

**RADIOCHEMISTRY**

Alpha, Gross EPA 900.0

Beta, Gross EPA 900.0

Radium 226 EPA 903.0

Radium 228 EPA 904.0

Tritium EPA 906.0

Uranium, Total EPA 908.0

DOH #: 166

County: Lehigh

t.fenstermaker@benchmarkanalytics.com

**Benton-Franklin Health District Lab**

7102 W Okanogan Place  
Kennewick, WA 99336

David Miller (509) 460-4206

**CHEM I (GENERAL CHEM)**

Chlorine Residual, Total SM 4500-CI G

Fluoride SM 4500-F C

Nitrate SM 4500-NO3 D

Nitrite SM 4500-NO2 B

pH SM 4500-H

**MICROBIOLOGY**

Heterotrophic Plate Count SM 9215 B

Total Coli/Ecoli - count Colilert SM 9223

Total Coli/Ecoli - detect Colilert SM 9223

Total Coli/Ecoli - detect Colisure SM 9223

Total & Fecal Coli - count SM 9221 B,C,E1

DOH #: 062

County: Benton

davem@bfhd.wa.gov

**Cascade Analytical Inc. - Yakima**

3019 G.S. Center Road  
Wenatchee, WA 98801

Laura Mrachek (509) 452-7707

**CHEM I (GENERAL CHEM**

Alkalinity, Total	SM 2320 B
Bromide	EPA 300.0
Chloride	EPA 300.0
Color	SM 2120 B
Fluoride	EPA 300.0
Hardness, Total (as CaCO3)	SM 2340 C
Nitrate	EPA 300.0
Nitrate + Nitrite	EPA 300.0
Nitrite	EPA 300.0
Orthophosphate	EPA 300.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 D
Turbidity	SM 2130 B

**MICROBIOLOGY**

Fecal Coliform - count	SM 9222 D
Total Coli/Ecoli - detect Colilert	SM 9223

County: Yakima

andys@cascadeanalytical.com

DOH #: 151

**Cascade Analytical, Inc. - Wenatchee**

3019 GS Center Road  
Wenatchee, WA 98801

Laura Mrachek (509) 662-1888

**CHEM I (GENERAL CHEM**

Alkalinity, Total	SM 2320 B
Chloride	SM 4500-Cl- B
Color	SM 2120 B
Cyanide, Total	SM 4500-CN E
Fluoride	SM 4500-F C
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	SM 4500-NO3 F
Nitrite	SM 4500-NO3 F
Orthophosphate	SM 4500-P E
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	SM 4500-SO4 E
Turbidity	SM 2130 B

**CHEM II (TRACE METALS**

Aluminum	EPA 200.7
Antimony	EPA 200.9
Arsenic	EPA 200.9
Barium	EPA 200.7
Beryllium	EPA 200.7
Cadmium	EPA 200.7
Cadmium	EPA 200.9
Calcium	EPA 200.7
Chromium	EPA 200.7
Copper	EPA 200.7
Copper	SM 18/19 3111 B
Iron	EPA 200.7
Lead	EPA 200.9

County: Chelan

laura@cascadeanalytical.com

DOH #: 105

**Cascade Analytical, Inc. - Wenatchee**

3019 GS Center Road  
Wenatchee, WA 98801

Laura Mrachek (509) 662-1888

**CHEM II (TRACE METALS)**

Magnesium	EPA 200.7
Manganese	EPA 200.7
Mercury	SM 18/19 3112 B
Nickel	EPA 200.7
Selenium	EPA 200.9
Silica	EPA 200.7
Silver	EPA 200.7
Sodium	EPA 200.7
Thallium	EPA 200.9
Vanadium	EPA 200.7
Zinc	EPA 200.7

**MICROBIOLOGY**

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	IDEXX SimPlate
Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - count	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1
Total & Fecal Coli - count	SM 9222 B/9221 E1
Total coliE.coli - count	EPA 1604

County: Chelan

laura@cascadeanalytical.com

DOH #: 105

**Center for Laboratory Sciences**

2710 North 20th Avenue  
Pasco, WA 99301

Jonathan Kon (509) 544-6027

**CHEM I (GENERAL CHEM)**

Alkalinity, Total	SM 2320 B
Bromide	EPA 300.0
Chloride	EPA 300.0
Color	SM 2120 B
Nitrate	EPA 300.0
Nitrite	EPA 300.0
Orthophosphate	EPA 300.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Turbidity	EPA 180.1

**CHEM II (TRACE METALS)**

Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.8
Lead	EPA 200.8
Manganese	EPA 200.8
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8

County: Franklin

jkon@rjlg.com

DOH #: 259

**CH2M Hill Applied Sciences Laboratory - Corvallis**

2300 NW Walnut Blvd  
Corvallis, OR 97330

DOH #: 117

County: Benton

Ginger.Collins@CH2M.com

Ginger Collins (541) 768-3111

**CHEM I (GENERAL CHEM**

Bromate	EPA 300.0
Bromide	EPA 300.0
Chlorate	EPA 300.0
Chloride	EPA 300.0
Chlorite	EPA 300.0
Nitrate	EPA 353.2
Nitrite	EPA 353.2
Orthophosphate	EPA 300.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Total Organic Carbon	SM 5310 B
Turbidity	SM 2130 B

**CHEM II (TRACE METALS**

Calcium	EPA 200.7
Copper	EPA 200.7
Manganese	EPA 200.7
Silica	EPA 200.7
Zinc	EPA 200.7

**ORGANICS I (GC HPLC)**

Haloacetic Acids	EPA 552.2
Haloacetic Acids	SM 6251 B

**ORGANICS II (GC-MS)**

Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2

**Chelan-Douglas Health District**

200 Valley Mall Parkway  
East Wenatchee, WA 98802

DOH #: 065

County: Douglas

sally.caraher@cdhd.wa.gov

Sally Caraher (509) 886-6400

**CHEM I (GENERAL CHEM**

Nitrate	SM 4500-NO3 D
---------	---------------

**MICROBIOLOGY**

Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1

**Clallam County Environmental Laboratory**

223 East Fourth Street, Suite 14  
Port Angeles, WA 98362-3015

DOH #: 092

County: Clallam

bpero@co.clallam.wa.us

Belinda Pero (360) 417-2334

**CHEM I (GENERAL CHEM**

Nitrate	SM 4500-NO3 D
---------	---------------

**MICROBIOLOGY**

Fecal Coliform - count	SM 9222 D
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223

**Columbia Analytical Services - Kelso**

1317 S 13th Ave  
Kelso, WA 98626

DOH #: 017

County: Cowlitz

jgish@caslab.com

Julie Gish (360) 577-7222

**Columbia Analytical Services - Kelso**

1317 S 13th Ave  
Kelso, WA 98626

Julie Gish (360) 577-7222

**CHEM I (GENERAL CHEM**

Alkalinity, Total	SM 2320 B
Bromate	EPA 300.1
Bromide	EPA 300.1
Chlorate	EPA 300.1
Chloride	EPA 300.0
Chlorite	EPA 300.1
Color	SM 2120 B
Cyanide, Total	EPA 335.4
Fluoride	EPA 300.0
Fluoride	SM 4500-F C
Nitrate	EPA 300.0
Nitrate	EPA 353.2
Nitrite	EPA 300.0
Nitrite	EPA 353.2
Orthophosphate	SM 4500-P E
Perchlorate	EPA 314.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 C
Turbidity	EPA 180.1

**CHEM II (TRACE METALS**

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Arsenic	EPA 200.9
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Boron	EPA 200.7
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Copper	EPA 200.9
Hardness, Total (as CaCO3)	EPA 200.7
Iron	EPA 200.7
Lead	EPA 200.8
Lead	EPA 200.9
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8

County: Cowlitz

jgish@caslab.com

DOH #: 017

**Columbia Analytical Services - Kelso**

1317 S 13th Ave  
Kelso, WA 98626

Julie Gish (360) 577-7222

**CHEM II (TRACE METALS)**

Selenium	EPA 200.9
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Thallium	EPA 200.9
Zinc	EPA 200.7
Zinc	EPA 200.8

**MICROBIOLOGY**

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1

**ORGANICS I (GC HPLC)**

Carbamates/Oximes	EPA 531.1
Chlorinated Acids (Herbicides)	EPA 515.4
n-Methylcarbamates	EPA 531.1
EDB/DBCP/TCP	EPA 504.1
PCBs	EPA 508.1
Pesticides/Herbicides/PCBs	EPA 508.1
Glyphosate	EPA 547
Diquat/Paraquat	EPA 549.2
Haloacetic Acids	EPA 552.2

**ORGANICS II (GC-MS)**

Adipates/Phthalates	EPA 525.2
Benzo(a)pyrene	EPA 525.2
Endothall	EPA 548.1
Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2
Chlorinated Pesticides	EPA 525.2
Organic Compounds	EPA 525.2

County: Cowlitz

jgish@caslab.com

DOH #: 017

**Columbia Analytical Services, Inc. - Houston**

19408 Park Row, Suite 320  
Houston, TX 77084

Andrew Biddle (281) 994-2974

**ORGANICS II (GC-MS)**

2,3,7,8-TCDD	EPA 1613
--------------	----------

County: Harris

abiddle@caslab.com

DOH #: 260

**Crystal Mountain Wastewater Treatment Plant Lab**

33914 Crystal Mountain Blvd.  
Crystal Mountain, WA 98022

Aaron Markham (360) 663-3083

**CHEM I (GENERAL CHEM)**

Chlorine Residual, Total	SM 4500-CI G
pH	SM 4500-H
Turbidity	SM 2130 B

County: Pierce

bill@skicrystal.com

DOH #: 160

**DOH Public Health Lab**

1610 NE 150th Street  
Shoreline, WA 98155-9701

Blaine Rhodes (206) 418-5520

**CHEM I (GENERAL CHEM**

Chloride	EPA 300.0
Color	SM 2120 B
Cyanide, Total	SM 4500-CN F
Fluoride	EPA 300.0
Nitrate	EPA 300.0
Nitrite	EPA 300.0
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Turbidity	SM 2130 B

**CHEM II (TRACE METALS**

Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Chromium	EPA 200.8
Copper	EPA 200.8
Lead	EPA 200.8
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Thallium	EPA 200.8
Uranium	EPA 200.8
Zinc	EPA 200.8

**MICROBIOLOGY**

Heterotrophic Plate Count	SM 9215 B
Heterotrophic Plate Count	IDEXX SimPlate
Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - count	SM 9222 B/9221 F
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect	SM 9221 B,F
Total Coli/Ecoli - detect	SM 9221 D,F
Total Coli/Ecoli - detect	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223
Total Coli/Ecoli - detect ReadyCult	EM Sci ReadyCult
Total Coli/Ecoli - detect Colitag	CPI Colitag
Total & Fecal Coli - count	SM 9221 B,C,E1
Total & Fecal Coli - count	SM 9222 B/9221 E1
Total & Fecal Coli - detect	SM 9221 B,E1
Total & Fecal Coli - detect	SM 9221 D,E1
Total & Fecal Coli - detect	SM 9222 B/9221 E1

**RADIOCHEMISTRY**

Alpha, Gross	EPA 900.0
Beta, Gross	EPA 900.0
Gamma Emitting Isotopes	EPA 901.1
Iodine 131	EPA 901.1
Radium 226	EPA 903.0

DOH #: 023

County: King

blaine.rhodes@doh.wa.gov

**DOH Public Health Lab**

1610 NE 150th Street  
Shoreline, WA 98155-9701

Blaine Rhodes (206) 418-5520

**RADIOCHEMISTRY**

Strontium 89

Strontium 90

Tritium

Uranium

DOH #: 023

County: King

blaine.rhodes@doh.wa.gov

EPA 905.0

EPA 905.0

EPA 906.0

SM 7500-U C

**Eberline Analytical Corp. - Richmond Lab**

2030 Wright Ave  
Richmond, CA 94804-3849

Katsumi Yamamoto (510) 235-2633

**RADIOCHEMISTRY**

Alpha, Gross

Beta, Gross

Cesium-134

Cesium-137

Gamma Emitting Isotopes

Iodine 131

Radium 223/224/226

Radium 226

Radium 228

Strontium 89

Strontium 90

Tritium

Uranium, Total

Total Uranium

DOH #: 157

County: Contra Costa

kyamamoto@eberlineservices.com

EPA 900.0

EPA 900.0

EPA 901.0

EPA 901.0

EPA 901.1

EPA 902.0

EPA 903.0

EPA 903.1

EPA 904.0

EPA 905.0

EPA 905.0

EPA 906.0

EPA 908.0

ASTM D5174-97

**Edge Analytical Inc. - Bellingham**

805 W. Orchard St. Suite 4  
Bellingham, WA 98227

Shannon Kizer (800) 755-9295

**MICROBIOLOGY**

Fecal Coliform - count

Fecal Coliform - count

Fecal Coliform - count

Heterotrophic Plate Count

Total Coli/Ecoli - count

Total Coli/Ecoli - count Colilert

Total Coli/Ecoli - detect

Total Coli/Ecoli - detect

Total Coli/Ecoli - detect Colilert

Total Coli/Ecoli - detect Colisure

Total & Fecal Coli - count

Total & Fecal Coli - count

Total & Fecal Coli - detect

Total & Fecal Coli - detect

DOH #: 164

County: Whatcom

skizer@edgeanalytical.com

SM 9221 E2

SM 9221 B,C,E1

SM 9222 D

SM 9215 B

SM 9221 B,C,F

SM 9223

SM 9221 B,F

SM 9222 B,G1c1

SM 9223

SM 9223

SM 9221 B,C,E1

SM 9222 B/9221 E1

SM 9221 B,E1

SM 9222 B/9221 E1

**Edge Analytical, Incorporated**

1620 S Walnut  
Burlington, WA 98233

Larry Henderson (800) 755-9295

**CHEM I (GENERAL CHEM**

Alkalinity, Total

Bromate

DOH #: 046

County: Skagit

ljh@edgeanalytical.com

SM 2320 B

EPA 300.1

**Edge Analytical, Incorporated**

1620 S Walnut  
Burlington, WA 98233

Larry Henderson (800) 755-9295

**CHEM I (GENERAL CHEM**

Bromide	EPA 300.1
Chlorate	EPA 300.1
Chloride	EPA 300.0
Chlorine Dioxide	SM 4500-CIO2 D
Chlorine Residual, Free	SM 4500-CI G
Chlorite	EPA 300.1
Color	SM 2120 B
Cyanide, Total	SM 4500-CN F
Fluoride	EPA 300.0
Nitrate	EPA 300.0
Nitrate	SM 4500-NO3 F
Nitrate + Nitrite	EPA 300.0
Nitrate + Nitrite	SM 4500-NO3 F
Nitrite	EPA 300.0
Nitrite	SM 4500-NO3 F
Orthophosphate	EPA 300.0
Orthophosphate	SM 4500-P F
Perchlorate	EPA 314.0
pH	EPA 150.1
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 B
Turbidity	EPA 180.1
Turbidity	SM 2130 B

**CHEM II (TRACE METALS**

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Calcium	SM 18/19 3111 B
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Copper	SM 18/19 3111 B
Hardness, Total (as CaCO3)	EPA 200.7
Iron	EPA 200.7
Iron	SM 18/19 3111 B
Lead	EPA 200.8
Magnesium	EPA 200.7
Magnesium	SM 18/19 3111 B
Manganese	EPA 200.7
Manganese	EPA 200.8

DOH #: 046

County: Skagit

ljh@edgeanalytical.com

**Edge Analytical, Incorporated**

1620 S Walnut  
Burlington, WA 98233

Larry Henderson (800) 755-9295

**CHEM II (TRACE METALS)**

Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Nickel	SM 18/19 3111 B
Selenium	EPA 200.8
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Sodium	SM 18/19 3111 B
Thallium	EPA 200.8
Uranium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

**MICROBIOLOGY**

Total Coli/Ecoli - detect Colilert	SM 9223
------------------------------------	---------

**ORGANICS I (GC HPLC)**

Carbamates/Oximes	EPA 531.2
Chlorinated Acids (Herbicides)	EPA 515.4
EDB/DBCP/TCP	EPA 504.1
PCBs	EPA 508.1
Chlorinated Acid Herbicides	EPA 515.1
Glyphosate	EPA 547
Diquat/Paraquat	EPA 549.2
Haloacetic Acids	EPA 552.2
Chlorinated Pesticides	EPA 508.1
Toxaphene	EPA 508.1
Chlordane (Total)	EPA 508.1
Haloacetic Acids	EPA 552.3

**ORGANICS II (GC-MS)**

Adipates/Phthalates	EPA 525.2
Benzo(a)pyrene	EPA 525.2
Endothall	EPA 548.1
Polycyclic Aromatic HC (PAHs)	EPA 525.2
Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Pesticides/Herbicides	EPA 525.2

**EMSL Analytical, Inc. - San Leandro**

2235 Polvorosa Ave., Suite 230  
San Leandro, CA 94577

Baojia Ke (510) 895-3675

**CHEM I (GENERAL CHEM)**

Asbestos	EPA 100.1
Asbestos	EPA 100.2

**EMSL Analytical, Inc. - Westmont**

107 Haddon Ave  
Westmont, NJ 08108

Steve Siegel (800) 220-3675

County: Skagit

ljh@edgeanalytical.com

DOH #: 046

County: Alameda

bke@emsl.com

DOH #: 169

County: Camden

ssiegel@emsl.com

DOH #: 186

**EMSL Analytical, Inc. - Westmont**

107 Haddon Ave  
Westmont, NJ 08108

Steve Siegel (800) 220-3675  
CHEM I (GENERAL CHEM  
Asbestos  
Asbestos

County: Camden  
ssiegel@emsl.com

DOH #: 186

EPA 100.1  
EPA 100.2

**Energy Laboratories, Inc.**

PO Box 3258  
Casper, WY 82602

James Judge (888) 235-0515  
CHEM II (TRACE METALS  
Uranium  
RADIOCHEMISTRY  
Alpha, Gross  
Beta, Gross  
Radium 223/224/226  
Radium 228

County: Natrona  
jjudge@energylab.com

DOH #: 142

EPA 200.8  
EPA 900.0  
EPA 900.0  
EPA 903.0  
EPA Ra-05

**Energy Northwest Environmental Laboratory**

PO Box 968, MD 1025  
Richland, WA 99352-0968

Terry Northstrom (509) 377-8462  
CHEM I (GENERAL CHEM  
Chlorine Residual, Total  
Chlorine Residual, Total  
MICROBIOLOGY  
Total Coli/Ecoli - detect Colilert

County: Benton  
tenorthstrom@energy-northwest.com

DOH #: 027

SM 4500-CI D  
SM 4500-CI G  
SM 9223

**Energy Northwest Environmental Services Lab**

350 Hills Street Suite 107  
Richland, WA 99354

Joseph Villa (509) 377-8058  
CHEM II (TRACE METALS  
Copper  
Lead

County: Benton  
javilla@energy-northwest.com

DOH #: 168

EPA 200.8  
EPA 200.8

**Environmental Science Corporation**

12065 Lebanon Road  
Mt. Juliet, TN 37122

Judith Morgan (615) 773-9657  
CHEM I (GENERAL CHEM  
Alkalinity, Total  
Anionic Surfactants  
Bromide  
Bromide  
Chloride  
Color  
Cyanide, Total  
Cyanide, Total  
Fluoride  
Fluoride  
Hardness, Total (as CaCO3)  
Nitrate  
Nitrate  
Nitrite  
Nitrite

County: Wilson  
jmorgan@esclabsciences.com

DOH #: 152

SM 2320 B  
SM 5540 C  
EPA 300.0  
SM 4110 B  
EPA 300.0  
SM 2120 B  
EPA 335.4  
SM 4500-CN E  
EPA 300.0  
SM 4110 B  
SM 2340 B  
EPA 300.0  
SM 4110 B  
EPA 300.0  
SM 4110 B

**Environmental Science Corporation**

12065 Lebanon Road  
Mt. Juliet, TN 37122

DOH #: 152

County: Wilson

Judith Morgan (615) 773-9657

[jmorgan@esclabsciences.com](mailto:jmorgan@esclabsciences.com)

**CHEM I (GENERAL CHEM**

Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Sulfate	SM 4110 B
Total Organic Carbon	SM 5310 C
Turbidity	EPA 180.1
Turbidity	SM 2130 B

**CHEM II (TRACE METALS**

Aluminum	EPA 200.7
Antimony	EPA 200.7
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Beryllium	EPA 200.7
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Mercury	EPA 245.1
Nickel	EPA 200.7
Selenium	EPA 200.7
Selenium	EPA 200.8
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.7

**ORGANICS I (GC HPLC)**

N/P Pesticides	EPA 507
Chlorinated Pesticides	EPA 508
Chlordane	EPA 508
Toxaphene	EPA 508
Chlorinated Acid Herbicides	EPA 515.1
Haloacetic Acids	EPA 552.2
EDB/DBCP	EPA 504.1

**ORGANICS II (GC-MS)**

Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2

## Everett Environmental Laboratory

3200 Cedar Street  
Everett, WA 98201-4599

Christiane Khairzada (425) 257-8230

### CHEM I (GENERAL CHEM

Alkalinity, Total	SM 2320 B
Chloride	SM 4500-Cl- E
Color	SM 2120 B
Fluoride	SM 4500-F C
Nitrate	EPA 353.2
Nitrate	SM 4500-NO3 F
Nitrate + Nitrite	EPA 353.2
Nitrite	EPA 353.2
Nitrite	SM 4500-NO3 F
Orthophosphate	SM 4500-P F
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Total Organic Carbon	SM 5310 B
Turbidity	EPA 180.1
Total Organic Carbon	EPA 415.3

### CHEM II (TRACE METALS

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Hardness, Total (as CaCO3)	EPA 200.7
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.2
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silicon	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

### MICROBIOLOGY

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - detect Colilert	SM 9223

DOH #: 110

County: Snohomish

ckhairzada@ci.everett.wa.us

**Everett Environmental Laboratory**

3200 Cedar Street  
Everett, WA 98201-4599  
Christiane Khairzada (425) 257-8230  
MICROBIOLOGY  
Total & Fecal Coli - detect

DOH #: 110  
County: Snohomish  
ckhairzada@ci.everett.wa.us  
SM 9222 B/9221 E1

**Evergreen Sanitation Testing Laboratory**

PO Box 259  
Lake Stevens, WA 98258-0259  
Kevin Butler (800) 433-1678  
MICROBIOLOGY  
Total Coli/Ecoli - detect Colilert

DOH #: 030  
County: Snohomish  
klovibusbutler@aol.com  
SM 9223

**Exact Scientific Services, Inc.**

3929 Spur Ridge Lane, Suite 1  
Bellingham, WA 98226  
Kent Oostra (360) 733-1205  
CHEM I (GENERAL CHEM  
Fluoride  
Nitrite  
MICROBIOLOGY  
Fecal Coliform - count  
Fecal Coliform - count  
Fecal Coliform - count  
Heterotrophic Plate Count  
Total Coli/Ecoli - count Colilert  
Total Coli/Ecoli - detect Colilert  
Total & Fecal Coli - count  
ORGANICS I (GC HPLC)  
EDB/DBCP/TCP  
Haloacetic Acids  
ORGANICS II (GC-MS)  
Regulated VOCs  
Trihalomethanes  
Unregulated VOCs  
Vinyl Chloride  
Purgeable Organic Compounds

DOH #: 174  
County: Whatcom  
k.oostra@exactscientific.com  
SM 4500-F D  
SM 4500-NO2 B  
SM 9221 E2  
SM 9221 B,C,E1  
SM 9222 D  
SM 9215 B  
SM 9223  
SM 9223  
SM 9221 B,C,E1  
EPA 504.1  
EPA 552.3  
EPA 524.2  
EPA 524.2  
EPA 524.2  
EPA 524.2  
EPA 524.2

**Food Quality Labs, Inc.**

6400 SW Canyon Court, Suite 80  
Portland, OR 97221  
Ken Ayers (503) 297-3636  
MICROBIOLOGY  
Total Coli/Ecoli - detect Colilert

DOH #: 032  
County: Multnomah  
fquality@aol.com  
SM 9223

**Fremont Analytical, Inc.**

2930 Westlake Ave N Ste 100  
Seattle, WA 98109  
Michael Dee (206) 352-3790  
CHEM I (GENERAL CHEM  
Alkalinity, Total  
Bromide  
Chloride  
Cyanide, Total  
Fluoride  
Hardness, Total (as CaCO3)  
Nitrate

DOH #: 187  
County: King  
mikedee@fremontanalytical.com  
SM 2320 B  
EPA 300.0  
EPA 300.0  
SM 4500-CN E  
EPA 300.0  
SM 2340 B  
EPA 300.0

**Fremont Analytical, Inc.**

2930 Westlake Ave N Ste 100  
Seattle, WA 98109

DOH #: 187

County: King

mikedee@fremontanalytical.com

Michael Dee (206) 352-3790

**CHEM I (GENERAL CHEM**

Nitrite	EPA 300.0
Orthophosphate	EPA 300.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 B

**CHEM II (TRACE METALS**

Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Calcium	EPA 200.8
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.8
Lead	EPA 200.8
Magnesium	EPA 200.8
Manganese	EPA 200.8
Mercury	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Sodium	EPA 200.8
Thallium	EPA 200.8
Zinc	EPA 200.8

**Frontier Analytical Laboratory**

5172 Hillsdale Circle  
El Dorado Hills, CA 95762

DOH #: 262

County: El Dorado

Dan Vickers (916) 934-0900

danv@frontieranalytical.com

ORGANICS II (GC-MS)  
2,3,7,8-TCDD

EPA 1613

**GEL Laboratories, LLC**

PO Box 30712  
Charleston, SC 29417

DOH #: 165

County: Charleston

Nancy Mattern (843) 556-8171

nancy.mattern@gel.com

**CHEM II (TRACE METALS**

Uranium	EPA 200.8
---------	-----------

**RADIOCHEMISTRY**

Alpha, Gross	EPA 900.0
Beta, Gross	EPA 900.0
Gamma Emitting Isotopes	EPA 901.1
Iodine 131	EPA 902.0
Iodine 131	EPA 901.1
Radium 226	EPA 903.1
Radium 228	EPA 904.0
Strontium 89	EPA 905.0
Strontium 90	EPA 905.0

**GEL Laboratories, LLC**

PO Box 30712  
Charleston, SC 29417

Nancy Mattern (843) 556-8171

**RADIOCHEMISTRY**

Tritium  
Uranium, Laser Phosphorimetric  
Alpha, Gross  
Uranium  
Iodine-131  
Cesium  
Gamma Emitters

County: Charleston  
nancy.mattern@gel.com

DOH #: 165

EPA 906.0  
ASTM D5174-97  
EPA 00-02  
DOE U-02  
DOE 4.5.2.3  
DOE 4.5.2.3  
DOE 4.5.2.3

**GPL Laboratories LLC Alabama**

1000 Monticello Court  
Montgomery, AL 36117

Shannon Snider (334) 272-2234

**RADIOCHEMISTRY**

Alpha, Gross  
Alpha, Gross  
Beta, Gross  
Cesium-134  
Cesium-137  
Gamma Emitting Isotopes  
Strontium 89  
Strontium 90  
Tritium  
Uranium

County: Montgomery  
snider@gplab.com

DOH #:

EPA 900.0  
SM 7110 C  
EPA 900.0  
EPA 901.1  
EPA 901.1  
EPA 901.1  
EPA 905.0  
EPA 905.0  
EPA 906.0  
SM 7500-U C

**Grays Harbor County Water Testing Lab**

100 W. Broadway, Suite 31  
Montesano, WA 98563-2614

Erik Iverson (360) 249-4413

**CHEM I (GENERAL CHEM**

Nitrate

**MICROBIOLOGY**

Fecal Coliform - count  
Heterotrophic Plate Count  
Total Coli/Ecoli - count Colilert  
Total Coli/Ecoli - detect Colilert

County: Grays Harbor  
eiverson@co.grays-harbor.wa.us

DOH #: 070

SM 4500-NO3 D  
SM 9222 D  
SM 9215 B  
SM 9223  
SM 9223

**King County Environmental Laboratory**

322 W Ewing Street  
Seattle, WA 98119-1507

Colin Elliott (206) 684-2343

**MICROBIOLOGY**

Heterotrophic Plate Count  
Total Coli/Ecoli - detect  
Total & Fecal Coli - detect

County: King  
colin.elliott@kingcounty.gov

DOH #: 067

SM 9215 B  
SM 9222 B/9221 F  
SM 9222 B/9221 E1

**Klickitat Co HD - Goldendale**

228 W Main MSCH-14  
Goldendale, WA 98620

Jeff Martin (509) 493-6211

**MICROBIOLOGY**

Total Coli/Ecoli - detect Colilert

County: Klickitat  
jeffm@co.klickitat.wa.us

DOH #: 172

SM 9223

**Klickitat Co HD - White Salmon**

PO Box 159  
White Salmon, WA 98672  
Jeff Martin (509) 493-6211  
MICROBIOLOGY  
Total Coli/Ecoli - detect Colilert

County: Klickitat  
jeffm@co.klickitat.wa.us  
SM 9223

DOH #: 173

**Kuo Testing Labs, Inc.**

337 South 1st Avenue  
Othello, WA 99344  
Elizabeth Goebel (800) 328-0112

County: Adams  
kuotest@atnet.net

DOH #: 109

CHEM I (GENERAL CHEM	
Alkalinity, Total	SM 2320 B
Chloride	SM 4500-Cl- B
Color	SM 2120 B
Fluoride	SM 4500-F C
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	SM 4500-NO3 F
Nitrate + Nitrite	SM 4500-NO3 F
Nitrite	SM 4500-NO3 F
Orthophosphate	SM 4500-P E
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	SM 4500-SO4 E
Turbidity	SM 2130 B
CHEM II (TRACE METALS	
Aluminum	EPA 200.7
Barium	EPA 200.7
Beryllium	EPA 200.7
Cadmium	EPA 200.7
Calcium	EPA 200.7
Chromium	EPA 200.7
Copper	EPA 200.7
Iron	EPA 200.7
Magnesium	EPA 200.7
Manganese	EPA 200.7
Nickel	EPA 200.7
Silver	EPA 200.7
Sodium	EPA 200.7
Zinc	EPA 200.7
MICROBIOLOGY	
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223

**Lab/Cor, Inc.**

7619 - 6th Ave. NW  
Seattle, WA 98117  
Derk Wipprecht (206) 781-0155

County: King  
dwipprecht@labcor.net

DOH #: 119

CHEM I (GENERAL CHEM	
Asbestos	EPA 100.1
Asbestos	EPA 100.2
Turbidity, Indexed	EPA 180.1
MICROBIOLOGY	
Fecal Coliform - count	SM 9221 E2
Fecal Coliform/E. coli - count	SM 9222 D,G1c1
Heterotrophic Plate Count	SM 9215 B

**Lab/Cor, Inc.**

7619 - 6th Ave. NW  
Seattle, WA 98117

Derk Wipprecht (206) 781-0155  
MICROBIOLOGY  
Total Coli/Ecoli - count Colilert  
Total Coli/Ecoli - detect Colisure

County: King  
dwipprecht@labcor.net

DOH #: 119

SM 9223  
SM 9223

**Lewis County Environmental Health Laboratory**

360 NW North St.  
Chehalis, WA 98532

Meredith Jones (360) 740-1231  
CHEM I (GENERAL CHEM  
Nitrate  
MICROBIOLOGY  
Total Coli/Ecoli - detect Colilert  
Total & Fecal Coli - count

County: Lewis  
mljones@co.lewis.wa.us

DOH #: 091

SM 4500-NO3 D  
SM 9223  
SM 9221 B,C,E1

**Lincoln County Environmental Health Lab**

90 Nicholls  
Davenport, WA 99122

Ed Dzedzy (509) 725-2501  
MICROBIOLOGY  
Total Coli/Ecoli - detect Colilert

County: Lincoln  
edzedzy@co.lincoln.wa.us

DOH #: 072

SM 9223

**Maxxam Analytics Inc. - Burnaby**

8577 Commerce Court  
Burnaby, BC V5A 4N5 CANADA

Neel Siva (604) 444-4808  
CHEM I (GENERAL CHEM  
Alkalinity, Total  
Fluoride  
Nitrate  
Nitrate + Nitrite  
Nitrite  
Orthophosphate  
Silica, Dissolved  
Solids, Total Dissolved  
Specific Conductance  
Sulfate  
Turbidity

County:  
nsiva@maxxamanalytics.com

DOH #: 124

CHEM II (TRACE METALS

Aluminum EPA 200.8  
Antimony EPA 200.8  
Arsenic EPA 200.8  
Barium EPA 200.8  
Beryllium EPA 200.8  
Cadmium EPA 200.8  
Chromium EPA 200.8  
Copper EPA 200.8  
Iron EPA 200.8  
Lead EPA 200.8  
Manganese EPA 200.8  
Nickel EPA 200.8  
Selenium EPA 200.8  
Silver EPA 200.8  
Thallium EPA 200.8

**Maxxam Analytics Inc. - Burnaby**

8577 Commerce Court  
Burnaby, BC V5A 4N5 CANADA  
Neel Siva (604) 444-4808  
CHEM II (TRACE METALS  
Zinc

DOH #: 124  
County:  
nsiva@maxxamanalytics.com  
EPA 200.8

**Mill Creek Water Treatment Plant Laboratory**

581 Mill Creek Road  
Walla Walla, WA 99362  
Tom Krebs (509) 522-3775  
MICROBIOLOGY  
Fecal Coliform - count  
Heterotrophic Plate Count  
Total Coli/Ecoli - detect Colilert

DOH #: 143  
County: Walla Walla  
tkrebs@ci.walla-walla.wa.us  
SM 9222 D  
SM 9215 B  
SM 9223

**Monroe Water Quality Laboratory**

806 West Main  
Monroe, WA 98272-2198  
Linda Gleason (360) 794-6558  
MICROBIOLOGY  
Total Coli/Ecoli - detect Colilert

DOH #: 135  
County: Snohomish  
lgleason@ci.monroe.wa.us  
SM 9223

**Mukang Labs, Inc.**

2526 E Saint Helens St.  
Pasco, WA 99301  
Chen Liu (509) 544-2159  
CHEM I (GENERAL CHEM  
Alkalinity, Total  
Chloride  
Hardness, Total (as CaCO3)  
Nitrate  
Orthophosphate  
Solids, Total Dissolved  
Specific Conductance  
Sulfate  
CHEM II (TRACE METALS  
Calcium  
Magnesium  
Sodium  
MICROBIOLOGY  
Total Coli/Ecoli - detect Colilert

DOH #: 179  
County: Franklin  
services@mukanglabs.com  
SM 2320 B  
SM 4500-CI- B  
SM 2340 B  
SM 4500-NO3 D  
SM 4500-P E  
SM 2540 C  
SM 2510 B  
SM 4500-SO4 E  
SM 18/19 3111 B  
SM 18/19 3111 B  
SM 18/19 3111 B  
SM 9223

**Mukilteo Water and Wastewater District**

PO Box 260  
Mukilteo, WA 98275  
Brianna Sheppard (425) 355-6637  
MICROBIOLOGY  
Total Coli/Ecoli - detect Colilert

DOH #: 183  
County: Snohomish  
briannas@mukilteowater.org  
SM 9223

**MWH Laboratories - Division of MWH Americas, Inc.**

750 Royal Oaks Drive, Suite 100  
Monrovia, CA 91016  
Nilda Cox (626) 386-1170  
CHEM I (GENERAL CHEM  
Alkalinity, Total  
Anionic Surfactants  
Asbestos  
Bromate

DOH #: 094  
County: Los Angeles  
Nilda.Cox@mwhglobal.com  
SM 2320 B  
SM 5540 C  
EPA 100.2  
EPA 300.1

**MWH Laboratories - Division of MWH Americas, Inc.**

750 Royal Oaks Drive, Suite 100  
Monrovia, CA 91016

DOH #: 094

County: Los Angeles

Nilda Cox (626) 386-1170

Nilda.Cox@mwhglobal.com

**CHEM I (GENERAL CHEM**

Bromide	EPA 300.0
Bromide	EPA 300.1
Chlorate	EPA 300.0
Chlorate	EPA 300.1
Chloride	EPA 300.0
Chlorine Dioxide	SM 4500-CIO2 D
Chlorine Residual, Free	SM 4500-CI G
Chlorine Residual, Total	SM 4500-CI G
Chlorite	EPA 300.0
Chlorite	EPA 300.1
Cyanide, Total	EPA 335.4
Cyanide, Total	SM 4500-CN F
Cyanides, Amenable to Chlorination	SM 4500-CN G
Fluoride	SM 4500-F C
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	EPA 300.0
Nitrate	EPA 353.2
Nitrite	EPA 300.0
Nitrite	EPA 353.2
Orthophosphate	EPA 365.1
Orthophosphate	SM 4500-P E
Perchlorate	EPA 314.0
pH	EPA 150.1
pH	SM 4500-H
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 C
Turbidity	EPA 180.1
UV Absorbing Organics	SM 5910 B
Bromate	EPA 317.0
Silica, Dissolved	SM 20 4500-Si C
Perchlorate	EPA 331.0
Chlorite	EPA 317.0

**CHEM II (TRACE METALS**

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Hardness, Total (as CaCO3)	EPA 200.7

**MWH Laboratories - Division of MWH Americas, Inc.**

750 Royal Oaks Drive, Suite 100  
Monrovia, CA 91016

Nilda Cox (626) 386-1170

**CHEM II (TRACE METALS)**

Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Uranium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

**ORGANICS I (GC HPLC)**

Chlorinated Acids (Herbicides)	EPA 515.4
EDB/DBCP/TCP	EPA 504.1
Organohalide Pesticides/PCBs	EPA 505
PCBs	EPA 505
Oximes/Carbamates	EPA 531.2
Glyphosate	EPA 547
Haloacetonitriles	EPA 551.1
Diquat	EPA 549.2
Haloacetic Acids	SM 6251 B
Trihalomethanes	EPA 551.1

**ORGANICS II (GC-MS)**

Adipates/Phthalates	EPA 525.2
Benzo(a)pyrene	EPA 525.2
Endothall	EPA 548.1
Polycyclic Aromatic HC (PAHs)	EPA 525.2
Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2
Chlorinated Pesticides	EPA 525.2
Organic Compounds	EPA 525.2

**RADIOCHEMISTRY**

Alpha, Gross	EPA 900.0
Beta, Gross	EPA 900.0
Radium 228	EPA 904.0

**National Food Corporation Laboratory**

16900 51st Ave NE  
Arlington, WA 98223

Floyd Weathersbee (360) 659-6251

**MICROBIOLOGY**

Total Coli/Ecoli - detect Colilert

County: Los Angeles

Nilda.Cox@mwhglobal.com

DOH #: 094

County: Snohomish

wweathersbee@natlfood.com

DOH #: 141

SM 9223

**Northwest Agricultural Consultants, Inc.**

2545 West Falls Ave.  
Kennewick, WA 99336

Bob Sickles (509) 783-7450

CHEM I (GENERAL CHEM

Nitrate

Solids, Total Dissolved

CHEM II (TRACE METALS

Copper

Lead

County: Benton

bob@nwag.com

SM 4500-NO3 F

SM 2540 C

SM 18/19 3111 B

SM 18/19 3113 B

DOH #: 115

**NVL Laboratories, Inc.**

4708 Aurora Ave. N.  
Seattle, WA 98103

Nick Ly (206) 547-0100

CHEM II (TRACE METALS

Lead

County: King

nick.l@nvlabs.com

EPA 200.9

DOH #: 155

**Okanogan County Public Health Laboratory**

PO Box 231  
Okanogan, WA 98840-0231

Jacqueline Bellinger (509) 422-7140

CHEM I (GENERAL CHEM

Nitrate

MICROBIOLOGY

Total Coli/Ecoli - detect Colilert

County: Okanogan

jbelling@co.okanogan.wa.us

SM 4500-NO3 D

SM 9223

DOH #: 093

**Olympic National Park Water Lab**

113 Barnes Point Road  
Port Angeles, WA 98363

Michael Kalahar (360) 928-3213

MICROBIOLOGY

Fecal Coliform - count

Total Coli/Ecoli - detect Colilert

County: Clallam

mike\_kalahar@nps.gov

SM 9222 D

SM 9223

DOH #: 059

**OnSite Environmental, Inc.**

14648 NE 95th Street  
Redmond, WA 98052

Karl Hornyik (425) 883-3881

CHEM II (TRACE METALS

Aluminum

Antimony

Arsenic

Barium

Barium

Beryllium

Cadmium

Chromium

Chromium

Copper

Copper

Iron

Iron

Lead

Magnesium

Manganese

Manganese

Mercury

County: King

khornyik@onsite-env.com

EPA 200.8

EPA 200.8

EPA 200.8

EPA 200.7

EPA 200.8

EPA 200.8

EPA 200.8

EPA 200.7

EPA 200.8

EPA 200.7

EPA 200.8

EPA 200.7

EPA 200.8

EPA 200.8

EPA 200.8

EPA 200.7

EPA 200.8

EPA 200.8

DOH #: 178

**OnSite Environmental, Inc.**

14648 NE 95th Street  
Redmond, WA 98052

Karl Hornyik (425) 883-3881

**CHEM II (TRACE METALS)**

Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.7
Silver	EPA 200.8
Thallium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

DOH #: 178

County: King

khornyik@onsite-env.com

**Pace Analytical Services, Inc. - Minneapolis**

1700 Elm Street SE, Suite 200  
Minneapolis, MN 55414

Melanie Ollila (612) 607-6352

**CHEM II (TRACE METALS)**

Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Chromium	EPA 200.8
Copper	EPA 200.8
Lead	EPA 200.8
Manganese	EPA 200.8
Mercury	EPA 200.8
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Thallium	EPA 200.8
Zinc	EPA 200.8

**ORGANICS II (GC-MS)**

2,3,7,8-TCDD	EPA 1613
Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2

DOH #: 272

County: Hennepin

melanie.ollila@pacelabs.com

**Pace Analytical Services, Inc. - Pittsburgh**

1638 Roseytown Rd, STE 2, 3, 4  
Greenburg, PA 15601

Randal Hill (724) 850-5600

**RADIOCHEMISTRY**

Alpha, Gross	EPA 900.0
Alpha, Gross	SM 7110 C
Beta, Gross	EPA 900.0
Gamma Emitting Isotopes	EPA 901.1
Radium 226	EPA 903.1
Radium 228	EPA 904.0
Radon	SM 20 7500-Rn B
Strontium 89	EPA 905.0
Strontium 90	EPA 905.0

DOH #: 156

County: Westmoreland

randal.hill@pacelabs.com

**Pace Analytical Services, Inc. - Pittsburgh**

1638 Roseytown Rd, STE 2, 3, 4  
Greenburg, PA 15601

Randal Hill (724) 850-5600

**RADIOCHEMISTRY**

Tritium

Uranium, Laser Phosphorimetric

Uranium, Total

DOH #: 156

County: Westmoreland

randal.hill@pacelabs.com

EPA 906.0

ASTM D5174-97

EPA 908.0

**Pace Analytical Services, Inc. - Seattle**

940 South Harney St.  
Seattle, WA 98108

Monica Carr 206-957-2430

**CHEM I (GENERAL CHEM**

Alkalinity, Total

Chloride

Color

Cyanide, Total

Fluoride

Hardness, Total (as CaCO3)

Nitrate

Nitrite

Nitrite

Orthophosphate

Perchlorate

Solids, Total Dissolved

Specific Conductance

Sulfate

Turbidity

SM 2320 B

EPA 300.0

SM 2120 B

EPA 335.4

EPA 300.0

SM 2340 B

EPA 300.0

EPA 300.0

EPA 353.2

EPA 300.0

EPA 314.0

SM 2540 C

SM 2510 B

EPA 300.0

EPA 180.1

**CHEM II (TRACE METALS**

Aluminum

Aluminum

Antimony

Arsenic

Barium

Barium

Beryllium

Beryllium

Cadmium

Cadmium

Calcium

Chromium

Chromium

Copper

Copper

Iron

Lead

Magnesium

Manganese

Manganese

Mercury

Nickel

Nickel

Selenium

Silica

Silver

EPA 200.7

EPA 200.8

EPA 200.8

EPA 200.8

EPA 200.7

EPA 200.8

EPA 200.7

EPA 200.8

EPA 200.7

EPA 200.8

EPA 200.7

EPA 200.7

EPA 200.8

EPA 200.7

EPA 200.8

EPA 200.7

EPA 200.8

EPA 200.7

EPA 200.7

EPA 200.8

EPA 245.1

EPA 200.7

EPA 200.8

EPA 200.8

EPA 200.7

EPA 200.7

DOH #: 081

County: King

Monica.Carr@pacelabs.com

**Pace Analytical Services, Inc. - Seattle**

940 South Harney St.  
Seattle, WA 98108

Monica Carr 206-957-2430

**CHEM II (TRACE METALS)**

Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

**MICROBIOLOGY**

Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - count	SM 9222 B/9221 F
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect	SM 9221 B,F
Total Coli/Ecoli - detect	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colisure	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1
Total & Fecal Coli - count	SM 9222 B/9221 E1
Total & Fecal Coli - detect	SM 9221 B,E1
Total & Fecal Coli - detect	SM 9222 B/9221 E1

**ORGANICS I (GC HPLC)**

EDB/DBCP/TCP EPA 504.1

**ORGANICS II (GC-MS)**

Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2

DOH #: 081

County: King

Monica.Carr@pacelabs.com

**Pacific County DCD WQ Laboratory**

PO Box 68  
South Bend, WA 98586

Megan McNelly (360) 875-9356

**MICROBIOLOGY**

Fecal Coliform - count	SM 9222 D
Total Coli/Ecoli - detect Colilert	SM 9223

DOH #: 137

County: Pacific

mmcnelly@co.pacific.wa.us

**Pathologists' Regional Laboratory**

PO Box 956  
Lewiston, ID 83501

Zayda Gustafson (208) 746-0516

**MICROBIOLOGY**

Total Coli/Ecoli - detect Colilert	SM 9223
------------------------------------	---------

DOH #: 145

County: Nez Pierce

zgustafson@pathregional.com

**Pyxis Laboratories LLC**

12423 NE Whitaker Way  
Portland, OR 97230

Linda Bangs (503) 254-1794

**CHEM I (GENERAL CHEM)**

Alkalinity, Total	SM 2320 B
Chloride	EPA 300.0
Color	SM 2120 B
Cyanide, Total	SM 4500-CN E
Fluoride	EPA 300.0
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	EPA 300.0
Nitrite	EPA 300.0

DOH #: 184

County: Multnomah

lindabangs@pyxislab.com

**Pyxis Laboratories LLC**

12423 NE Whitaker Way  
Portland, OR 97230

Linda Bangs (503) 254-1794

**CHEM I (GENERAL CHEM**

Orthophosphate	EPA 300.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Turbidity	SM 2130 B

**CHEM II (TRACE METALS**

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

**MICROBIOLOGY**

Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223

**ORGANICS II (GC-MS)**

Regulated VOCs	EPA 524.2
Unregulated VOCs	EPA 524.2

**Seattle Public Utilities Water Quality Lab**

800 South Stacy Street  
Seattle, WA 98134

Wylie Harper (206) 684-7880

**CHEM I (GENERAL CHEM**

Alkalinity, Total	ASTM D1067-92B
Calcium	SM 20 3500-Ca B
Chlorine Residual, Free	SM 4500-CI G
Chlorine Residual, Total	SM 4500-CI G
Color	SM 2120 B

DOH #: 184

County: Multnomah

[lindabangs@pyxislab.com](mailto:lindabangs@pyxislab.com)

DOH #: 074

County: King

[wylie.harper@seattle.gov](mailto:wylie.harper@seattle.gov)

**Seattle Public Utilities Water Quality Lab**

800 South Stacy Street  
Seattle, WA 98134

Wylie Harper (206) 684-7880

**CHEM I (GENERAL CHEM**

Fluoride	ASTM D1179-93B
Hardness, Total (as CaCO3)	SM 2340 B
Hardness, Total (as CaCO3)	SM 2340 C
Solids, Total Dissolved	SM 2540 C
Total Organic Carbon	SM 5310 C
Turbidity	SM 2130 B
pH	ASTM D1293-95 B
Specific Conductance	ASTM D1125-92 A

**CHEM II (TRACE METALS**

Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Calcium	EPA 200.8
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.8
Lead	EPA 200.8
Magnesium	EPA 200.8
Manganese	EPA 200.8
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Sodium	EPA 200.8
Thallium	EPA 200.8
Zinc	EPA 200.8

**MICROBIOLOGY**

Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - detect	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223

**ORGANICS I (GC HPLC)**

Haloacetic Acids	EPA 552.2
------------------	-----------

**ORGANICS II (GC-MS)**

Trihalomethanes	EPA 524.2
-----------------	-----------

DOH #: 074

County: King

wylie.harper@seattle.gov

**Seattle-King Cty Dept of Public Health Lab**

325 Ninth Ave., Room BWC 03 Box 35997  
Seattle, WA 98104

Jean Pass (206) 744-8950

**MICROBIOLOGY**

Total Coli/Ecoli - detect Colisure	SM 9223
------------------------------------	---------

DOH #: 075

County: King

jean.pass@kingcounty.gov

**Selkirk Regional Environmental Lab**

10372 Hwy 31  
Ione, WA 99139

John Kinney (509) 446-3505

**MICROBIOLOGY**

Fecal Coliform - count	SM 9222 D
Fecal Coliform/E. coli - count	SM 9222 D,G1c1

DOH #: 035

County: Pend Orielle

jkinney@selkirk.k12.wa.us

**Selkirk Regional Environmental Lab**

10372 Hwy 31  
Ione, WA 99139

John Kinney (509) 446-3505  
MICROBIOLOGY  
Total Coli/Ecoli - detect Colilert

County: Pend Orielle  
jkinney@selkirk.k12.wa.us  
SM 9223

DOH #: 035

**SGS North America Inc.**

5500 Business Dr  
Wilmington, NC 28405

Jeannie Milholland (910) 350-1903  
ORGANICS II (GC-MS)  
2,3,7,8-TCDD

County: New Hanover  
jeannie.milholland@sgs.com  
EPA 1613

DOH #: 177

**Soiltest Farm Consultants, Inc. Laboratory**

2925 Driggs Drive  
Moses Lake, WA 98837

Brent Thyssen (509) 765-1622

**CHEM I (GENERAL CHEM**

Alkalinity, Total  
Chloride  
Fluoride  
Nitrate  
Nitrite  
Orthophosphate  
Solids, Total Dissolved  
Specific Conductance  
Sulfate  
Turbidity

SM 2320 B  
SM 4500-CI- E  
SM 4500-F C  
SM 4500-NO3 F  
SM 4500-NO3 F  
SM 4500-P E  
SM 2540 C  
SM 2510 B  
SM 4500-SO4 C  
SM 2130 B

**CHEM II (TRACE METALS**

Aluminum  
Barium  
Beryllium  
Cadmium  
Calcium  
Chromium  
Copper  
Iron  
Lead  
Magnesium  
Manganese  
Nickel  
Silver  
Sodium  
Zinc

EPA 200.7  
EPA 200.7  
EPA 200.7  
EPA 200.7  
EPA 200.7  
EPA 200.7  
EPA 200.7  
EPA 200.7  
EPA 200.7  
EPA 200.7  
EPA 200.7  
EPA 200.7  
EPA 200.7  
EPA 200.7  
EPA 200.7

County: Grant  
brent@soiltestlab.com

DOH #: 116

**Southern Petroleum Labs, Incorporated**

PO Box 20807  
Houston, TX 77225

Ted Yen (713) 660-0901  
ORGANICS I (GC HPLC)  
EDB/DBCP/TCP

County: Harris  
tyen@spl-inc.com  
EPA 504.1

DOH #:

**Spectra Laboratories**

2221 Ross Way  
Tacoma, WA 98421

Jesse Bynum (253) 272-4850  
CHEM I (GENERAL CHEM

County: Pierce  
info@spectra-lab.com

DOH #: 118

## Spectra Laboratories

2221 Ross Way  
Tacoma, WA 98421

Jesse Bynum (253) 272-4850

### CHEM I (GENERAL CHEM)

Alkalinity, Total	SM 2320 B
Cyanide, Total	SM 4500-CN E
Fluoride	SM 4500-F C
Nitrate	SM 4500-NO3 D
Nitrite	SM 4500-NO2 B
Solids, Total Dissolved	SM 2540 C
Specific Conductance	EPA 120.1
Sulfate	EPA 375.4
Turbidity	EPA 180.1

### CHEM II (TRACE METALS)

Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Calcium	EPA 200.8
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.8
Lead	EPA 200.8
Magnesium	EPA 200.8
Manganese	EPA 200.8
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Sodium	EPA 200.8
Thallium	EPA 200.8
Zinc	EPA 200.8

### MICROBIOLOGY

Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9222 B/9221 E1

## Spokane Regional Health District Laboratory

1101 W. College Avenue - Room 210  
Spokane, WA 99201-2095

Diane James (509) 324-1440

### CHEM I (GENERAL CHEM)

Nitrate	SM 4500-NO3 D
---------	---------------

### MICROBIOLOGY

Fecal Coliform - count	SM 9221 B,C,E1
Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1
Total & Fecal Coli - detect	SM 9221 B,E1

DOH #: 118

County: Pierce

info@spectra-lab.com

DOH #: 078

County: Spokane

djames@spokanecounty.org

**Spokane Water Laboratory**

914 East North Foothills Drive  
Spokane, WA 99207

R. William Rickard (509) 742-8166

**CHEM I (GENERAL CHEM**

Alkalinity, Total	SM 2320 B
Chlorine Residual, Free	SM 4500-Cl G
Chlorine Residual, Total	SM 4500-Cl G
Hardness, Total (as CaCO3)	SM 2340 C
pH	SM 4500-H
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Turbidity	EPA 180.1

**MICROBIOLOGY**

Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223

DOH #: 265

County: Spokane

brickard@spokanecity.org

**SVL Analytical, Incorporated**

PO Box 929  
Kellogg, ID 83837

Michael Desmarais (208) 784-1258

**CHEM I (GENERAL CHEM**

Alkalinity, Total	SM 2320 B
Bromide	EPA 300.0
Chloride	EPA 300.0
Color	SM 2120 B
Cyanide, Total	EPA 335.4
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	EPA 300.0
Nitrate	EPA 353.2
Nitrite	EPA 300.0
Nitrite	EPA 353.2
Orthophosphate	SM 4500-P E
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 B
Turbidity	EPA 180.1

**CHEM II (TRACE METALS**

Aluminum	EPA 200.7
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7

DOH #: 050

County: Shoshone

michael@svl.net

**SVL Analytical, Incorporated**

PO Box 929  
Kellogg, ID 83837

Michael Desmarais (208) 784-1258

**CHEM II (TRACE METALS)**

Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

County: Shoshone

michael@svl.net

DOH #: 050

**TestAmerica Denver**

4955 Yarrow St.  
Arvada, CO 80002

John Morris (303) 736-0117

**CHEM I (GENERAL CHEM)**

Perchlorate	EPA 314.0
-------------	-----------

County: Adams

john.morris@testamericainc.com

DOH #: 181

**TestAmerica Nashville**

2960 Foster Creighton Drive  
Nashville, TN 37204

Mary Louise Linn (615) 301-5759

**CHEM I (GENERAL CHEM)**

Chloride	EPA 300.0
Cyanide, Total	EPA 335.4
Fluoride	EPA 300.0
Fluoride	SM 4110 B
Nitrate	EPA 300.0
Nitrate	EPA 353.2
Nitrate	SM 4110 B
Nitrite	EPA 300.0
Nitrite	EPA 353.2
Nitrite	SM 4110 B
Solids, Total Dissolved	SM 2540 C
Sulfate	EPA 300.0
Sulfate	SM 4110 B

**CHEM II (TRACE METALS)**

Aluminum	EPA 200.7
Barium	EPA 200.7
Beryllium	EPA 200.7
Cadmium	EPA 200.7
Calcium	EPA 200.7
Chromium	EPA 200.7
Copper	EPA 200.7
Iron	EPA 200.7
Magnesium	EPA 200.7
Manganese	EPA 200.7
Mercury	EPA 245.1
Nickel	EPA 200.7

County: Davidson

maryl.linn@testamericainc.com

DOH #: 268

## TestAmerica Nashville

2960 Foster Creighton Drive  
Nashville, TN 37204

DOH #: 268

County: Davidson

maryl.linn@testamericainc.com

Mary Louise Linn (615) 301-5759

### CHEM II (TRACE METALS)

Silver	EPA 200.7
Sodium	EPA 200.7
Zinc	EPA 200.7

### ORGANICS I (GC HPLC)

EDB/DBCP/TCP	EPA 504.1
--------------	-----------

### ORGANICS II (GC-MS)

Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2

## TestAmerica Portland

9405 SW Nimbus Avenue  
Beaverton, OR 97005

DOH #: 274

County: Washington

suzanne.lemay@testamericainc.com

Suzanne LeMay (503) 906-9223

### CHEM I (GENERAL CHEM)

Alkalinity, Total	SM 2320 B
Chloride	EPA 300.0
Cyanide, Total	EPA 335.4
Cyanide, Total	SM 4500-CN E
Fluoride	SM 4500-F C
Hardness, Total (as CaCO <sub>3</sub> )	SM 2340 B
Nitrate	EPA 300.0
Nitrate + Nitrite	EPA 353.2
Nitrite	EPA 300.0
Orthophosphate	SM 4500-P E
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 C
Turbidity	SM 2130 B

### CHEM II (TRACE METALS)

Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.8
Selenium	EPA 200.8
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8

### TestAmerica Portland

9405 SW Nimbus Avenue  
Beaverton, OR 97005

DOH #: 274

County: Washington

suzanne.lemay@testamericainc.com

Suzanne LeMay (503) 906-9223

#### CHEM II (TRACE METALS)

Zinc EPA 200.8

#### MICROBIOLOGY

Heterotrophic Plate Count SM 9215 B

Total Coli/Ecoli - detect Colilert SM 9223

Total Coli/Ecoli - detect Colisure SM 9223

#### ORGANICS I (GC HPLC)

Chlorinated Acids (Herbicides) EPA 515.3

EDB/DBCP/TCP EPA 504.1

Organohalide Pesticides/PCBs EPA 505

Haloacetic Acids EPA 552.2

Dalapon EPA 552.2

#### ORGANICS II (GC-MS)

Regulated VOCs EPA 524.2

Trihalomethanes EPA 524.2

Unregulated VOCs EPA 524.2

Vinyl Chloride EPA 524.2

Purgeable Organic Compounds EPA 524.2

### TestAmerica Richland

2800 George Washington Way  
Richland, WA 99354-1613

DOH #: 028

County: Benton

tim.armstrong@testamericainc.com

Tim Armstrong (509) 375-3131

#### RADIOCHEMISTRY

Alpha, Gross EPA 900.0

Beta, Gross EPA 900.0

Gamma Emitting Isotopes EPA 901.1

Radium 226 EPA 903.1

Radium 228 EPA 904.0

Strontium 89/90 EPA 905.0

Tritium EPA 906.0

Uranium, Laser Phosphorimetric ASTM D5174-97

Radium, Total Alpha EPA 903.0

Alpha, Gross EPA 00-02

### TestAmerica Savannah

5102 La Roche Ave.  
Savannah, GA 31404

DOH #: 161

County: Chatham

Ammie.Martin@testamericainc.com

Ammie Martin (912) 354-7858

#### CHEM I (GENERAL CHEM)

Alkalinity, Total SM 2320 B

Bromate EPA 300.1

Bromide EPA 300.1

Chlorate EPA 300.1

Chloride EPA 300.0

Chlorite EPA 300.1

Color SM 2120 B

Cyanide, Total EPA 335.4

Cyanide, Total SM 4500-CN E

Cyanides, Amenable to Chlorination SM 4500-CN G

Dissolved Organic Carbon SM 5310 B

Fluoride EPA 300.0

Fluoride SM 4500-F C

**TestAmerica Savannah**

5102 La Roche Ave.  
Savannah, GA 31404

DOH #: 161

County: Chatham

Ammie.Martin@testamericainc.com

Ammie Martin (912) 354-7858

**CHEM I (GENERAL CHEM**

Hardness, Total (as CaCO3)	SM 2340 B
Hardness, Total (as CaCO3)	SM 2340 C
Nitrate	EPA 300.0
Nitrate	EPA 353.2
Nitrite	EPA 300.0
Nitrite	EPA 353.2
Orthophosphate	EPA 365.1
Orthophosphate	SM 4500-P F
Perchlorate	EPA 314.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 B
Turbidity	EPA 180.1
Turbidity	SM 2130 B
UV Absorbing Organics	SM 5910 B

**CHEM II (TRACE METALS**

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.7
Barium	EPA 200.8
Beryllium	EPA 200.7
Beryllium	EPA 200.8
Cadmium	EPA 200.7
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.7
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.7
Zinc	EPA 200.8

**ORGANICS I (GC HPLC)**

EDB/DBCP/TCP	EPA 504.1
--------------	-----------

## TestAmerica Savannah

5102 La Roche Ave.  
Savannah, GA 31404

Ammie Martin (912) 354-7858

### ORGANICS I (GC HPLC)

Chlordane	EPA 508
Toxaphene	EPA 508
Chlorinated Pesticides/PCBs	EPA 508
Chlorinated Acid Herbicides	EPA 515.1
Oximes/Carbamates	EPA 531.1
Glyphosate	EPA 547
Diquat	EPA 549.2
Haloacetic Acids	EPA 552.2

### ORGANICS II (GC-MS)

Adipates/Phthalates	EPA 525.2
Benzo(a)pyrene	EPA 525.2
Endothall	EPA 548.1
Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2
Chlorinated Pesticides	EPA 525.2
Organic Compounds	EPA 525.2

DOH #: 161

County: Chatham

Ammie.Martin@testamericainc.com

## TestAmerica Spokane

11922 E 1st

Spokane Valley, WA 99206-5302

Dave Wunderlich (509) 924-9200

### CHEM I (GENERAL CHEM)

Alkalinity, Total	SM 2320 B
Chloride	EPA 300.0
Color	SM 2120 C
Fluoride	EPA 300.0
Hardness, Total (as CaCO3)	SM 2340 C
Nitrate	EPA 300.0
Nitrite	EPA 300.0
Orthophosphate	SM 4500-P E
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Turbidity	EPA 180.1

### CHEM II (TRACE METALS)

Aluminum	EPA 200.7
Antimony	EPA 200.7
Barium	EPA 200.7
Beryllium	EPA 200.7
Cadmium	EPA 200.7
Calcium	EPA 200.7
Chromium	EPA 200.7
Copper	EPA 200.7
Iron	EPA 200.7
Lead	EPA 200.7
Magnesium	EPA 200.7
Manganese	EPA 200.7
Mercury	EPA 245.1

DOH #: 111

County: Spokane

dave.wunderlich@testamericainc.com

## TestAmerica Spokane

11922 E 1st

Spokane Valley, WA 99206-5302

Dave Wunderlich (509) 924-9200

### CHEM II (TRACE METALS)

Nickel

EPA 200.7

Silver

EPA 200.7

Sodium

EPA 200.7

Zinc

EPA 200.7

DOH #: 111

County: Spokane

dave.wunderlich@testamericainc.com

## TestAmerica St. Louis

13715 Rider Trail North

Earth City, MO 63045

Marti Ward (314) 298-8566

### CHEM II (TRACE METALS)

Uranium

EPA 200.8

### RADIOCHEMISTRY

Alpha, Gross

EPA 900.0

Beta, Gross

EPA 900.0

Gamma Emitting Isotopes

EPA 901.1

Radium 226

EPA 903.0

Radium 228

EPA 904.0

Tritium

EPA 906.0

Uranium, Total

ASTM D5174-91

Strontium 90

DOE Sr-02

DOH #: 163

County: St. Louis

marti.ward@testamericainc.com

## TestAmerica Tacoma

5755 Eighth Street East

Tacoma, WA 98424

Christina Mott (253) 922-2310

### CHEM I (GENERAL CHEM)

Alkalinity, Total

SM 2320 B

Chloride

EPA 300.0

Color

SM 2120 B

Fluoride

EPA 300.0

Hardness, Total (as CaCO<sub>3</sub>)

SM 2340 B

Nitrate

EPA 300.0

Nitrite

EPA 300.0

Orthophosphate

EPA 300.0

Solids, Total Dissolved

SM 2540 C

Specific Conductance

SM 2510 B

Sulfate

EPA 300.0

Turbidity

EPA 180.1

### CHEM II (TRACE METALS)

Aluminum

EPA 200.7

Antimony

EPA 200.8

Arsenic

EPA 200.8

Barium

EPA 200.7

Barium

EPA 200.8

Beryllium

EPA 200.8

Cadmium

EPA 200.8

Chromium

EPA 200.7

Chromium

EPA 200.8

Copper

EPA 200.7

Copper

EPA 200.8

Iron

EPA 200.7

Lead

EPA 200.8

DOH #: 107

County: Pierce

christina.mott@testamericainc.com

**TestAmerica Tacoma**

5755 Eighth Street East  
Tacoma, WA 98424

DOH #: 107

County: Pierce

christina.mott@testamericainc.com

Christina Mott (253) 922-2310

**CHEM II (TRACE METALS)**

Manganese	EPA 200.7
Mercury	EPA 245.1
Nickel	EPA 200.7
Nickel	EPA 200.8
Selenium	EPA 200.8
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Zinc	EPA 200.8

**TestAmerica West Sacramento**

880 Riverside Parkway  
West Sacramento, CA 95605

DOH #: 106

County: Yolo

Douglas.Weir@TestAmericainc.com

Douglas Weir (916) 374-4389

**CHEM I (GENERAL CHEM)**

Perchlorate	EPA 314.0
Perchlorate	EPA 331.0

**ORGANICS II (GC-MS)**

2,3,7,8-TCDD	EPA 1613
--------------	----------

**Thurston County Health Department Laboratory**

2000 Lakeridge Drive SW  
Olympia, WA 98502

DOH #: 080

County: Thurston

clarkm@co.thurston.wa.us

Mike Clark (360) 867-2631

**CHEM I (GENERAL CHEM)**

Nitrate	SM 4500-NO3 D
---------	---------------

**MICROBIOLOGY**

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223
Total & Fecal Coli - detect	SM 9222 B/9221 E1

**TransAlta Centralia Generation Lab**

913 Big Hanaford Rd  
Centralia, WA 98531-9111

DOH #: 182

County: Lewis

larry\_webster@transalta.com

Larry Webster (360) 330-2320

**CHEM I (GENERAL CHEM)**

Chlorine Residual, Free	SM 4500-CI G
pH	SM 4500-H

**Twiss Analytical Laboratories, Inc.**

PO Box 2339  
Poulsbo, WA 98370

DOH #: 010

County: Kitsap

nparrott@twisslabs.com

Nancy Parrott (360) 779-5141

**CHEM I (GENERAL CHEM)**

Alkalinity, Total	SM 2320 B
Chloride	EPA 300.0
Chloride	SM 4500-CI- E
Chlorine Residual, Total	SM 4500-CI G

**Twiss Analytical Laboratories, Inc.**

PO Box 2339  
Poulsbo, WA 98370

Nancy Parrott (360) 779-5141

**CHEM I (GENERAL CHEM**

Color	SM 2120 B
Cyanide, Total	SM 4500-CN F
Fluoride	EPA 300.0
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	EPA 300.0
Nitrate	SM 4500-NO3 F
Nitrate + Nitrite	EPA 300.0
Nitrate + Nitrite	SM 4500-NO3 F
Nitrite	EPA 300.0
Nitrite	SM 4500-NO2 B
Orthophosphate	EPA 300.0
Orthophosphate	SM 4500-P E
pH	SM 4500-H
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Turbidity	SM 2130 B

**CHEM II (TRACE METALS**

Aluminum	EPA 200.7
Antimony	EPA 200.9
Arsenic	EPA 200.9
Barium	EPA 200.7
Beryllium	EPA 200.7
Cadmium	EPA 200.7
Calcium	EPA 200.7
Chromium	EPA 200.7
Copper	EPA 200.7
Copper	EPA 200.9
Iron	EPA 200.7
Lead	EPA 200.9
Magnesium	EPA 200.7
Manganese	EPA 200.7
Mercury	SM 18/19 3112 B
Nickel	EPA 200.7
Selenium	EPA 200.9
Silica	EPA 200.7
Silver	EPA 200.7
Sodium	EPA 200.7
Thallium	EPA 200.9
Zinc	EPA 200.7

**MICROBIOLOGY**

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	SM 9215 B
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223

**ORGANICS I (GC HPLC)**

Haloacetic Acids	EPA 552.1
------------------	-----------

**ORGANICS II (GC-MS)**

Purgeable Organic Compounds	EPA 524.2
-----------------------------	-----------

DOH #: 010

County: Kitsap

nparrott@twisslabs.com

**Underwriters Laboratories Inc.**

110 South Hill Street  
South Bend, IN 46617

Dale Piechocki (574) 233-4777

**CHEM I (GENERAL CHEM**

Alkalinity, Total	SM 2320 B
Bromate	EPA 300.1
Bromide	EPA 300.0
Chlorate	EPA 300.0
Chloride	EPA 300.0
Chlorite	EPA 300.0
Color	SM 2120 B
Cyanide, Total	EPA 335.4
Fluoride	EPA 300.0
Fluoride	SM 4500-F C
Fluoride	Tech 380-75WE
Hardness, Total (as CaCO3)	SM 2340 B
Nitrate	EPA 300.0
Nitrate	EPA 353.2
Nitrite	EPA 353.2
Orthophosphate	SM 4500-P E
Perchlorate	EPA 314.0
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 C
Turbidity	EPA 180.1
UV Absorbing Organics	SM 5910 B
Bromate	EPA 317.0
Perchlorate	EPA 331.0

**CHEM II (TRACE METALS**

Aluminum	EPA 200.7
Aluminum	EPA 200.8
Antimony	EPA 200.8
Arsenic	EPA 200.8
Barium	EPA 200.8
Beryllium	EPA 200.8
Cadmium	EPA 200.8
Calcium	EPA 200.7
Chromium	EPA 200.8
Copper	EPA 200.8
Iron	EPA 200.7
Lead	EPA 200.8
Magnesium	EPA 200.7
Manganese	EPA 200.7
Manganese	EPA 200.8
Mercury	EPA 245.1
Nickel	EPA 200.8
Selenium	EPA 200.8
Silica	EPA 200.7
Silver	EPA 200.7
Silver	EPA 200.8
Sodium	EPA 200.7
Thallium	EPA 200.8
Uranium	EPA 200.8
Zinc	EPA 200.8

DOH #: 130

County: St. Joseph

dale.r.piechocki@us.ul.com

**Underwriters Laboratories Inc.**

110 South Hill Street  
South Bend, IN 46617

Dale Piechocki (574) 233-4777

**MICROBIOLOGY**

Heterotrophic Plate Count	SM 9215 B
Heterotrophic Plate Count	IDEXX SimPlate
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223

**ORGANICS I (GC HPLC)**

Carbamates/Oximes	EPA 531.1
EDB/DBCP/TCP	EPA 504.1
Organohalide Pesticides	EPA 505
PCBs	EPA 505
Chlorinated Acid Herbicides	EPA 515.3
Chlor Disinfection Byproducts	EPA 551.1
Glyphosate	EPA 547
Diquat/Paraquat	EPA 549.2
Haloacetic Acids	EPA 552.2

**ORGANICS II (GC-MS)**

Adipates/Phthalates	EPA 525.2
Benzo(a)pyrene	EPA 525.2
Endothall	EPA 548.1
2,3,7,8-TCDD	EPA 1613
Trihalomethanes	EPA 524.2
Vinyl Chloride	EPA 524.2
Purgeable Organic Compounds	EPA 524.2
Chlorinated Pesticides	EPA 525.2
Organic Compounds	EPA 525.2

**RADIOCHEMISTRY**

Alpha, Gross	SM 7110 B
Alpha, Gross	SM 7110 C
Beta, Gross	SM 7110 B
Radium 226	SM 7500-Ra B
Radium 226/228	SM 7500-Ra D
Strontium 89/90	SM 7500-Sr B
Tritium	EPA 906.0

DOH #: 130

County: St. Joseph

dale.r.piechocki@us.ul.com

**Valley Environmental Laboratory**

201 East D Street  
Yakima, WA 98901

Bennett Osborne (509) 575-3999

**CHEM I (GENERAL CHEM)**

Alkalinity, Total	SM 2320 B
Chloride	SM 4500-CI- B
Color	SM 2120 B
Cyanide, Total	SM 4500-CN E
Fluoride	SM 4500-F C
Hardness, Total (as CaCO3)	SM 2340 C
Nitrate	SM 4500-NO3 D
Nitrite	SM 4500-NO2 B
Orthophosphate	SM 4500-P E
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 375.4
Turbidity	EPA 180.1

**CHEM II (TRACE METALS)**

DOH #: 153

County: Yakima

bennett@valleylab.net

**Valley Environmental Laboratory**

201 East D Street  
Yakima, WA 98901

Bennett Osborne (509) 575-3999

**CHEM II (TRACE METALS)**

Antimony	EPA 200.9
Arsenic	EPA 200.9
Beryllium	EPA 200.9
Cadmium	EPA 200.9
Chromium	EPA 200.9
Copper	EPA 200.9
Iron	EPA 200.9
Lead	EPA 200.9
Manganese	EPA 200.9
Nickel	EPA 200.9
Silver	EPA 200.9
Thallium	EPA 200.9

**MICROBIOLOGY**

Heterotrophic Plate Count	IDEXX SimPlate
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect Colilert	SM 9223

DOH #: 153

County: Yakima

bennett@valleylab.net

**Vista Analytical Laboratory, Inc**

1104 Windfield Way  
El Dorado Hills, CA 95762

Rose Harrelson (916) 673-1520

**ORGANICS II (GC-MS)**

2,3,7,8-TCDD EPA 1613

DOH #: 258

County: El Dorado

rharrelson@vista-analytical.com

**Walla Walla County Health Department**

PO Box 1753  
Walla Walla, WA 99362-1753

Barry Jenkins (509) 524-2653

**CHEM I (GENERAL CHEM)**

Nitrate SM 4500-NO3 D

**MICROBIOLOGY**

Total Coli/Ecoli - detect Colilert SM 9223

DOH #: 082

County: Walla Walla

bjenkins@co.walla-walla.wa.us

**Water Management Laboratories, Inc.**

1515 80th St E  
Tacoma, WA 98404-3315

H. Chris Mueller (253) 531-3121

**CHEM I (GENERAL CHEM)**

Alkalinity, Total	SM 2320 B
Bromate	EPA 300.1
Bromide	EPA 300.1
Calcium	SM 20 3500-Ca B
Chlorate	EPA 300.1
Chloride	EPA 300.0
Chlorite	EPA 300.1
Color	SM 2120 B
Cyanide, Total	SM 4500-CN F
Fluoride	EPA 300.0
Hardness, Total (as CaCO3)	SM 2340 C
Nitrate	EPA 300.0
Nitrite	EPA 300.0
Orthophosphate	EPA 300.0

DOH #: 089

County: Pierce

watermanagementl@qwestoffice.net

**Water Management Laboratories, Inc.**

1515 80th St E  
Tacoma, WA 98404-3315

H. Chris Mueller (253) 531-3121

**CHEM I (GENERAL CHEM**

Perchlorate	EPA 314.0
pH	SM 4500-H
Solids, Total Dissolved	SM 2540 C
Specific Conductance	SM 2510 B
Sulfate	EPA 300.0
Total Organic Carbon	SM 5310 C
Turbidity	SM 2130 B
UV Absorbing Organics	SM 5910 B
Silica, Dissolved	SM 4500-SiO2 C

**CHEM II (TRACE METALS**

Aluminum	EPA 200.8
Aluminum	SM 18/19 3113 B
Antimony	EPA 200.8
Antimony	SM 18/19 3113 B
Arsenic	EPA 200.8
Arsenic	SM 18/19 3113 B
Barium	EPA 200.8
Barium	SM 18/19 3113 B
Beryllium	EPA 200.8
Beryllium	SM 18/19 3113 B
Cadmium	EPA 200.8
Cadmium	SM 18/19 3113 B
Calcium	SM 18/19 3111 B
Chromium	EPA 200.8
Chromium	SM 18/19 3113 B
Copper	EPA 200.8
Copper	SM 18/19 3111 B
Iron	SM 18/19 3111 B
Lead	EPA 200.8
Lead	SM 18/19 3113 B
Magnesium	EPA 200.8
Magnesium	SM 18/19 3111 B
Manganese	EPA 200.8
Manganese	SM 18/19 3111 B
Mercury	EPA 200.8
Mercury	SM 18/19 3112 B
Nickel	EPA 200.8
Nickel	SM 18/19 3111 B
Selenium	EPA 200.8
Selenium	SM 18/19 3113 B
Silver	EPA 200.8
Silver	SM 3111 B
Sodium	EPA 200.8
Sodium	SM 18/19 3111 B
Thallium	EPA 200.8
Thallium	EPA 200.9
Uranium	EPA 200.8
Vanadium	EPA 200.8
Zinc	EPA 200.8
Zinc	SM 18/19 3111 B
Vanadium	SM 18/19 3113 B

DOH #: 089

County: Pierce

watermanagementl@qwestoffice.net

**Water Management Laboratories, Inc.**

1515 80th St E  
Tacoma, WA 98404-3315

H. Chris Mueller (253) 531-3121

**MICROBIOLOGY**

Fecal Coliform - count	SM 9222 D
Heterotrophic Plate Count	SM 9215 B
Heterotrophic Plate Count	IDEXX SimPlate
Total Coli/Ecoli - count	SM 9221 B,C,F
Total Coli/Ecoli - count	SM 9222 B/9221 F
Total Coli/Ecoli - count Colilert	SM 9223
Total Coli/Ecoli - detect	SM 9221 B,F
Total Coli/Ecoli - detect	SM 9221 D,F
Total Coli/Ecoli - detect	SM 9222 B/9221 F
Total Coli/Ecoli - detect Colilert	SM 9223
Total Coli/Ecoli - detect Colisure	SM 9223
Total & Fecal Coli - count	SM 9221 B,C,E1
Total & Fecal Coli - count	SM 9222 B/9221 E1
Total & Fecal Coli - detect	SM 9221 B,E1
Total & Fecal Coli - detect	SM 9221 D,E1
Total & Fecal Coli - detect	SM 9222 B/9221 E1

**ORGANICS I (GC HPLC)**

Carbamates/Oximes	EPA 531.2
EDB/DBCP/TCP	EPA 504.1
PCBs	EPA 508.1
Chlorinated Acid Herbicides	EPA 515.1
Haloacetic Acids	EPA 552.2
Toxaphene	EPA 508.1
Chlordane (Total)	EPA 508.1

**ORGANICS II (GC-MS)**

Adipates/Phthalates	EPA 525.2
Benzo(a)pyrene	EPA 525.2
Regulated VOCs	EPA 524.2
Trihalomethanes	EPA 524.2
Unregulated VOCs	EPA 524.2
Vinyl Chloride	EPA 524.2
Chlorinated Pesticides	EPA 525.2

**Wenatchee Drinking Water Lab**

PO Box 519  
Wenatchee, WA 98801

Jessica Shaw (509) 888-3225

**MICROBIOLOGY**

Total Coli/Ecoli - detect Colilert	SM 9223
------------------------------------	---------

**Wy'East Environmental Sciences, Inc.**

2415 SE 11th Avenue  
Portland, OR 97214

Mark Murphy (503) 231-9320

**CHEM II (TRACE METALS)**

Copper	SM 18/19 3111 B
Lead	EPA 200.9

DOH #: 089

County: Pierce

watermanagementl@qwestoffice.net

DOH #: 133

County: Chelan

jshaw@wenatcheewa.gov

DOH #: 159

County: Multnomah

lab@wyeastlab.net