

1
2
3
4
5

**ADDENDUM E
SECURITY**

DRAFT

1
2
3
4

This page intentionally left blank.

DRAFT

1 Addendum E

2

SECURITY

3 **Contents**

4 E.1 SECURITY PROCEDURES AND EQUIPMENT 1

5 E.1.1 Warning Signs 1

6 E.2 Waiver 1

7

8

DRAFT

1
2
3
ADDENDUM E
SECURITY

4 **E.1 SECURITY PROCEDURES AND EQUIPMENT**

5 The 222-S Laboratory Complex is located within the Hanford Facility's 200 West Area which is
6 a controlled access area. Access control, barriers, warning signs, and 24-hour surveillance system
7 for access to the Hanford Facility and therefore the 222-S Laboratory Complex are described in
8 Part II of the Hanford permit and are not the responsibility of Unit 8. Access to the 222-S
9 dangerous waste management units is controlled at all times. The dangerous waste management
10 units can be accessed only by authorized personnel. Control is provided by locking the entrances
11 to ensure entry to authorized personnel only.

12 **E.1.1 Warning Signs**

13 The 222-S dangerous waste management units are posted with warning signs. The signs are
14 visible from all angles of approach, are legible from a distance of 7.6 meters (25ft.), and are
15 printed in English.

16 The 219-S Waste Handling Facility doors are posted with the following signs:

- 17 • "NO SMOKING".
- 18 • "DANGER - UNAUTHORIZED PERSONNEL KEEP OUT".
- 19 • Appropriate radiological postings.

20 The doors of the 222-S DMWSA are posted with the following signs:

- 21 • "NO SMOKING".
- 22 • "DANGER - UNAUTHORIZED PERSONNEL KEEP OUT".
- 23 • Appropriate radiological postings.

24 The gate to the Room 2-B storage area and the doors to Room 4-E are posted with the following
25 sign:

- 26 • "DANGER - UNAUTHORIZED PERSONNEL KEEP OUT".
- 27 • Appropriate radiological postings.

28 "No Smoking" signs are not posted at Room 2-B or Room 4-E because smoking is not allowed in
29 radiological contamination areas of the 222-S Laboratory Complex.

30 **E.2 Waiver**

31 Waiver of the security procedures and equipment requirements for the 222-S Laboratory
32 Complex is not requested. Therefore, the requirements of [WAC 173-303-310](#)(1)(a) and (b) are
33 not applicable.

34

1
2
3

This page intentionally left blank.

DRAFT