

1  
2  
3  
4  
5

**ADDENDUM E  
SECURITY**

1  
2  
3  
4  
5

This page intentionally left blank.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11

**ADDENDUM E  
SECURITY**

**6 TABLE OF CONTENTS**

7 E. SECURITY ..... 5  
8 E.1 Security ..... 5  
9 E.1.1 Waiver..... 5

1  
2  
3  
4  
5

This page intentionally left blank.

1 **E. SECURITY**

2 This addendum discusses security for the Plutonium Uranium Extraction Facility (PUREX) Storage  
3 Tunnels.

4 **E.1 Security**

5 The Permittees will post signs at access points to the PUREX Storage Tunnels stating, DANGER-  
6 UNAUTHORIZED PERSONNEL KEEP OUT, or an equivalent legend. These signs will be written in  
7 English, legible from a distance of 7.6 meters, and visible from any approach to the active portion.  
8 [[WAC 173-303-310](#)(2)(a)].

9 **E.1.1 Waiver**

10 A waiver of the security procedures and equipment requirements for the PUREX Storage Tunnels is not  
11 requested. Therefore, the requirements of [WAC 173-303-310](#)(1)(a) and (b) are not applicable to the  
12 PUREX Storage Tunnels.

1  
2  
3  
4  
5

This page intentionally left blank.