

January 2007

WA7890008967, Part IV, Corrective Action Unit 1
100-NR-1 Operable Unit

1
2
3
4

CHAPTER 6.0
RECOMMENDED ALTERNATIVE

January 2007

1
2
3
4
5

This page intentionally left blank.

January 2007

1
2
3
4
5
6

CHAPTER 6.0
RECOMMENDED ALTERNATIVE

CONTENTS

6.0 RECOMMENDED ALTERNATIVE..... 6.5

January 2007

1
2
3
4
5

This page intentionally left blank.

January 2007

1 **6.0 RECOMMENDED ALTERNATIVE**

2 Based on implementability, short-term effectiveness, and cost, the recommended alternative to address
3 the contaminated ancillary facilities (listed in Table 2.1 of this EE/CA) is to implement Alternative 2,
4 which involves performing S&M until such time that D&D work could be planned and executed. At that
5 time, Alternative Four would be implemented, which involves performing D&D work in accordance to
6 the process and priority order established by the attached proposed integration plan (i.e., interfering
7 facilities in RU 1 first, then interfering facilities in RU 4, etc., as listed in Table 2.1). Alternative Four
8 provides a protective, permanent solution and is more effective than Alternative Two; however, in the
9 interim, S&M provides adequate protection until final remedial actions can be scheduled in coordination
10 with the overall 100 Area remedial priorities established in the Tri-Party Agreement based on values
11 expressed by regulators, stakeholders, affected tribes, and the public.

12 It should be noted that Alternative 1 is not considered to be effective. Alternative Three provides
13 protection of human health and the environment equal to Alternative 4 but it is not cost effective.

14

January 2007

1
2
3
4
5

This page intentionally left blank.