



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

Northwest Regional Office • 3190 160th Avenue SE • Bellevue, Washington 98008-5452 • (425) 649-7000

July 20, 2007

**REGISTERED MAIL**  
**RB 670 439 016 US**

Elisabeth & Michael Wilks  
169 Mill Street  
Friday Harbor WA, 98250

RE: Water Quality Certification Order #4782 and Coastal Zone Management Consistency Determination for U.S. Army Corps of Engineers (Corps) Reference #200600998, Wilks Piling Project, Friday Harbor, Griffin Bay, San Juan County, Washington

Dear Elisabeth and Michael Wilks:

On June 19, 2007, the Washington State Department of Ecology (Ecology) received a Joint Aquatic Resources Permit Application (JARPA) from Elisabeth and Michael Wilks requesting a Section 401 Water Quality Certification for the Wilks Piling Project. A public notice regarding the request was distributed by Ecology for the above-referenced project pursuant to the provisions Chapter 173-225 WAC on June 22, 2007.

On behalf of the State of Washington, through the enclosed Order, Ecology certifies that the work described in the original JARPA submitted on June 19, and in the public notice (June 22) complies with applicable provisions of Sections 301, 302, 303, 306 and 307 of the Clean Water Act, as amended, and applicable state laws. This certification is subject to the conditions contained in the enclosed Order.

On June 12, Ecology received a Certification of Consistency with the Washington State Coastal Zone Management Program (CZMP) form from Elisabeth and Michael Wilks for this project. Pursuant to Section 307(c)(3) of the Coastal Zone Management Act of 1972 as amended, Ecology concurs with Elisabeth and Michael Wilks' determination that the proposed work is consistent with Washington's CZMP. This concurrence is based upon the Elisabeth and Michael Wilks' compliance with all applicable enforceable policies of the CZMP, including Section 401 of the CWA.



Elisabeth & Michael Wilks  
July 20, 2007  
Page 2 of 2

If you have any questions, please contact Lori Enlund at (425) 649-7271 or  
LENL461@ecy.wa.gov. The enclosed Order may be appealed by following the procedures  
described in the Order.

Sincerely,

A handwritten signature in black ink, appearing to read 'Geoff Tallent', with a long horizontal flourish extending to the right.

Geoff Tallent  
Northwest Regional Office  
Shorelands and Environmental Assistance Program

GT:LCE:cja

Enclosure

cc: Rozwin Lierra, U.S. Army Corps of Engineers  
Donna Gavora, Gavora, Inc.

e-cc: Penny Keys – Ecology, HQ  
Loree' Randall – Ecology, HQ

<b>IN THE MATTER OF GRANTING A</b>	)	<b>ORDER #4782</b>
<b>WATER QUALITY</b>	)	<b>Corps Reference #200600998</b>
<b>CERTIFICATION TO</b>	)	To perform maintenance and repair to re-anchor
<b>Elisabeth &amp; Michael Wilks</b>	)	six (6) pair of existing piling in San Juan County,
in accordance with 33 U.S.C. 1341	)	Washington
(FWPCA § 401), RCW 90.48.120, RCW	)	
90.48.260 and Chapter 173-201A WAC	)	

TO: Elisabeth & Michael Wilks  
169 Mill Street  
Friday Harbor, WA 98250

On June 19, 2007 the Elisabeth & Michael Wilks submitted a Joint Aquatic Resources Permit Application (JARPA) to the Department of Ecology (Ecology) requesting a Section 401 Water Quality Certification. A public notice regarding the request was distributed by Ecology for the above-referenced project pursuant to the provisions of Chapter 173-225 WAC on June 22, 2007.

The proposed project entails performing maintenance and repair to re-anchor six pair of existing piling in Griffin Bay near Friday Harbor, San Juan County, Washington 98250. Section 23, Township 35N, Range 3, WRIA# 2, San Juan.

**AUTHORITIES:**

In exercising authority under 33 U.S.C. § 1341, 16 U.S.C. § 1456, RCW 90.48.120, and RCW 90.48.260, Ecology has examined this application pursuant to the following:

1. Conformance with applicable water quality-based, technology-based, and toxic or pretreatment effluent limitations as provided under 33 U.S.C. §§1311, 1312, 1313, 1316, and 1317 (FWPCA §§ 301, 303, 306 and 307);
2. Conformance with the state water quality standards contained in Chapter 173-201A WAC and authorized by 33 U.S.C. §1313 and by Chapter 90.48 RCW, and with other applicable state laws; and
3. Conformance with the provision of using all known, available and reasonable methods to prevent and control pollution of state waters as required by RCW 90.48.010.

## **WATER QUALITY CERTIFICATION CONDITIONS:**

Through issuance of this Order, Ecology certifies that it has reasonable assurance that the activity as proposed and conditioned will be conducted in a manner that will not violate applicable water quality standards and other appropriate requirements of state law. In view of the foregoing and in accordance with 33 U.S.C. §1341, RCW 90.48.120, RCW 90.48.260 Chapter 173-200 WAC and Chapter 173-201A WAC, water quality certification is granted to the Applicant subject to the conditions within this Order.

Certification of this proposal does not authorize the Applicant to exceed applicable state water quality standards (Chapter 173-201A WAC), ground water standards (Chapter 173-200 WAC) or sediment quality standards (Chapter 173-204 WAC). Furthermore, nothing in this certification shall absolve the Applicant from liability for contamination and any subsequent cleanup of surface waters, ground waters or sediments occurring as a result of project construction or operations.

### **A. General Conditions:**

- A1. For purposes of this Order, the term "Applicant" shall mean Elisabeth and Michael Wilks, and their agents, assignees and contractors.
- A2. For purposes of this Order, all submittals required by its conditions shall be sent to the Washington State Department of Ecology, Northwest Regional Office, Attn: Lori Enlund, 3190 160<sup>th</sup> Avenue SE, Bellevue, WA 98008-5452. Any submittals shall reference Order No. 4782 and Corps No. 200600998.
- A3. Work authorized by this Order is limited to the work described in the JARPA received by Ecology on June 19, 2007. The Applicant will be out of compliance with this Order and must reapply with an updated application if the information contained in the JARPA is voided by subsequent changes to the project not authorized by this Order.
- A4. Within 30 days of receipt of an updated JARPA Ecology will determine if the revised project requires a new water quality certification and public notice or if a modification to this Order is required.
- A5. This Order does not exempt, and is provisional upon compliance with other statutes and codes administered by federal, state, and local agencies.
- A6. Copies of this Order shall be kept on the job site and readily available for reference by Ecology personnel, the construction superintendent, construction managers and lead workers, and state and local government inspectors.
- A7. The Applicant shall provide access to the project site and all mitigation sites upon request by Ecology personnel for site inspections, monitoring, necessary data collection, and/or to ensure that conditions of this Order are being met.

- A8. Nothing in this Order waives Ecology's authority to issue additional orders if Ecology determines that further actions are necessary to implement the water quality laws of the state. Further, Ecology retains continuing jurisdiction to make modifications hereto through supplemental order, if additional impacts due to project construction or operation are identified (*e.g.*, violations of water quality standards, downstream erosion, etc.), or if additional conditions are necessary to further protect water quality.
- A9. This Order does not authorize direct, indirect, permanent, or temporary impacts to waters of the state or related aquatic resources, except as specifically provided for in the conditions of this Order.
- A10. Any person who fails to comply with any provision of this Order shall be liable for a penalty of up to ten thousand dollars (\$10,000.00) per violation for each day of continuing noncompliance.

**B. Timing Requirements**

- B1. This Order is valid until though June 5, 2009.

**C. Appeal Process:**

You have the right to appeal this Order to the Pollution Control Hearings Board. Pursuant to chapter 43.21B RCW, your appeal must be filed with the Pollution Control Hearings Board, and served on the Department of Ecology within thirty (30) days of the date of your receipt of this document.

To appeal this Order, your notice of appeal must contain a copy of the Ecology Order you are appealing.

Your appeal must be filed with:

The Pollution Control Hearings Board  
4224 - 6th Avenue SE, Rowe Six, Bldg. 2  
P.O. Box 40903  
Lacey, Washington 98504-0903

Your appeal must also be served on:


The Department of Ecology  
Appeals Coordinator  
P.O. Box 47608  
Olympia, Washington 98504-7608.

In addition, please send a copy of your appeal to:  
Federal Permit Appeals Coordinator  
Department of Ecology  
P.O. Box 47600  
Olympia, Washington 98504-7600

*For additional information: Environmental Hearings Office Website: <http://www.eho.wa.gov>*

Your appeal alone will not stay the effectiveness of this Order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Ch. 43.21B RCW.

Dated July 20, 2007 at Bellevue, Washington.



---

Geoff Tallent, Section Manager  
Shorelands and Environmental Assistance Program  
Department of Ecology  
State of Washington