EXHIBIT E

TABLE 1 - Groundwater Analytical Summary Table
TPH
Former Nord Door Facility
Everett, Washington

			Hydrocarbon Identification [A] (mg/l)			Total Petroleum Hydrocarbons [E] (mg/l)		
Sample Location	**Sample Label**	**Sample Date**	TPH Gasoline [B]	TPH Diesel [C]	TPH Heavy Oil [D]	TPH-Gx Gasoline Range	TPH-Dx Diesel Range	TPH-Dx Heavy Oil Range
GP-1	GP1-GW	5/4/2006	ND (<0.238) [F]	ND (<0.600)	ND (<0.600)	-	-	-
GP-2	GP2-GW	5/4/2006	**DET**	ND (<0.600)	ND (<0.600)	-	-	-
GP-3	GP3-GW	5/4/2006	**DET**	ND (<0.600)	ND (<0.600)	-	-	-
GP-4	GP4-GW	5/11/2006	**DET**	**DET**	ND (<0.600)	**372**	ND (<0.238)	ND (<0.476)
GP-5	GP5-GW	5/4/2006	**DET**	**DET**	ND (<0.600)	-	-	-
GP-6	GP6-GW	5/2/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
GP-7	GP7-GW	5/2/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
GP-8	GP8-GW	5/2/2006	ND (<0.236)	ND (<0.594)	ND (<0.594)	-	-	-
GP-9	GP9-GW	5/1/2006	**DET**	**DET**	**DET**	**6.710**	**23.1**	ND (<0.943)
GP-10	GP10-GW	5/1/2006	**DET**	**DET**	**DET**	**9.140**	**41.8**	**5.94**
GP-11	GP11-GW	5/4/2006	**DET**	**DET**	**DET**	-	-	-
GP-12	GP12-GW	5/2/2006	ND (<0.236)	**DET**	ND (<0.594)	-	ND (<0.472)	ND (<0.943)
GP-13	GP13-GW	5/1/2006	**DET**	**DET**	**DET**	**0.179**	ND (<0.472)	ND (<0.943)
GP-14	GP14-GW	5/1/2006	**DET**	**DET**	**DET**	**0.292**	**10.9**	**1.24**
GP-15	GP15-GW	5/1/2006	**DET**	**DET**	ND (<0.594)	-	**1.33**	ND (<0.943)
GP-16	GP16-GW	5/1/2006	**DET**	**DET**	ND (<0.594)	-	**0.492**	ND (<0.943)
GP-17	GP17-GW	5/1/2006	ND (<0.236)	**DET**	ND (<0.594)	-	ND (<0.472)	ND (<0.943)
GP-18	GP18-GW	5/1/2006	ND (<0.236)	ND (<0.594)	ND (<0.594)	-	-	-
GP-19	GP19-GW	5/1/2006	ND (<0.236)	ND (<0.594)	ND (<0.594)	-	-	-
GP-20	GP20-GW	5/4/2006	ND (<0.238)	ND (<0.600)	**DET**	-	-	-
GP-21	GP21-GW	5/4/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
GP-22	GP22-GW	5/4/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
GP-23	GP23-GW	5/1/2006	ND (<0.236)	ND (<0.594)	ND (<0.594)	-	-	-
GP-24	GP24-GW	5/3/2006	ND (<0.238)	**DET**	**DET**	-	ND (<0.476)	**1.48**
GP-25	GP25-GW	Sample Held	-	-	-	-	-	-
GP-26	GP26-GW	5/3/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
GP-27	GP27-GW	5/3/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
GP-28	GP28-GW	Sample Held	-	-	-	-	-	-
GP-29	GP29-GW	5/4/2006	ND (<0.238)	ND (<0.600)	**DET**	-	-	-
GP-30	GP30-GW	Sample Held	-	-	-	-	-	-
GP-31	GP31-GW	5/3/2006	ND (<0.238)	**DET**	**DET**	-	-	-
GP-32	GP32-GW	Sample Held	-	-	-	-	-	-
GP-33	GP33-GW	5/3/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
GP-34	GP34-GW	5/3/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
GP-35	GP35-GW	5/4/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
GP-36	GP36-GW	5/3/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
GP-37	GP37-GW	5/2/2006	ND (<0.236)	ND (<0.594)	ND (<0.594)	-	-	-
GP-38	GP38-GW	5/2/2006	ND (<0.236)	ND (<0.594)	ND (<0.594)	-	-	-
GP-39	GP39-GW	5/2/2006	ND (<0.236)	ND (<0.594)	ND (<0.594)	-	-	-
GP-40	GP40-GW	5/2/2006	ND (<0.236)	ND (<0.594)	ND (<0.594)	-	-	-
GP-41	GP41-GW	5/2/2006	ND (<0.236)	ND (<0.594)	ND (<0.594)	-	-	-
GP-42	GP42-GW	5/2/2006	ND (<0.236)	ND (<0.594)	ND (<0.594)	-	-	-
November 2006								
MW1-1106	--	11/14/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
MW2-1106	--	11/14/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
MW3-1106	--	11/14/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
MW4-1106	--	11/14/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
MW5-1106	--	11/14/2006	ND (<0.238)	ND (<0.600)	ND (<0.600)	-	-	-
Preliminary Screening Level Values (SLVs)								
MTCA Method A Cleanup Levels for Ground Water [G]			NA	NA	NA	1.00 / 0.80 [J]	0.5	0.5
Oregon DEQ Risk-Based Concentrations Construction Worker / Excavation Worker Exposure Scenario [H]			NA	NA	NA	12	>S [K]	>S
Oregon DEQ Risk-Based Concentrations - Residential Vapor Intrusion into Building Exposure Scenario [I]			NA	NA	NA	>S	>S	>S

NOTES:

- = Not Sampled or Not Analyzed for specific constituent.

BOLD = Analytes detected at or above the laboratory method reporting limit.

A - Hydrocarbon Identification per NW-TPH Methodology.

B - Gasoline Range Hydrocarbons

C - Diesel Range Hydrocarbons

D - Heavy Oil Range Hydrocarbons

E - Hydrocarbon per NW-TPH-Gx and NW-TPH-Dx methodologies.

F - Not Detected (ND) at or above the laboratory Method Reporting Limit (MRL) of 0.238 mg/l (milligrams per liter).

G - Model Toxics Control Act (MTCA) - Cleanup Regulation, Table 740-1, Method A Groundwater Levels.

H - Screening value using Oregon's Risk-Based Concentration for Construction Work / Excavation Work exposure to TPH in groundwater (excavation).

I - Screening value using Oregon's Risk-Based Concentration for Residential exposure by vapor intrusion into building from TPH in groundwater.

J - Gasoline Range Organics 1,000 µg/l (1.00 mg/l) with no detectable benzene in groundwater, 800 µg/l (0.80 mg/l) is benzene if present in groundwater.

K - For this screening value exposure pathway, the groundwater RBC (value) exceeds the solubility limit. Free product would likely be present to exceed the screening value by this pathway.

= Value exceeds one or more of the Screening Level Values

TABLE 3 - Groundwater Analytical Summary Table
SVOCs and PAHs
Former Nord Door Facility
Everett, Washington

Sample Location	Sample Label	Sample Date	Semivolatile Organic Compounds (SVOCs) [A] and Polynuclear Aromatic Compounds (PAHs) [B] (µg/l)																						
			Carbazole	Acenaphthene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(ghi) perylene	Benzo(k) fluoranthene	Chrysene	Dibenzofuran	2,4-Dimethyl phenol	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	2-Methyl naphthalene	2-Methyl-phenol	3-, 4-Methylphenol	Naphthalene	Nitrobenzene	Penta-chlorophenol	Phenanthrene	Phenol	Pyrene
GP-1	GP1-GW	5/4/2006	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ND (<0.952) [C]	-	-	-
GP-3	GP3-GW	5/4/2006	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ND (<0.943) [C]	-	-	-
GP-4	GP4-GW	5/11/2006	ND (<4.72) [D]	ND(<4.72)	ND(<4.72)	ND(<4.72)	ND(<4.72)	ND(<4.72)	ND(<4.72)	ND(<4.72)	ND(<4.72)	ND(<4.72)	ND(<4.72)	ND(<4.72)	ND(<4.72)	ND(<4.72)	ND(<4.72)	ND (<9.43)	ND(<4.72)	ND(<4.72)	ND(<4.72)	ND (<9.43)	ND(<4.72)	ND(<4.72)	ND(<4.72)
GP-6	GP6-GW	5/2/2006	-	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	-	-	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	-	-	-	ND (<0.0952)	-	ND (<0.952)	ND (<0.0952)	-	ND (<0.0952)
GP-7	GP7-GW	5/2/2006	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)
GP-9	GP9-GW	5/1/2006	**681**	**859**	**271**	**100**	**61.6**	**59.4**	ND (<47.2)	**56.3**	**167**	**425**	**3,890**	**469**	**504**	ND (<47.2)	**1,250**	**331**	**492**	**13,900**	ND (<47.2)	ND (<94.3)	**1,090**	**251**	**423**
GP-10	GP10-GW	5/1/2006	**499**	**1,130**	**221**	**226**	**163**	**157**	ND (<94.3)	**149**	**178**	**599**	**10,300**	**1,050**	**779**	ND (<94.3)	**1,100**	ND (<189)	**228**	**12,200**	ND (<94.3)	ND (<189)	**2,090**	ND (<94.3)	**883**
GP-11	GP11-GW	5/4/2006	-	**289**	**56.6**	**11.8**	**6.65**	**7.05**	ND (<4.76)	**5.64**	**22.8**	-	-	**66.0**	154	ND (<4.76)	-	-	-	**7,920**	-	-	**231**	-	**48.9**
GP-12	GP12-GW	5/2/2006	**5.35**	**63.3**	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	**22.4**	ND (<9.43)	**16.2**	**35.5**	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	**24.4**	ND (<4.72)	**15.5**
GP-13	GP13-GW	5/1/2006	**9.57**	**60.2**	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	**10.0**	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)
GP-14	GP14-GW	5/1/2006	**54.1**	**401**	ND (<47.6)	ND (<47.6)	ND (<47.6)	ND (<47.6)	ND (<47.6)	ND (<47.6)	ND (<47.6)	**127**	ND (<95.2)	**89.2**	**166**	ND (<47.6)	**184**	ND (<95.2)	ND (<47.6)	**948**	ND (<47.6)	ND (<95.2)	**306**	ND (<47.6)	**59.2**
GP-15	GP15-GW	5/1/2006	**163**	**517**	**6.18**	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	**206**	ND (<9.43)	**12.2**	**200**	ND (<4.72)	**55.2**	ND (<4.72)	ND (<4.72)	**7.88**	ND (<4.72)	ND (<9.43)	**84.4**	ND (<4.72)	**7.04**
GP-16	GP16-GW	5/1/2006	ND (<4.72)	**252**	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	**12.3**	ND (<4.72)	ND (<4.72)	**100**	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	**33.3**	ND (<4.72)	ND (<4.72)
GP-17	GP17-GW	5/1/2006	ND (<4.72)	**52.4**	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	**8.62**	ND (<4.72)	**8.55**	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)
GP-18	GP18-GW	5/1/2006	-	ND (<0.0943)	ND (<0.0943)	ND (<0.0943)	ND (<0.0943)	ND (<0.0943)	ND (<0.0943)	ND (<0.0943)	ND (<0.0943)	-	-	**0.185**	ND (<0.0943)	ND (<0.0943)	-	-	-	**0.0960**	-	-	**0.119**	-	**1.31**
GP-19	GP19-GW	5/1/2006	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)
GP-22	GP22-GW	5/4/2006	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)
GP-23	GP23-GW	5/1/2006	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)
GP-24	GP24-GW	5/3/2006	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)
GP-27	GP27-GW	5/3/2006	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)
GP-29	GP29-GW	5/4/2006	ND (<4.72)	**11.7**	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)
GP-31	GP31-GW	5/3/2006	-	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	-	-	ND (<0.0952)	ND (<0.0952)	ND (<0.0952)	-	-	-	ND (<0.0952)	-	-	ND (<0.0952)	-	ND (<0.0952)
GP-34	GP34-GW	5/3/2006	ND (<190)	ND (<190)	ND (<190)	ND (<190)	ND (<190)	ND (<190)	ND (<190)	ND (<190)	ND (<190)	ND (<190)	ND (<381)	ND (<190)	ND (<190)	ND (<190)	ND (<190)	ND (<381)	ND (<190)	ND (<190)	ND (<190)	ND (<381)	ND (<190)	ND (<190)	ND (<190)
GP-35	GP35-GW	5/4/2006	-	ND (<0.0943)	ND (<0.0943)	ND (<0.0943)	ND (<0.0943)	ND (<0.0943)	ND (<0.0943)	ND (<0.0943)	ND (<0.0943)	-	-	ND (<0.0943)	ND (<0.0943)	ND (<0.0943)	-	-	-	**0.397**	-	-	ND (<0.0943)	-	ND (<0.0943)
GP-36	GP36-GW	5/3/2006	ND (<4.72)	**4.78**	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)	ND (<9.43)	ND (<4.72)	ND (<4.72)	ND (<4.72)
GP-41	GP41-GW	5/2/2006	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)
GP-42	GP42-GW	5/2/2006	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)	ND (<9.52)	ND (<4.76)	ND (<4.76)	ND (<4.76)
November 2006																									
MW1-1106	-	11/14/2006	ND (<4.95)	ND (<4.95)	ND (<4.95)	ND (<4.95)	ND (<4.95)	ND (<4.95)	ND (<4.95)	ND (<4.95)	ND (<4.95)	ND (<4.95)	ND (<9.90)	ND (<4.95)	ND (<4.95)	ND (<4.95)	ND (<4.95)	ND (<9.90)	ND (<4.95)	ND (<4.95)	ND (<4.95)	ND (<9.90)	ND (<4.95)	ND (<4.95)	ND (<4.95)
MW2-1106	-	11/14/2006	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<9.80)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<9.80)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<9.80)	ND (<4.90)	ND (<4.90)	ND (<4.90)
MW3-1106	-	11/14/2006	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<9.80)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<9.80)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<9.80)	ND (<4.90)	ND (<4.90)	ND (<4.90)
MW4-1106	-	11/14/2006	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<9.80)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<9.80)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<9.80)	ND (<4.90)	ND (<4.90)	ND (<4.90)
MW5-1106	-	11/14/2006	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<9.80)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<9.80)	ND (<4.90)	ND (<4.90)	ND (<4.90)	ND (<9.80)	ND (<4.90)	ND (<4.90)	ND (<4.90)
Preliminary Screening Level Values (SLVs)																									
MTCA Method A Cleanup Levels for Ground Water [E]			NP [H]	NP	NP	0.1	0.1	0.1	NP	0.1	0.1	NP	NP	NP	NP	0.1	160	NP	NP	160	NP	NP	NP	NP	NP
EPA Region 9 PRG - Tap Water Value [F]			3.4	370	1,800	0.092	0.0092	0.092	NP	0.920	9.20	730	730	1,500	240	0.092	NP	1,800	NP	6.2	3.4	0.56	NP	11,000	180
Oregon DEQ Risk-Based Concentrations Construction Worker / Excavation Worker Exposure Scenario [G]			NP	>S [I]	>S	9.1	>S	>S	NP	>S	>S	NP	NP	>S	>S	>S	NP	NP	NP	680	NP	NP	NP	NP	>S

NOTES:

Of the 66 Semi-Volatile Organic Compounds (SVOCs) analytes quantified by the EPA 8270C analysis, only those analytes with one or more detections are listed. See attached laboratory report.

Of the 17 Polynuclear Aromatic Compounds (PAHs) and Pentachlorophenol per EPA Method 8270M-SIM, only those analytes with one or more detections are listed. See attached laboratory report.

- = Not Sampled or Not Analyzed for specific constituent.

BOLD = Analytes detected at or above the laboratory method reporting limit (MRL).

A - Semivolatile Organic Compounds (SVOCs) per EPA Method 8270C.

B - Polynuclear Aromatic Compounds (PAHs) and Pentachlorophenol per EPA Method 8270M-SIM.

C - Pentachlorophenol (PCP) per EPA Method 8270M-SIM.

D - Not Detected (ND) at or above the laboratory Method Reporting Limit (MRL) of 4.72 µg/l (micrograms per liter).

E - Model Toxics Control Act (MTCA) - Cleanup Regulation, Table 720-1, Method A Cleanup Levels for Ground Water (cleanup levels for drinking water as beneficial use).

F - EPA Region 9 Preliminary Remediation Goals (PRGs), October 2004 - tap water screening value.

G - Screening value using Oregon's Risk-Based Concentration for Construction Work / Excavation Work exposure to groundwater (excavation).

H - Value Not Provided.

I - For this screening value exposure pathway, the groundwater RBC (value) exceeds the solubility limit. Free product would likely be present to exceed the screening value by this pathway.

= Value exceeds one or more of the Screening Level Values

TABLE 4 - Soil Analytical Summary Table
SVOCs and PAHs
Former Nord Door Facility
Everett, Washington

Sample Location	Sample Label	Sample Depth (feet)	Sample Date	Carbazole	Acenaphthene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(ghi) perylene	Benzo(k) fluoranthene	Chrysene	Dibenzo(a,h) anthracene	Dibenzofuran	2,4-Dimethyl phenol	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	2-Methyl naphthalene	2-Methylphenol	3-, 4-Methylphenol	Naphthalene	Nitrobenzene	Pentachloro-phenol [C]	Phenanthrene	Phenol	Pyrene
				Semivolatile Organic Compounds (SVOCs) [A] and Polynuclear Aromatic Compounds (PAHs) [B] (mg/kg)																							
GP-1	GP1-10	10.0	5/4/2006	ND (<3.80) [D]	**6.96**	ND (<3.80)	**4.26**	ND (<3.80)	ND (<3.80)	ND (<3.80)	ND (<3.80)	**4.70**	ND (<3.80)	**4.85**	ND (<11..5)	**18.9**	**9.77**	ND (<3.80)	ND (<3.80)	ND (<3.80)	ND (<3.80)	ND (<3.80)	ND (<3.80)	ND (<11.5)	**34.0**	ND (<3.80)	**14.4**
GP-4	GP4-4.5	4.5	5/11/1006	-	**0.038.9**	ND(<0.0214)	ND(<0.0214)	ND(<0.0214)	ND(<0.0214)	ND(<0.0214)	ND(<0.0214)	ND(<0.0214)	ND(<0.0214)	-	-	ND(<0.0214)	ND(<0.0214)	ND(<0.0214)	-	-	-	ND(<0.0214)	-	**0.156**	ND(<0.0214)	-	ND(<0.0214)
GP-5	GP5-6.5	6.5	5/4/2006	-	**1.920**	**0.279**	ND (<0.154)	ND (<0.154)	ND (<0.154)	ND (<0.154)	ND (<0.154)	ND (<0.154)	ND (<0.154)	-	-	**0.873**	**1.570**	ND (<0.154)	-	-	-	**0.221**	-	ND (<0.769)	**4.020**	-	**0.422**
GP-9	GP9-6	6.0	5/1/2006	**232**	**499**	**460**	**137**	ND (<88.8)	ND (<88.8)	ND (<88.8)	ND (<88.8)	**201**	ND (<88.8)	**276**	ND (<269)	**577**	**421**	ND (<88.8)	**362**	ND (<88.8)	ND (<88.8)	**1,060**	ND (<88.8)	ND (<269)	**1,080**	ND (<88.8)	**496**
GP-9	GP9-12	12.0	5/1/2006	-	**118**	**31.8**	**40.1**	**26.3**	**30.6**	**11.0**	**17.7**	**30.2**	ND (<6.47)	-	-	**171**	**99.6**	**10.1**	-	-	-	**294**	-	ND (<32.4)	**318**	-	**119**
GP-10	GP10-3	3.0	5/1/2006	**47.0**	ND (<15.3)	**156**	**18.7**	**48.5**	**53.2**	**39.8**	**40.8**	**59.1**	ND (<15.3)	ND (<15.3)	ND (<46.4)	**19.6**	ND (<15.3)	**30.0**	ND (<15.3)	ND (<15.3)	ND (<15.3)	ND (<15.3)	ND (<15.3)	ND (<46.4)	**24.3**	ND (<15.3)	**30.4**
GP-10	GP10-11	11.0	5/1/2006	-	**10.1**	**31.9**	**34.5**	**20.9**	**25.0**	**8.01**	**13.8**	**35.4**	ND (<6.94)	-	-	**155**	**90.1**	**7.14**	-	-	-	**238**	-	ND (<34.7)	**301**	-	**115**
GP-11	GP11-12	12.0	5/4/2006	-	**113**	**28.2**	**33.6**	**20.2**	**20.2**	ND (<8.36)	**17.9**	**27**	ND (<8.36)	-	-	**159**	**91.8**	ND (<8.36)	-	-	-	**292**	-	ND (<41.8)	**29.4**	-	**97.3**
GP-12	GP12-8	8.0	5/2/2006	ND (84.2)	**287**	**185**	**152**	**104**	**92.8**	ND (84.2)	**102**	**261**	ND (84.2)	**143**	ND (<255)	**629**	**271**	ND (84.2)	ND (84.2)	ND (84.2)	ND (84.2)	ND (84.2)	ND (84.2)	ND (<255)	**705**	ND (84.2)	**577**
GP-13	GP13-11.5	11.5	5/1/2006	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<0.404)	ND (<1.22)	ND (<0.404)	ND (<0.404)	ND (<0.404)
GP-14	GP14-6	6.0	5/1/2006	**8.14**	**26.6**	**21.9**	**6.77**	ND (<4.25)	ND (<4.25)	ND (<4.25)	ND (<4.25)	**7.83**	ND (<4.25)	**15.6**	ND (<12.9)	**32.8**	**24.4**	ND (<4.25)	**14.8**	ND (<4.25)	ND (<4.25)	**38.0**	ND (<4.25)	ND (<12.9)	**59.9**	ND (<4.25)	**24.0**
GP-15	GP15-10	10.0	5/1/2006	**3.34**	**1.28**	ND (<0.388)	ND (<0.388)	ND (<0.388)	ND (<0.388)	ND (<0.388)	ND (<0.388)	ND (<0.388)	ND (<0.388)	**1.52**	ND (<1.18)	**0.937**	**2.83**	ND (<0.388)	ND (<0.388)	ND (<0.388)	ND (<0.388)	**0.447**	ND (<0.388)	ND (<1.18)	**1.83**	ND (<0.388)	**0.660**
GP-16	GP16-8	8.0	5/1/2006	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<0.823)	ND (<2.49)	ND (<0.823)	ND (<0.823)	ND (<0.823)
GP-17	GP17-5	5.0	5/1/2006	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<0.734)	ND (<2.22)	ND (<0.734)	ND (<0.734)	ND (<0.734)
GP-18	GP18-8	8.0	5/1/2006	-	ND (<0.0162)	ND (<0.0162)	ND (<0.0162)	ND (<0.0162)	**0.0250**	ND (<0.0162)	ND (<0.0162)	**0.0164**	ND (<0.0162)	-	-	**0.0292**	ND (<0.0162)	ND (<0.0162)	-	-	-	ND (<0.0162)	-	ND (<0.0812)	ND (<0.0162)	-	**0.0721**
GP-22	GP22-6.5	6.5	5/4/2006	-	**0.0373**	**0.0313**	**0.125**	**0.170**	**0.194**	**0.111**	**0.110**	**0.140**	**0.0327**	-	-	**0.354**	**0.0185**	**0.0997**	-	-	-	**0.0185**	-	ND (<0.0791)	**0.120**	-	**0.227**
GP-24	GP24-6	6.0	5/3/2006	-	ND (<0.0289)	ND (<0.0289)	**0.0950**	**0.112**	**0.0843**	**0.0741**	**0.0957**	**0.119**	ND (<0.0289)	-	-	**0.190**	ND (<0.0289)	**0.0650**	-	-	-	**0.0492**	-	ND (<0.144)	**0.111**	-	**0.175**
GP-29	GP29-8	8.0	5/4/2006	-	**0.216**	**0.520**	**0.459**	**0.534**	**0.681**	**0.406**	**0.323**	**0.626**	**0.120**	-	-	**1.3**	**0.253**	**0.347**	-	-	-	**0.360**	-	**7.4**	**1.27**	-	**0.856**
GP-34	GP34-8	8.0	5/3/2006	-	ND (<0.152)	ND (<0.152)	ND (<0.152)	ND (<0.152)	**0.375**	**0.175**	ND (<0.152)	**0.497**	ND (<0.152)	-	-	**0.184**	ND (<0.152)	ND (<0.152)	-	-	-	ND (<0.152)	-	ND (<0.758)	**0.211**	-	**0.216**
GP-37	GP37-8	8.0	5/2/2006	-	ND (<0.0335)	ND (<0.0335)	ND (<0.0335)	ND (<0.0335)	ND (<0.0335)	ND (<0.0335)	ND (<0.0335)	ND (<0.0335)	ND (<0.0335)	-	-	ND (<0.0335)	ND (<0.0335)	ND (<0.0335)	-	-	-	**0.0355**	-	ND (<167)	**0.041**	-	ND (<0.0335)
GP-39	GP39-9	9.0	5/2/2006	-	ND (<0.0296)	ND (<0.0296)	ND (<0.0296)	ND (<0.0296)	ND (<0.0296)	ND (<0.0296)	ND (<0.0296)	ND (<0.0296)	ND (<0.0296)	-	-	ND (<0.0296)	ND (<0.0296)	ND (<0.0296)	-	-	-	ND (<0.0296)	-	ND (<0.148)	ND (<0.0296)	-	ND (<0.0296)
GP-41	GP41-8	8.0	5/2/2006	-	ND (<0.749)	ND (<0.749)	ND (<0.749)	ND (<0.749)	ND (<0.749)	ND (<0.749)	ND (<0.749)	ND (<0.749)	ND (<0.749)	-	-	ND (<0.749)	ND (<0.749)	ND (<0.749)	-	-	-	ND (<0.749)	-	ND (<0.374)	ND (<0.749)	-	ND (<0.749)
GP-42	GP42-8	8.0	5/2/2006	-	ND (<0.0705)	ND (<0.0705)	ND (<0.0705)	ND (<0.0705)	ND (<0.0705)	ND (<0.0705)	ND (<0.0705)	ND (<0.0705)	ND (<0.0705)	-	-	ND (<0.0705)	ND (<0.0705)	ND (<0.0705)	-	-	-	ND (<0.0705)	-	ND (<0.352)	ND (<0.0705)	-	ND (<0.0705)
				Preliminary Screening Level Values (SLVs)																							
MTCA Method A Soil Cleanup Levels for Unrestricted Land Uses [E]				NP [H]	NP	NP	0.1	0.1	0.1	NP	0.1	0.1	0.1	NP	NP	NP	NP	0.1	5	NP	NP	5	NP	NP	NP	NP	NP
EPA Region 9 PRG - Residential Soil Values [F]				24	3,700	22,000	0.62	0.062	0.62	NP	6.2	62	0.062	150	1,200	2,300	2,700	0.62	NP	3,100	NP	56	20	3.0	NP	18,000	2,300
Oregon DEQ Risk-Based Concentrations Residential Scenario - Ingestion, Dermal Contact, and Inhalation [G]				NP	2,900 [I]	21,000 [I]	0.62	0.062	0.62	NP	6.2	62 [I]	0.062	NP	NP	2,300 [I]	2,600 [I]	0.62 [I]	NP	NP	NP	34	NP	NP	NP	NP	1,700 [I]

NOTES:

Of the 66 Semi-Volatile Organic Compounds (SVOCs) analytes quantified by the EPA 8270C analysis, only those analytes with one or more detections are listed. See attached laboratory report.

Of the 17 Polynuclear Aromatic Compounds (PAHs) and Pentachlorophenol per EPA Method 8270M-SIM, only those analytes with one or more detections are listed. See attached laboratory report.

- = Not Sampled or Not Analyzed for specific constituent.

BOLD = Analytes detected at or above the laboratory method reporting limit (MRL).

A - Semivolatile Organic Compounds (SVOCs) per EPA Method 8270C.

B - Polynuclear Aromatic Compounds (PAHs) and Pentachlorophenol per EPA Method 8270M-SIM.

C - Pentachlorophenol (PCP) per EPA Method 8270M-SIM.

D - Not Detected (ND) at or above the laboratory Method Reporting Limit (MRL) of 3.80 mg/kg (milligrams per kilograms - dry).

E - Model Toxics Control Act (MTCA) - Cleanup Regulation, Table 740-1, Method A Soil Cleanup Levels for Unrestricted Land Uses.

F - EPA Region 9 Preliminary Remediation Goals (PRGs), October 2004 - residential soil screening value.

G - Screening value using Oregon's Risk-Based Concentration for residential receptor scenario (surface soil ingestion, dermal contact, and inhalation).

H - Value Not Provided.

I - This soil RBC exceeds the limit of three-phase equilibrium partitioning. Soil concentrations in excess of this RBC indicate that free product might be present.

= Value exceeds one or more of the Screening Level Values

TABLE 5 - Groundwater Analytical Summary Table
VOCs
Former Nord Door Facility
Everett, Washington

			Volatile Organic Compounds (VOCs) [A] (µg/l)					
Sample Location	**Sample Label**	**Sample Date**	Benzene	Ethylbenzene	Naphthalene	Toluene	1,2,4-Trimethyl benzene	Xylenes [B]
GP-2	GP2-GW	5/4/2006	ND (<1.00) [C]	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-3	GP3-GW	5/4/2006	ND (<500)	ND (<500)	ND (<1,000)	**60,300**	ND (<500)	ND (<1,500)
GP-5	GP5-GW	5/4/2006	**3.13**	**4.21**	**11.6**	ND (<1.00)	**1.95**	**5.47**
GP-9	GP9-GW	5/1/2006	ND (<100)	ND (<100)	**17,400**	**125**	ND (<100)	ND (<300)
GP-10	GP10-GW	5/1/2006	**103**	ND (<100)	**13,800**	**125**	ND (<100)	ND (<300)
GP-12	GP12-GW	5/2/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-13	GP13-GW	5/1/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-14	GP14-GW	5/1/2006	ND (<5.00)	ND (<5.00)	**800**	ND (<5.00)	ND (<5.00)	ND (<15.00)
GP-19	GP19-GW	5/1/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-21	GP21-GW	5/4/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-22	GP22-GW	5/4/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-23	GP23-GW	5/1/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-24	GP24-GW	5/3/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-27	GP27-GW	5/3/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-29	GP29-GW	5/4/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-31	GP31-GW	5/3/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-34	GP34-GW	5/3/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-35	GP35-GW	5/4/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-36	GP36-GW	5/3/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-41	GP41-GW	5/2/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
GP-42	GP42-GW	5/2/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
November 2006								
MW1-1106	-	11/14/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
MW2-1106	-	11/14/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
MW3-1106	-	11/14/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
MW4-1106	-	11/14/2006	ND (<1.00)	ND (<1.00)	ND (<2.00)	ND (<1.00)	ND (<1.00)	ND (<3.00)
MW5-1106	-	11/14/2006	**9.46**	ND (<1.00)	**11.1**	**4.12**	ND (<1.00)	**1.05**
Preliminary Screening Level Values (SLVs)								
MTCA Method A Cleanup Levels for Ground Water [D]			5	700	160	1,000	NP [H]	1,000
EPA Region 9 PRG - Tap Water Value [E]			0.35	1,300	6.2	720	12	210
Oregon DEQ Risk-Based Concentrations Construction Worker / Excavation Worker Exposure Scenario [F]			1,700	>S [I]	680	78,000	1,300	22,000
Oregon DEQ Risk-Based Concentrations - Residential Vapor Intrusion into Building Exposure Scenario [G]			160	>S	29,000	210,000	4,300	59,000

NOTES:

Of the 65 Volatile Organic Compounds (VOCs) analytes quantified by the EPA 8260B analysis, only those analytes with one or more detections are listed.

See the attached laboratory report.

BOLD = Analytes detected at or above the laboratory method reporting limit (MRL).

A - Volatile Organic Compounds (VOCs) per EPA Method 8260C.

B - The sum of o-xylene and m,p-xylene.

C - Not Detected (ND) at or above the laboratory Method Reporting Limit (MRL) of 1.00 µg/l (micrograms per liter).

D - Model Toxics Control Act (MTCA) - Cleanup Regulation, Table 720-1, Method A Cleanup Levels for Ground Water (cleanup levels for drinking water as beneficial use).

E - EPA Region 9 Preliminary Remediation Goals (PRGs), October 2004 - tap water screening value.

F - Screening value using Oregon's Risk-Based Concentration for Construction Work / Excavation Work exposure to groundwater (excavation).

G - Screening value using Oregon's Risk-Based Concentration for Residential exposure by vapor intrusion into building from groundwater.

H - Value Not Provided.

I - For this screening value exposure pathway, the groundwater RBC (value) exceeds the solubility limit. Free product would likely be present to exceed the screening value by this pathway.

= Value exceeds one or more of the Screening Level Values

TABLE 6 - Soil Analytical Summary Table
VOCs
Former Nord Door Facility
Everett, Washington

				Volatile Organic Compounds (VOCs) [A] (µg/kg)					
Sample Location	**Sample Label**	**Sample Depth (feet)**	**Sample Date**	Benzene	Ethylbenzene	Naphthalene	Toluene	1,2,4-Trimethyl benzene	Xylenes [B]
GP-3	GP3-9	9.0	5/4/2006	ND (<125) [C]	ND (<623)	ND (<1,250)	**71,000**	ND (<623)	ND (<1,873)
GP-14	GP14-6	6.0	5/1/2006	ND (<125)	ND (<624)	**58,600**	ND (<624)	ND (<624)	ND (<1,874)
GP-34	GP34-8	8.0	5/3/2006	ND (<22.5)	ND (<113)	ND (<225)	ND (<113)	ND (<113)	ND (<338)
Preliminary Screening Level Values (SLVs)									
MTCA Method A Soil Cleanup Levels for Unrestricted Land Use [D]				30	6,000	5,000	7,000	NP	9,000
MTCA Priority Contaminants of Concern (MTCA Table 749-2) Simplified Terrestrial Ecological Evaluation Procedure [E]				NP [H]	NP	NP	NP	NP	NP
EPA Region 9 PRG - Residential Soil Values [F]				640	400,000	56,000	520,000	52,000	270,000
Oregon DEQ Risk-Based Concentrations - Residential Vapor Intrusion into Building Exposure Scenario [G]				68	>S [I]	290,000	180,000	70,000	110,000

NOTES:

Of the 65 Volatile Organic Compounds (VOCs) analytes quantified by the EPA 8260B analysis, only those analytes with one or more detections are listed. See attached lab report.

BOLD = Analytes detected at or above the laboratory method reporting limit (MRL).

A - Volatile Organic Compounds (VOCs) per EPA Method 8260C.

B - The sum of o-xylene and m,p-xylene.

C - Not Detected (ND) at or above the laboratory Method Reporting Limit (MRL) of 125 µg/kg (micrograms per kilogram).

D - Model Toxics Control Act (MTCA) - Cleanup Regulation, Table 740-1, Method A Soil Cleanup Levels for Unrestricted Land Uses.

E - Model Toxics Control Act (MTCA) - Priority Contaminants of Ecological Concern for Site that Qualify for the Simplified Terrestrial Ecological Evaluation Process, Table 749-2.

F - EPA Region 9 Preliminary Remediation Goals (PRGs), October 2004 - residential soil screening value.

G - Screening value using Oregon's Risk-Based Concentration for Residential exposure by vapor intrusion into building.

H - Value Not Provided.

I - For this screening value exposure pathway, the groundwater RBC value exceeds the solubility limit. Free product would likely be present to exceed the screening value by this pathway.

= Value exceeds one or more of the Screening Level Values

TABLE 7 - Groundwater and Soil Analytical Summary Table
PCBs
Former Nord Door Facility
Everett, Washington

SOIL

Sample Location	Sample Label	Sample Depth (feet)	Sample Date	Polychlorinated Biphenyls [A] (µg/kg)						
				Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
GP34	GP34-8	8.0	5/3/2006	ND (<37.6) [B]	ND (75.6)	ND (<37.6)	ND (<37.6)	ND (<37.6)	ND (<37.6)	ND (<37.6)
Preliminary Screening Level Values (SLVs)										
MTCA Method A - Unrestricted Land Use [C]				10,000	10,000	10,000	10,000	10,000	10,000	10,000
EPA Region 9 PRG - Residential Soil Values [D]				3,900	220	220	220	220	220	220

GROUNDWATER

Sample Location	Sample Label	Sample Date	Polychlorinated Biphenyls [A] (µg/l)						
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
GP-34	GP34-GW	5/3/2006	ND (<0.476)	ND (<0.952)	ND (<0.476)	ND (<0.476)	ND (<0.476)	ND (<0.476)	ND (<0.476)
Preliminary Screening Level Values (SLVs)									
MTCA Method A Cleanup Levels for Ground Water [E]			0.1	0.1	0.1	0.1	0.1	0.1	0.1
EPA Region 9 PRG - Tap Water Value [F]			0.96	0.034	0.034	0.034	0.034	0.034	0.034

NOTES:

A - Polychlorinated Biphenyls per EPA Method 8082.

B - Not Detected (ND) at or above the laboratory Method Reporting Limit (MRL) of 37.6 µg/kg (micrograms per kilogram) - dry unit weight basis.

C - Model Toxics Control Act (MTCA) - Cleanup Regulation, Table 740-1, Method A Soil Cleanup Levels for Unrestricted Land Uses.

D - EPA Region 9 Preliminary Remediation Goals (PRGs), October 2004 - residential soil screening value

E - Model Toxics Control Act (MTCA) - Cleanup Regulation, Table 720-1, Method A Cleanup Levels for Ground Water (cleanup levels for drinking water as beneficial use).

F - EPA Region 9 Preliminary Remediation Goals (PRGs), October 2004 - tap water screening value.

TABLE 2 - Soil Analytical Summary Table
TPH
Former Nord Door Facility
Everett, Washington

				Hydrocarbon Identification [A] (mg/kg)			Total Petroleum Hydrocarbons [E] (mg/kg)		
Sample Location	Sample Label	Sample Depth (feet)	Sample Date	TPH Gasoline [B]	TPH Diesel [C]	TPH Heavy Oil [D]	TPH-Gx Gasoline Range	TPH-Dx Diesel Range	TPH-Dx Heavy Oil Range
GP-1	GP1-6	6.0	5/4/2006	ND (<33.2) [F]	ND (<82.9)	**DET**	-	-	-
GP-1	GP1-10	10.0	5/4/2006	ND (<18.6)	**DET**	**DET**	ND (<4.47)	-	-
GP-2	GP2-5	5.0	5/4/2006	ND (<16.8)	ND (<41.9)	ND (<83.8)	-	-	-
GP-3	GP3-9	9.0	5/4/2006	ND (<21.6)	ND (<54.0)	ND (<108)	-	-	-
GP-4	GP4-4.5	4.5	5/11/1006	**DET**	ND (67.9)	ND (<136)	**47.0**	-	-
GP-5	GP5-6.5	6.5	5/4/2006	ND (<17.8)	ND (<44.6)	ND (<89.2)	-	-	-
GP-5	GP5-12	12.0	5/4/2006	ND (<18.0)	ND (<44.9)	ND (<89.9)	-	-	-
GP-6	GP6-5	5.0	5/2/2006	ND (<13.6)	ND (<34.1)	ND (<68.2)	-	-	-
GP-7	GP7-5	5.0	5/2/2006	ND (<21.6)	ND (<54.1)	ND (<108)	-	-	-
GP-8	GP8-5	5.0	5/2/2006	ND (<22.2)	ND (<55.4)	ND (<111)	-	-	-
GP-9	GP9-6	6.0	Sample Held	-	-	-	-	-	-
GP-9	GP9-12	12.0	5/1/2006	**DET**	**DET**	**DET**	**24.9**	**1,580**	**371**
GP-10	GP10-3	3.0	5/1/2006	-	-	-	-	**440**	**1,660**
GP-10	GP10-11	11.0	5/1/2006	**DET**	**DET**	**DET**	**45.3**	**14,600**	**3,020**
GP-11	GP11-6	6.0	5/4/2006	**DET**	**DET**	**DET**	**57.5**	**60,400**	**15,700**
GP-11	GP11-12	12.0	5/4/2006	**DET**	**DET**	**DET**	**11.0**	**225**	**47.4**
GP-12	GP12-8	8.0	5/2/2006	**DET**	**DET**	**DET**	ND (<4.88)	**2,380**	**801**
GP-13	GP13-11.5	11.5	5/1/2006	ND (<21.0)	ND (<52.4)	**DET**	-	ND (<15.6)	ND (<31.3)
GP-14	GP14-6	6.0	5/1/2006	**DET**	**DET**	**DET**	**14.2**	**1,460**	**284**
GP-15	GP15-10	10.0	5/1/2006	ND (<23.5)	ND (<58.8)	ND (<118)	-	-	-
GP-16	GP16-8	8.0	5/1/2006	ND (<20.9)	ND (<52.3)	ND (<105)	-	-	-
GP-17	GP17-5	5.0	5/1/2006	ND (<20.3)	ND (<50.8)	**DET**	-	**41.0**	**639**
GP-18	GP18-8	8.0	5/1/2006	ND (<24.3)	ND (<60.7)	ND (<121)	-	-	-
GP-19	GP19-10	10.0	5/1/2006	ND (<17.8)	ND (<44.6)	ND (<89.2)	-	-	-
GP-20			Sample Held	-	-	-	-	-	-
GP-21	GP21-5	5.0	5/4/2006	ND (<17.7)	ND (<44.3)	ND (<88.5)	-	-	-
GP-22	GP22-6.5	6.5	5/4/2006	ND (<20.2)	ND (<50.6)	**DET**	-	ND (<14.7)	**37.5**
GP-23	GP23-6	6.0	5/1/2006	ND (<17.9)	ND (<44.7)	ND (<89.3)	-	-	-
GP-24	GP24-6	6.0	5/3/2006	ND (<17.2)	ND (<42.9)	**DET**	-	**53.3**	**471**
GP-25			Sample Held	-	-	-	-	-	-
GP-26	GP26-7	7.0	5/3/2006	ND (<21.4)	ND (<53.6)	ND (<107)	-	-	-
GP-27	GP27-2	2.0	5/3/2006	ND (<17.6)	ND (<44.1)	ND (<88.2)	-	-	-
GP-28			Sample Held	-	-	-	-	-	-
GP-29	GP29-8	8.0	5/4/2006	ND (<20.7)	ND (<51.9)	**DET**	-	ND (<16.2)	**75.6**
GP-30			Sample Held	-	-	-	-	-	-
GP-31	GP31-6	6.0	5/3/2006	ND (<16.8)	ND (<41.9)	ND (<83.8)	-	-	-
GP-32			Sample Held	-	-	-	-	-	-
GP-33	GP33-7	7.0	5/3/2006	ND (<19.5)	ND (<48.8)	ND (<97.5)	-	-	-
GP-34	GP34-8	8.0	5/3/2006	**DET**	**DET**	**DET**	ND (<4.35)	**770**	**3,400**
GP-35	GP35-7	7.0	5/4/2006	ND (<22.3)	ND (<55.6)	ND (<111)	-	-	-
GP-36	GP36-6	6.0	5/3/2006	ND (<19.7)	ND (<49.2)	ND (<98.4)	-	-	-
GP-37	GP37-8	8.0	5/2/2006	ND (<18.5)	ND (<46.3)	**DET**	-	ND (<15.4)	**63.7**
GP-38	GP38-8	8.0	5/2/2006	ND (<21.8)	ND (<54.6)	ND (<109)	-	-	-
GP-39	GP39-9	9.0	5/2/2006	ND (<19.0)	ND (<47.6)	**DET**	-	ND (<69.0)	**290**
GP-40	GP40-8	8.0	5/2/2006	ND (<17.6)	ND (<44.1)	ND (<88.2)	-	-	-
GP-41	GP41-8	8.0	5/2/2006	ND (<19.3)	ND (<48.3)	**DET**	-	ND (<28.0)	**85.5**
GP-42	GP42-8	8.0	5/2/2006	ND (<19.6)	ND (<49.0)	**DET**	-	ND (<12.9)	**70.0**
Preliminary Screening Level Values (SLVs)									
MTCA Method A Soil Cleanup Levels for Unrestricted Land Use [G]				NA	NA	NA	100 / 30 [K]	2,000	2,000
MTCA Priority Contaminants of Concern (MTCA Table 749-2) Simplified Terrestrial Ecological Evaluation Procedure [H]				NA	NA	NA	200	460	NP [L]
Oregon DEQ Risk-Based Concentrations Residential Exposure Scenario [I]				NA	NA	NA	720	3,900	9,800
Oregon DEQ Risk-Based Concentrations - Residential Vapor Intrusion into Building Exposure Scenario [J]				NA	NA	NA	140	>S [M]	>S

NOTES:

- = Not Sampled or Not Analyzed for specific constituent.

BOLD = Analytes detected at or above the laboratory method reporting limit.

A - Hydrocarbon Identification per NW-TPH Methodology.

B - Gasoline Range Hydrocarbons

C - Diesel Range Hydrocarbons

D - Heavy Oil Range Hydrocarbons

E - Hydrocarbon per NW-TPH-Gx and NW-TPH-Dx methodologies.

F - Not Detected (ND) at or above the laboratory Method Reporting Limit (MRL) of 33.2 mg/kg (milligrams per kilogram).

G - Model Toxics Control Act (MTCA) - Cleanup Regulation, Table 740-1, Method A Soil Cleanup Levels for Unrestricted Land Uses.

H - Model Toxics Control Act (MTCA) - Priority Contaminants of Ecological Concern for Site that Qualify for the Simplified Terrestrial Ecological Evaluation Process, Table 749-2.

I - Screening value using Oregon's Risk-Based Concentration for Residential exposure to TPH in soil (surface soil value).

J - Screening value using Oregon's Risk-Based Concentration for Residential exposure by vapor intrusion into building from TPH in soil.

K - 100 mg/kg for gasoline mixtures without benzene and the total of ethylbenzene, toluene and xylene are less than 1% of the gasoline mixture, 30 mg/kg for all other gasoline mixtures.

L - Value Not Provided.

M - For this screening value exposure pathway, the groundwater RBC (value) exceeds the solubility limit. Free product would likely be present to exceed the screening value by this pathway.

= Value exceeds one or more of the Screening Level Values