

(rev 3/5/03) 1-03
10/1/05
1

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING! Can be fatal if swallowed. Harmful if inhaled. Causes skin and eye irritation. Avoid breathing vapor. Avoid contact with skin, eyes or clothing. Use with adequate ventilation. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

For contact with skin or eyes: Flush with plenty of water. For eyes, flush for at least 15 minutes and get medical attention if irritation persists.

For inhalation: Remove the person to fresh air. If breathing has stopped, give artificial respiration and call a physician immediately.

If swallowed: Do not induce vomiting. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Fish and other aquatic organisms in waters treated with this product will be killed. Do not allow return flows of treated irrigation water into receiving rivers, streams or lakes if xylene residues are in excess of 10 parts per million. Do not allow the treated water to enter any domestic system. Treated water may be used for furrow or flood irrigation. Consult your local Fish and Game authorities before using in any waters where loss of game fish or other aquatic organisms may occur.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Do not use or store near heat or open flame.

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION: AQUATIC WEED KILLER is effective for control of pond scum (Algae), coontail moss (Ceratophyllum Demersum), chara, horned pondweed (Zanichellia Palustris), waterweed or elodea (Anacharis Canadensis), American and Sago pondweeds (Potamogeton americanus and P. Pectinatus) and certain other waterweeds in irrigation and drainage ditches, when properly emulsified with the water in the system to be treated.

Because of varying conditions each body of water must be considered individually. The following directions are general and are adequate for most conditions. **AQUATIC WEED KILLER** is usually pumped directly into the water from the drum in which it comes. Any high pressure pump may be used. **AQUATIC WEED KILLER** is corrosive to natural rubber caps and seals. It is suggested that pumps equipped with synthetic rubber, leather or lead seals and synthetic rubber or leather caps be used, along with heavy duty synthetic rubber hoses.

TC0101901



AQUATIC WEED KILLER

For the Control of Submerged Weeds in Irrigation and Drainage Canals

For use only in programs of the Bureau of Reclamation, U.S. Department of Interior and cooperating Water User Organizations.

KEEP OUT OF REACH OF CHILDREN

WARNING: CAN BE FATAL IF SWALLOWED. CAUSES SKIN AND EYE IRRITATION. HARMFUL IF INHALED. See Precautionary Statements and Statement of Practical Treatment on side panel.

NET CONTENTS: 55 GALLONS (208 L)

ACTIVE INGREDIENTS:		
Xylene Range Aromatic Solvent	_____	98.0%
OTHER INGREDIENTS	_____	2.0%
	TOTAL	100.0%

EPA REG. NO: 9768-18 EPA EST. NO: 9768-UT-1

THATCHER COMPANY
SALT LAKE CITY, UTAH 84104

Application is generally delayed until the submerged growth begins to interfere with the flow and delivery of water. The flow in the canal is reduced until the water just covers the weeds but still flows fairly rapidly. A boom section from an ordinary weed sprayer is connected to the pump by a hose and then lowered to the bottom of the channel so that the nozzle empties into the water without hitting the bottom, weeds or any other obstacle. A bridge, weir, or diversion dam is a convenient point for application.

One method of application is to add the **AQUATIC WEED KILLER** at several locations, each being from two to four miles apart, downstream from the first location. At each location, 11 gallons of **AQUATIC WEED KILLER** are added for each second-foot of water. (A second-foot of water is a flow of one cubic foot of water per second). The addition is made over a 20 to 30 minute time period. Eleven gallons per second-foot is equivalent to .367 gallons per minute for a period of 30 minutes.

A second method of application consists of applying 6 gallons of **AQUATIC WEED KILLER** per second-foot, added over a 20 to 30 minute time period, at successive stations one mile apart down channel.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry, well-ventilated area. Do not store near heat or open flame or next to food or feed products.

PESTICIDE DISPOSAL: As containers are emptied during use, triple-rinse the containers, adding the rinse water to the irrigation or drainage ditch as part of the pesticide application. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple-rinse drums. Then offer recycling or reconditioning or dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

WARRANTY

Seller makes no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extends beyond the statements on this label.

RQ Compound, weed killing, liquid
(Xylene) NA 1993



8/01